

Зип Общепит


vsezip.ru

ESSENTIAL

+7(812)987-08-81


Essential Pro, Basic, Auto and Z-100





SPARE PARTS CATALOGUE














2014.05.30





zumex[®]
LIFE ESSENCE




REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300000:00 33.0000.000	FASTENER SUPPORT CAPS	Fastener support cap (16units) For machines with serial number subsequent to 218197 ** Caps used aswell in reference S3300100: 00	
S3300001:00 33.0000.100	REAR COVER HEYCO SCREWS	Esp. HEYCO Screw (6units) Valid for all the serial numbers ** Screws used in rear covers of Versatile and Essential models.	
S3300002:00 33.0000.200	CLEANING BRUSH	Cleaning brush Valid for all the serial numbers	
S3300010:02 33.0001.002	RIGHT PEEL EJECTOR	Asp right peel ejector For machines with serial number subsequent to 207530	
S3300020:02 33.0002.002	LEFT PEEL EJECTOR	Asp left peel ejector For machines with serial number subsequent to 207530	
S3300035:00 33.0003.500	ASP PEEL EJECTORS KIT	Asp left peel ejector + ASP right peel ejector For machines with serial number subsequent to 207530	
S3300050:00 33.0005.000	PEEL EJECTOR SHOVEL	Peel ejector shovel: For machines with serial number previous to 207530	
S3300060:00 33.0006.000	PEEL EJECTORS PIVOT HOLDERS (2uts)	Peel ejector pivot holder (2units) For machines with serial number subsequent to 207530	
S3300090:00 33.0009.000	FASTENER-HOLDER-SEAT RING v1.1	Fastener holder + Fastener with stainless steel spring + Silicone joint For machines with serial number between 163000 and 218196	






REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300100:00 33.0010.000	FASTENER W/SCREWS v2.0	Fastener holder + Fastener with stainless steel spring + Silicone joint + Cap (4units) + DIN 912 screw (4units) <i>For machines with serial number subsequent to 218197</i>	
S3300110:00 33.0011.000	6007 2RS BEARINGS (2uts)	Bearing 6007 2RS (2units) <i>Valid for all the serial numbers</i>	
S3300120:00 33.0012.000	BLADE HOLDER v1.0	Blade holder V 1.0 <i>For machines with serial number previous to 207530</i>	
S3300130:01 33.0013.001	ASP BLADE HOLDER V2.2	Asp blade holder V 2.1 <i>For machines with serial number subsequent to 207530</i>	
S3300140:00 33.0014.000	VER/ESS JUICE CONTAINER FILTER	Juice container filter VER / ESS <i>Valid for all versions previous to PRO</i>	
S3300150:00 33.0015.000	JUICERS SEEGER RING KIT	Security ring (4units) <i>Valid for all the serial numbers</i>	
S3300171:00 YELLOW 33.0017.050	OB VER/ESS PEEL BUCKETS	Z-100/200 Yellow peel bucket (open base) <i>Until finish the stock ** Alternative reference S3301261: 00</i>	
S3300171:00 ORANGE 33.0017.150	OB VER/ESS PEEL BUCKETS	Z-100/200 Orange peel bucket (open base) <i>Until finish the stock ** Alternative reference S3301261: 00</i>	
S3300230:01 33.0023.001	JUICE CONTAINER VER/ESS	VER / ESS Juice container <i>Valid for all versions previous to PRO</i>	





REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300240:01 33.0024.001	ASP UPPER PRESSING UNIT (2uts)	Asp upper plastic pressing (2units) Valid for all the serial numbers	
S3300242:00 33.0024.200	ASP KIT 65 UPPER PLASTIC PRESSING UNIT (2uts)	Asp Kit 65 upper plastic pressing (2units) (Valid for all the serial numbers)	
S3300250:00 33.0025.000	BEARINGS SEPARATOR KIT	Internal separator (4units) Valid for all the serial numbers	
S3300310:01 33.0031.001	ASP LOWER PRESSING UNIT	Asp lower plastic pressing unit Valid for all the serial numbers	
S3300310:02 33.0031.002	ASP LOWER PRESSING UNIT (2uts)	Asp lower plastic pressing unit (2units) Valid for all the serial numbers	
S3300312:00 33.0031.200	ASP KIT 65 LOWER PLASTIC PRESSING UNIT (2uts)	Asp Kit 65 lower plastic pressing unit (2units) Valid for all the serial numbers	
S3300370:00 33.0037.000	ESSENTIAL FEEDER TUBE	Feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) + 4mm Allen key For machines with serial number subsequent to 207530	
S3300372:00 33.0037.200	ESSENTIAL KIT 65 FEEDER TUBE	Ess Kit 65 Feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) + 4mm Allen key For machines with serial number subsequent to 207530	
S3300380:00 33.0038.000	INCLINED LEFT P. EJECTOR KIT	Left support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) For machines with serial number between 163000 and 207530	



REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300390:00 33.0039.000	INCLINED RIGHT P. EJECTOR KIT	Right support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) For machines with serial number between 163000 and 207530	
S3300430:00 33.0043.000	ELECTRONIC MODULE ESS/VER ON/OFF 230V	220/240V Electronic module Valid for all the serial numbers ** Until finish the stock, is replaced by reference S3300431: 00	
S3300431:00 33.0043.001	ELECTRONIC MODULE SPEED ON/OFF 230V	220/240V Electronic module (24V) Valid for all the serial numbers	
S3300440:00 33.0044.000	115V ON/OFF ELECTR. MODULE	115V Electronic module Valid for all versions previous to PRO	
S3300450:02 33.0045.002	VER/ESS FRONT COVER	ESS/VER Cover + Silicone profile Valid for all versions previous to PRO	
S3300500:00 33.0050.000	ESS AUTO AND PRO FEEDER TUBE	Z100 Auto feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) For all machines PRO model and AUTO with serial number subsequent to 207530	
S3300500:00 33.0050.000	ESS AUTO AND PRO FEEDER TUBE	Ess AUTO and PRO feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) For all machines PRO model and AUTO with serial number subsequent to 207530	
S3300510:00 33.0051.000	ESSENTIAL AUTO SENSOR MODULE KIT	Barrier module + Module support + Support cap (2units) + DIN 912 Screw (2units) + RFX 81T Screw (4units) + DIN 7991 Screw + Separator + DIN 934 Nut For machines with serial number previous to 392308	
S3300512:00 33.0051.200	ESSENTIAL AUTO MODULE 230V	Autostart module 230V For machines with serial number previous to 392308	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300513:00 33.0051.300	ESSENTIAL AUTO MODULE 115V	Autostart module 115V For machines with serial number previous to 392308	
S3300580:00 33.0058.000	STAINLESS STEEL BLADE YOKE KIT	Stainless steel blade yoke kit base + Blade rear side + Blade hinge + Blade holder V 2.1 + DIN 7991 Screw (2units) To update machine with serial number previous to 207530	
S3300591:00 33.0059.100	BUTTON RUBBER PROTECTION ROUNDED	Button rubber protection Only for machines with serial number subsequent to 382494 ** For machines previous to this serial number must use the kit S3300850: 00	
S3300670:00 33.0067.000	SECURING KNOBS + RUBBER JOINT (2uts)	Securing knob (2units) + Silicone joint (2units) Valid for all the serial numbers	
S3300800:00 33.0080.000	VER/ESS GLASS HOLDER FILTER	Glass holder filter Valid for all the serial numbers	
S3300810:00 33.0081.000	ESS/VER GLASS HOLDER TRAY	Colour Graphite Glass holder tray Valid for all versions previous to PRO	
S3300820:00 33.0082.000	VER/ESS PEEL COVER	Colour Graphite Pell cover + Silicone profile + Esp. Heyco Screw (2units) Valid for all the serial numbers	
S3300850:00 33.0085.000	ON/OFF SWITCH KIT	ON/OFF Switch + Silicone protector + NC/NO Switch body Used in machines with serial number subsequent to 382494 and compatible with machines previous	
S3300930:00 33.0093.000	ZUMEX VER/ESS PRO FRONT COVER	ESS/VER Colour Graphite front cover + Silicone profile Valid for all the serial numbers, recommended to use with the reference 33.0094.000 in machines with version different to PRO	




REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3300940:00 33.0094.000	VER / ESS DARK JUICE CONTAINER	VER/ESS Colour Graphite juice container Valid for machines without tap with version different to PRO, that use the front cover reference S3300930: 00	
S3301000:00 33.0100.000	VERS/ESS LOCK KIT GRAPHITE	Plastic cover lock + Lock base + RFX 81T Screw (2units) Used in machines with serial number subsequent to 345758 ** Possibility to update machines with the closing reference number S3300280: 00	
S3301010:00 33.0101.000	ESSENTIAL REAR COVER GRAPHITE	ESS colour Graphite rear cover + Esp. Heyco Screw (6units) Valid for all the serial numbers	
S3301090:00 33.0109.000	DOBLE MAG. DETECTOR SET L600mm	Double L=600mm Magnetic detector + MFS Silicone joint + Flat joint + Nylon nut + Female connection box Valid for all Essential 115V previous to PRO	
S3301100:00 33.0110.000	230V JUICERS MOTOR	220/230V 0.4CV 50/60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland Valid for all the serial numbers	
S3301110:00 33.0111.000	115V JUICERS MOTOR	120V 0.5CV 60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland Valid for all the serial numbers	
S3301120:00 33.0112.000	MAGNET DETECTOR (24V)	L=600mm Magnetic detector + MFS Silicone joint + Flat joint + Nylon nut + Female connection box Valid for all Essential 230V previous to PRO	
S3301140:00 33.0114.000	MECHANICAL SWITCH BUS	Mechanical switch bus Valid for all versions previous to PRO	
S3301190:00 33.0119.000	SPAGGIARI REDUCER BRIDLE	Spaggiari reducer bridle Valid for all serial numbers	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3301200:00 33.0120.000	ESS/VER REDUCER 1:60	Reducer MVF 49F Rel.1:60 + DIN 933 Screw (4units) + DIN 7991 Screw (4units) + DIN 9021 Washer (4units) + DIN 127 Washer (4units) + DIN 934 Nut (4units) Valid for all serial numbers	
S3301260:00 ORANGE 33.0126.000	VER/ESS PRO PEEL BUCKET	Peel bucket PRO colour Orange Machines with serial number previous to 391999 except the numbers 391267 to 39127, recommended, change the feeder body for S3300781: 00, because of the colour difference.	
S3301260:00 SILVER 33.0127.000	VER/ESS PRO PEEL BUCKET	Peel bucket PRO colour Silver Machines with serial number previous to 391532, recommended, change the feeder body for S3300782: 00, because of the colour difference.	
S3301260:00 GRAPHITE 33.0128.000	VER/ESS PRO PEEL BUCKET	Peel bucket PRO colour Graphite Valid for machines PRO	
S3301300:00 33.0130.000	ESS-VER PRO MAIN BOARD 230V	Ess-Vers PRO Main board 230V Valid for machines PRO	
S3301310:00 33.0131.000	ESS-VER PRO KEYBOARD	Ess-Vers Keyboard module PRO + Connection bus wire + Keyboard cover + Ferrite (2units) Valid for machines PRO	
S3301320:00 33.0132.000	VER-ESS PRO JUICE CONTAINER	PRO Juice container Valid for machines PRO	
S3301330:01 33.0133.001	VER-ESS PRO FAUCET	PRO Faucet set Valid for machines PRO	
S3301340:00 33.0134.000	VER-ESS PRO CONTAINER FILTER	Juice container filter PRO Valid for machines PRO	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3301350:00 33.0135.000	ESS/VER PRO BASE	Ess-Vers PRO Base + Flat cover PRO + Ess-Vers PRO Glass holder tray + RFX 81T Screw (2units) + DIN 9021 Washer (2units) + Glass holder filter <i>Valid for all serial numbers</i>	
S3301360:00 33.0136.000	ESS-VER PRO GLASS HOLDER TRAY	Ess-Vers PRO Glass holder tray <i>Valid for machines PRO</i>	
S3301370:00 33.0137.000	PRO MAGNET DETECTOR 230V	Magnet detector PRO 230V <i>Valid for machines PRO</i>	
S3301380:00 33.0138.000	ESS-VER PRO MAIN BOARD 115V	Ess-Vers PRO Main board 115V + Fuse 10 A <i>Valid for machines PRO</i>	
S3301390:00 33.0139.000	PRO MAGNET DETECTOR UL 115V SET	Magnet detector PRO 115V UL <i>Valid for machines PRO</i>	
S3301400:00 33.0140.000	ESS PRO BARRIER MODULE SET	Essential PRO barrier module + Barrier holder cover + Module holder cap Graphite (2units) + Barrier module holder Graphite + RFX 81T Screw (3units) + DIN 912 Screw M4 (2units) <i>Valid for machines PRO</i>	
S3301450:00 33.0145.000	ASP UPDATE KIT	ASP Upper pressing unit (2units) + ASP Lower pressing unit (2units) + ASP Right peel ejector + ASP Left peel ejector + ASP Blade holder V.2.1 ASP + Securing knob (4units) + Silicone joint (4units) + ASP Label <i>Valid for machines with serial number subsequent to 207530</i>	
S3301580:00 33.0158.000	ESS/VER PRO KEYBOARD COVER	Keyboard cover Essential-Versatile PRO <i>Valid for machines PRO</i>	
S3301584:00 33.0158.400	Z100 AUTO KEYBOARD COVER	Z100 Auto keyboard cover V 2.1 <i>Valid for machines with serial number previous to 392679</i>	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3301610:00 33.0161.000	SHAFT REDUCER BOLT	Bolt 8x7x40 Valid for all serial numbers	
S3301611:00 33.0161.100	SHAFT JUICER BOLT	Bolt 10x8x25 Valid for all serial numbers	
S3301620:00 33.0162.000	VER/ESS INTERMEDIATE CLAMP	Ess/Vers Intermediate Bridle + DIN 933 Screw (4units) + DIN 9021 Washer (4units) + DIN 127 Washer (4units) Valid for all serial numbers	
S3301630:00 33.0163.000	BLADE HOLDER SUPORT	Blade holder rear + Blade holder rod Valid for machines with serial number subsequent to 207530	
S3301640:00 33.0164.000	PLASTIC INYECCION HINGE	Ess/Vers Injection hinge Valid for all serial numbers	
S3301650:00 33.0165.000	PRO S.S FRONT COVER	PRO Stainless Steel front cover + DIN 912 Screw + Black Allen cap M5 Valid for machines PRO	
S3301651:00 33.0165.100	S.S FRONT COVER	Stainless Steel front cover + DIN 912 Screw + Black Allen cap M5 Valid for machines PRO	
S3301660:00 33.0166.000	PRO ESSENTIAL FRAME	Essential PRO Frame + Adhesive wire holder (2units) Valid for machines PRO ** Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER	
S3301661:00 33.0166.100	VERS/ESS FRAME	ESS/VERS Frame + Adhesive wire holder (2units) Valid for machines PRO ** Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3301670:00 33.0167.000	LOWER PRESSING SHAFT	Metallic lower pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all serial numbers</i>	
S3301680:00 33.0168.000	FLAT COVER PRO	Flat cover + RFX Screw 81T (2units) + DIN 9021 Washer (2units) <i>Valid for machines PRO ** Modified the front side, open for compatibilizing with elevation kit.</i>	
S3301690:00 33.0169.000	UPPER PRESSING SHAFT	Metallic upper pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all serial numbers</i>	
S3301700:00 33.0170.000	VER/ESS UE CABLE	UE Cable 2'5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO.</i>	
S3301701:00 33.0170.100	VER/ESS GB CABLE	GB Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO.</i>	
S3301702:00 33.0170.200	VER/ESS UL/JAP CABLE	JAP PSE Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO.</i>	
S3301703:00 33.0170.300	VER/ESS AUS CABLE	Australia Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO.</i>	
S3301710:00 33.0171.000	Z10 REDUCER SHAFT	Z10 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for all serial numbers</i>	
S3301712:00 33.0171.200	Z12 REDUCER SHAFT	Z12 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for machines with serial number subsequent to 417352</i>	

REF.	DESCRIPTION - COLOR	COMPOSITION	FOTO
S3301720:00 33.0172.000	BOARD BOX	Board black box + Board box cover + Grey shock absorber (2units) + DIN 7981B Screw (2units) + Perfil semicircular <i>Valid for all serial numbers</i>	
S3301730:00 33.0173.000	BIG PLASTIC GEAR	Big plastic gear <i>Valid for all serial numbers</i>	
S3301740:00 33.0174.000	SMALL PLASTIC GEAR	Small plastic gear <i>Valid for all serial numbers</i>	
S3301750:00 33.0175.000	SMALL METALLIC GEAR	Small metallic gear <i>Valid for all serial numbers</i>	
S3301790:00 33.0179.000	CAPACITOR 16uF MOTOR	Capacitor 16 uF 400V M8 <i>Valid for all the serial numbers only for 220v machines</i>	
S3301791:00 33.0179.100	CAPACITOR 65uF MOTOR	Capacitor 65 uF 400V M8 <i>Valid for all the serial numbers only for 115v machines</i>	
S3301800:00 33.0180.000	ASP D65 PEEL EJECTORS SET	ASP Right peel ejector + ASP Left peel ejector + Peel ejector Kit 65 supplement (2units) <i>Valid for machines with serial number subsequent to 207530</i>	

Thank you for purchasing an original ZUMEX spare part. We hope that our spare part will adapt perfectly to your needs and that it will work properly and for a long time.

The ZUMEX original spare parts are the same as those used in our equipment. They are submitted to the same quality controls as the original components installed in your equipment, satisfying the strictest regulatory requirements to guarantee the quality and safety of the spares.



* See the range of certified products.

The warranty terms and conditions corresponding to your purchase of an original ZUMEX spare part are described in this document.

Basic Warranty Conditions

ZUMEX guarantees the excellent quality of the original ZUMEX spare part you have purchased new and that it will be in good working order for 6 months as from the purchase date. This warranty exclusively covers ZUMEX original spare parts.

Please read this document carefully and if you have any doubts, please contact us at www.zumex.com.

What does the warranty cover?

This warranty comprises the right to replace the ZUMEX original spare part purchased new by you from ZUMEX GROUP S.A. free of charge, if such spare should have a manufacturing or assembly defect or operating fault, so long as this is due to a manufacturing fault that represents a deficiency in its normal operation. It shall not cover a refund of the purchase price under any circumstances.

ZUMEX may ask you, at any time, to send the faulty part whose replacement you are requesting, in order for ZUMEX to verify the defect. Its shipment will be a compulsory requirement for the validity of this warranty. If it is indeed a manufacturing defect, the part will be replaced and the costs derived from this process will be assumed by ZUMEX.

For this ZUMEX warranty to become effective, you must provide proof of the date of purchase of the ZUMEX original spare part, via the relative purchase invoice.

What does the warranty not cover?

Given that ZUMEX, as manufacturer of the original spare part, cannot assume responsibility for certain aspects not related to our activity, there are certain faults and damage that this warranty cannot cover.

Please inspect the state of the ZUMEX original spare part purchased on delivery, and check that it is the right one before installing it. Remember that a bad diagnosis may cause the spare part purchased not to work correctly or the incorrect operation of the equipment. Any flaw, damage or operating deficiency, caused by mistakes in selecting the spare part, by inadequate installation or improper use of the spare part, will result in the loss of coverage of this warranty and of the warranty of the equipment that this spare part is installed in.

If you do not send the faulty part when requested by ZUMEX to verify the defect, this warranty will lose its validity.

In any case, the following are excluded from the coverage of this warranty:

- The service provision (travel), manpower and transport concepts, which may possibly arise in those cases deemed appropriate by ZUMEX.
- Faults or damages caused to the spare part, not attributable to its design or manufacture, but caused by external conditions, flaws caused by knocks or impacts, damage due to climate conditions or other natural phenomena, as well as external influences such as voltage and/or pressure surges.
- Faults or damage to the spare part caused by improper use or use contrary to the purpose defined by the manufacturer, due to improper handling, to the use of inappropriate chemical agents or washing products, to damage caused by chemical or electrochemical effects of the water, as well as due to incorrect installation or assembly, due to general unusual environmental conditions or to improper maintenance of the equipment, due to failure to observe the care and cleaning
- Replacement or repair of parts affected by wear, included in the normal maintenance and cleaning of the equipment; and those that the manufacturer recommends should be replaced within a specific period of time or number of work cycles.
- Replacement or repair of fragile parts (for example wedges, handles, covers, containers, spouts, etc.) when their fault or breakage is not attributable to a manufacturing defect.

Finally, the warranty would be cancelled if the spare part is installed in equipment in which non-original ZUMEX parts are also installed or additional parts or accessories that are not ZUMEX originals are used.

Important

To be entitled to this warranty, it will be essential to provide ZUMEX GROUP S.A. with proof of the date of receipt of the new original ZUMEX spare part by you, by providing the purchase invoice. Please keep the purchase invoice.

Except for the express warranties set forth above, ZUMEX grants no other warranties, express or implied, by statute or otherwise, regarding the product, fitness for any purpose or otherwise. To the extent that permitted by the local laws, ZUMEX shall not be liable for the any defect, inconvenience, loss or any other consequential damage, arising out of the use, or inability to use the product or breach of any express or implied warranty.

Welcome to ZUMEX, we hope you will enjoy your products.

*Warranty terms applicable to products sold after 01/01/2014.