


# MOD:XFT185

Зип Общепит  
vsezip.ru



+7(812)987-08-81




# MOD:XFT185

Зип Общепит  
vsezip.ru



+7(812)987-08-81




# MOD:XFT185

Зип Общепит

vsezip.ru

+7(812)987-08-81




# MOD:XFT185

Зип Общепит  
vsezip.ru



+7(812)987-08-81




# MOD:XFT185

Зип Общепит  
vsezip.ru



+7(812)987-08-81



# MOD:XFT185

Зип Общепит  
vsezip.ru



## IT

### Descrizione codici

+7(812)987-08-81

|    |          |                                          |
|----|----------|------------------------------------------|
| 1  | VT1067A  | VETRO ESTERNO SER. GRIGIO 798X344X5      |
| 2  | VT1065B  | VETRO INTERNO 715X335X6 BETFL L.M. ELENA |
| 3  | 0H1930B  | TUBO MANIGLIA L= 718 Ø18x1               |
| 4  | MG1015B  | TERMINALE MANIGLIA L.MISS/L.MICRO/CHEFTO |
| 5  | VM1025A  | TAPPO NYLON PA66 V2 GRIGIO Ø16           |
| 6  | CR1020B  | CERNIERA PORTA FORNO RIBALTA L.M. ELENA  |
| 7  | VM1919A  | TAPPO COLONNINA INF SX                   |
| 8  | VM1918A  | TAPPO COLONNINA INF DX                   |
| 9  | VM1916A  | TAPPO COLONNINA SUP DX                   |
| 10 | VM1917A  | TAPPO COLONNINA SUP SX                   |
| 40 | GN1353A  | GN1110A-GUARNIZIONE PORTA LM ELENA       |
| 41 | OG1120D  | CARTER ARIA LM ELENA                     |
| 42 | VN1025A  | VENTOLA D=196 H=61 38 PALE INOX DADO M8  |
| 43 | RS1090A  | RESISTENZA CIRCOLARE D=230 3 SPIRE       |
| 44 | GN1327A  | GUARNIZIONE RES. 100X22                  |
| 45 | 0H3020A  | DISCO TENUTA ALBERO MOTORE               |
| 46 | GN1140A  | GUARNIZIONE PORTAMOTORE STAMP.           |
| 47 | VN1130A  | MOTORE FORNO 330W 230V 50/60HZ           |
| 48 | 0H3586A  | LAMIERA PROTEZIONE MOTORE ZINCATO        |
| 49 | GRL1015A | GRIGLIA LATERALE DX/SX CROMATA           |
| 49 | GRL1015A | GRIGLIA LATERALE DX/SX CROMATA           |
| 51 | VM1815A  | NOTTOLINO M6 CROMATO FISS. GRIGLIE       |
| 52 | VE1015A  | PORTA LAMPADA SERIE 2 PER LAMPADA        |
| 53 | VE1005A  | LAMPADA HALOPIN 25W                      |
| 54 | GN1065A  | GUARNIZIONE PORTALAMPADA DE=53.2         |
| 55 | GN1055A  | OR 46x2 VMQ.70 ROSSO                     |
| 56 | VT1195A  | VETRO COPRILAMPADA BOROSILICATO TEMPRATO |
| 57 | TR1105A  | SONDA TEMPERATURA PT100 L1000            |
| 58 | VM2052A  | COPERCHIO Sonda TEMPERATURA LM           |
| 59 | 0H1990A  | TUBO EST. UMIDITA' + RC1165A0            |
| 60 | RC1170A  | DADO M14 H=8 CH=22 INOX                  |

|     |         |                                          |
|-----|---------|------------------------------------------|
| 61  | EL1055A | RIDUZIONE INTERMEDIA D10-D8              |
| 62  | TB2034A | TB1815A-IMPIANTO IDRICO FORNI LMS        |
| 100 | OD1280F | MANTELLINO LM ELENA                      |
| 101 | 0H1450A | ANGOLO FACCIAIA MUFFOLA INOX XB-XV-XG    |
| 102 | CR1000A | ATTACCO CERNIERA PORTA FORNO RIBALTA     |
| 103 | VE1295A | MICROINTERRUTTORE PORTA MK 16A 230V UL   |
| 104 | OF1090C | SCHIENA LM ELENA                         |
| 105 | VM1952A | COPRIMOTORE IP                           |
| 106 | VM1950A | GRONDAIA PLASTICA                        |
| 107 | VM1951A | CUFFIA COPRICAMINO IP                    |
| 108 | PD1001A | PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO  |
| 109 | VM2017A | CRUSCOTTO COMANDI DYNAMIC LMiss800       |
| 110 | MS1013A | MASCHERINA SERIGRAFATA DYNAMIC LM800 TOU |
| 111 | PE1980A | ASM SCHEDA CONTROLLO LMiss TOUCH         |
| 112 | CE1012A | CAVO DI RETE RJ45 L1MT                   |
| 112 | CE1012A | CAVO DI RETE RJ45 L1MT                   |
| 113 | PE2012A | ASSIEME UNOXLink LM RJ45                 |
| 180 | PE1983A | SCHEDA POTENZA 230V LMiss DYNAMIC        |
| 181 | VE1110A | CONDENSATORE 6,3 µF 450VAC 50/60Hz       |
| 182 | VE1095A | TELERUTTORE GE 25A 230V 50/60            |
| 183 | EL1195A | RACCORDO A GOMITO CON J.GUEST            |
| 184 | EL1085A | ELETTR.SING. ATT. J.GUEST INCORPORATO    |
| 185 | VM1750A | MORSETTIERA A PETTINE                    |
| 186 | RC1030A | RACCORDO DIRITTO D=8 - 3/4 FEMMINA JOHN  |
| 187 | TB1079A | TUBO D8 ALLACCIAMENTO RETE LMiss         |
| 188 | RC1002A | RACCORDO RIDUZIONE CODOLO 10M-8F         |
| 189 | RC1365A | RACCORDO JG FEMMINA 3/4"-10              |
| 190 | GN1200A | GUARNIZIONE D=24 RACCORDO 3/4 GOMMA      |
| 191 | MR1006A | CAVO 3X1.5 H07RN-F MT1.5+K1/6+SCHUKO     |
| 192 | TR1140A | TERM.SIC.BIP. 350°C RIARMO MANUALE       |

# MOD:XFT185

Зип Общепит  
vsezip.ru



EN

Codes descriptions

+7(812)987-08-81

|    |          |                                         |
|----|----------|-----------------------------------------|
| 1  | VT1067A  | EXTERNAL DOOR GLASS GREY SER. 798X344X5 |
| 2  | VT1065B  | INNER GLASS 715x335x6 L.M. ELENA        |
| 3  | 0H1930B  | HANDLE TUBE L= 718 Ø18x1                |
| 4  | MG1015B  | L.MISS/L.MICRO/CHEFTOP HANDLE TERMINALS |
| 5  | VM1025A  | NYLON LID PA66 V2 GREY Ø16              |
| 6  | CR1020B  | L.MISS ELENA DOOR HINGE                 |
| 7  | VM1919A  | LEFT LOWER COLUMN CAP                   |
| 8  | VM1918A  | RIGHT LOWER COLUMN CAP                  |
| 9  | VM1916A  | RIGHT UPPER COLUMN CAP                  |
| 10 | VM1917A  | LEFT UPPER COLUMN CAP                   |
| 40 | GN1353A  | L.MISS ELENA DOOR GASKET - GN1110A      |
| 41 | OG1120D  | L.MISS ELENA FAN GUARD                  |
| 42 | VN1025A  | FAN D=196 H=61 38 BLADES STAINLESS      |
| 43 | RS1090A  | CIRC.HEAT. ELEMENT D=230 3 TURNS        |
| 44 | GN1327A  | HEATING ELEMENT GASKET 100X22X0.8       |
| 45 | 0H3020A  | MOTOR SHAFT SEALING DISC                |
| 46 | GN1140A  | MOLDED MOTOR SUPPORT GASKET             |
| 47 | VN1130A  | 330W 230V 50/60HZ MOTOR                 |
| 48 | 0H3586A  | ZINCATE MOTOR GUARD PLATE XBC-XVC       |
| 49 | GRL1015A | RIGHT/LEFT LATERAL GRID CHROM.PLATED    |
| 49 | GRL1015A | RIGHT/LEFT LATERAL GRID CHROM.PLATED    |
| 51 | VM1815A  | M6 LATERAL SUPPORTS FIXING BOLT         |
| 52 | VE1015A  | LAMP HOLDER SERIE 2 FOR HALOGEN LAMP    |
| 53 | VE1005A  | HALOGEN LAMP 33W ENERGY SAVER           |
| 54 | GN1065A  | SEAL FOR LAMP GLASS COVER (PURE         |
| 55 | GN1055A  | OR 46x2 VMQ.70 RED                      |
| 56 | VT1195A  | BOROSILICATE LIGHT BULB GLASS COVER     |
| 57 | TR1105A  | TEMPERATURE PROBE PT100 L1000           |
| 58 | VM2052A  | LineMiss TEMPERATURE PROBE COVER        |
| 59 | 0H1990A  | EXTERNAL WATER PIPE + STAINLESS         |
| 60 | RC1170A  | STAINLESS STEEL NUT M14 H=8 CH=22       |

|     |         |                                          |
|-----|---------|------------------------------------------|
| 61  | EL1055A | INTERMEDIATE REDUCTION FROM D=10 TO D=8  |
| 62  | TB2034A | L.MISS WATER SYSTEM - TB1815A            |
| 100 | OD1280F | L.MISS ELENA EXTERNAL CHASING            |
| 101 | 0H1450A | XB-XV-XG ST. STEEL MUFFLE FRONT CORNER   |
| 102 | CR1000A | HINGE LATCH L.M.                         |
| 103 | VE1295A | DOOR MICROSWITCH MK 16A 230V UL          |
| 104 | OF1090C | L.MISS ELENA EXTERNAL BACK PANEL         |
| 105 | VM1952A | IP MOTOR COVER                           |
| 106 | VM1950A | PLASTIC DRIP FLAP                        |
| 107 | VM1951A | IP CHIMNEY COVER                         |
| 108 | PD1001A | FOOT 35X35 H26 GREY PLASTIC+RUBBER       |
| 109 | VM2017A | 600x400 LineMiss Dynamic CONTROL BOARD   |
| 110 | MS1013A | L.MISS TOUCH DYN. CONTROL BOARD STICKER  |
| 111 | PE1980A | LineMiss TOUCH CONTROL BOARD             |
| 112 | CE1012A | RJ45 CABLE L= 1 MT                       |
| 112 | CE1012A | RJ45 CABLE L= 1 MT                       |
| 113 | PE2012A | Line Miss RJ45 UNOXLink CONNECTING POINT |
| 180 | PE1983A | LineMiss DYNAMIC TOUCH POWER CARD        |
| 181 | VE1110A | CONDENSER 6,3 µF 450VAC 50/60Hz          |
| 182 | VE1095A | REMOTE CONTROL SWITCH GE 25A 230V        |
| 183 | EL1195A | ELBOW UNION WITH J.GUEST TERMINAL        |
| 184 | EL1085A | WATER SINGLE ELECTROVALVE WITH           |
| 185 | VM1750A | TERMINAL BOARD                           |
| 186 | RC1030A | STRAIGHT JOINT D=8-3/4 FEMALE JOHN       |
| 187 | TB1079A | L.MISS D8 WATER PIPE                     |
| 188 | RC1002A | 10M-8F J.G. TERMINAL REDUCTION FITTING   |
| 189 | RC1365A | 3/4"-10 JG FEMALE CONNECTION             |
| 190 | GN1200A | 3/4 CONNECTION SEAL D=24 RUBBER+NET      |
| 191 | MR1006A | CABLE 3X1.5 H07RN-F MT1.5+K1/6+SCHUKO    |
| 192 | TR1140A | 350°C SAFETY THERMOSTAT MANUAL RESET     |