



Зип Общепит

vsezip.ru

+7(812)987-08-81



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

# OMNIWASH

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит

vsezip.ru

+7(812)987-08-81

# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer



**Complete product range and all appliance data always up to date in the GEV Webshop**



**Alphabetical Index at the end of the catalogue**

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



**Add to Favourites**



**Sign in with email address and usual password**



**Easy-order – place several items in your basket at the same time**



**Quick item search – no login needed**

## heating elements

## immersion heating elements

## 3 hole flange ø35.0mm

|                        |                                                                                                                                                                                                     |                 |                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>         | 416210                                                                                                                                                                                              | <b>Ref. No.</b> | CERB22                  |
| <b>description</b>     | heating element 2200W 230V heating circuits 1 mounting ø 35mm L 253mm W 25mm H 25mm tube ø 6.5mm hole distance 44mm hole ø 10mm connection M5 immersion heater 3 hole flange connection length 16mm |                 |                         |
| <b>For models:</b>     | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T                                                                                                                                                                |                 |                         |
| <b>accessories for</b> | 416210                                                                                                                                                                                              |                 |                         |
|                        | <b>GEV No.</b>                                                                                                                                                                                      | 507048          | <b>Ref. No.</b> G42303S |
|                        | gasket ID ø 30mm silicone thickness 3mm hole ø 10mm hole distance 41mm for heating element warewashing                                                                                              |                 |                         |

|                        |                                                                                                                                                                                                                    |                 |                         |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>         | 416211                                                                                                                                                                                                             | <b>Ref. No.</b> | CERB2712<br>CERB27R     |
| <b>description</b>     | heating element 2700W 230V heating circuits 1 mounting ø 35mm L 300mm W 25mm H 24mm tube ø 6.3mm hole distance 44mm hole ø 10mm connection male faston 6.3mm immersion heater 3 hole flange connection length 15mm |                 |                         |
| <b>For models:</b>     | DUE ACLQ, DUE ACSQ, DUE AQ, UNO AQ, UNO CLQ, UNO CSQ, UNO Q                                                                                                                                                        |                 |                         |
| <b>accessories for</b> | 416211                                                                                                                                                                                                             |                 |                         |
|                        | <b>GEV No.</b>                                                                                                                                                                                                     | 507048          | <b>Ref. No.</b> G42303S |
|                        | gasket ID ø 30mm silicone thickness 3mm hole ø 10mm hole distance 41mm for heating element warewashing                                                                                                             |                 |                         |

|                        |                                                                                                                                                                                                        |                 |                         |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>         | 416212                                                                                                                                                                                                 | <b>Ref. No.</b> | CERB30                  |
| <b>description</b>     | heating element 3000W 230V heating circuits 1 mounting ø 35mm L 330mm W 28.5mm H 25mm tube ø 6.25mm hole distance 44mm hole ø 10mm connection M5 immersion heater 3 hole flange connection length 15mm |                 |                         |
| <b>For models:</b>     | QUATTRO Q/82, QUATTRO T/82                                                                                                                                                                             |                 |                         |
| <b>accessories for</b> | 416212                                                                                                                                                                                                 |                 |                         |
|                        | <b>GEV No.</b>                                                                                                                                                                                         | 507048          | <b>Ref. No.</b> G42303S |
|                        | gasket ID ø 30mm silicone thickness 3mm hole ø 10mm hole distance 41mm for heating element warewashing                                                                                                 |                 |                         |

Зип Общепит

3 hole flange ø35.0mm

vsezip.ru

+7(812)987-08481

|                        |                                                                                                                                                                                                                                                                                            |                 |                   |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>         | 416213                                                                                                                                                                                                                                                                                     | <b>Ref. No.</b> | CERB453F          |
| <b>description</b>     | heating element 4500W 230V mounting ø 57.5mm heating circuits 3 L 383mm W 50mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 8mm length 290mm thermostat sleeve eccentric, non clinging tube ø 8mm hole distance 70mm hole ø 8mm connection M5 3 hole flange immersion heater |                 |                   |
| <b>For models:</b>     | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S                                                                                                                                                                                                                                       |                 |                   |
| <b>accessories for</b> | 416213                                                                                                                                                                                                                                                                                     |                 |                   |
|                        | <b>GEV No.</b>                                                                                                                                                                                                                                                                             | 550002          | <b>Ref. No.</b> — |
|                        | tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element                                                                                                                                                                                                                        |                 |                   |

|                        |                                                                                                                                                                                                                                                                                           |                 |                                    |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|
| <b>GEV No.</b>         | 416214                                                                                                                                                                                                                                                                                    | <b>Ref. No.</b> | CERB603F                           |
| <b>description</b>     | heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 410mm W 32mm H 50mm thermostat sleeves ø 8.5mm length 270mm thermostat sleeve upper centre not clinging tube ø 8.5mm hole distance 70mm hole ø 10mm connection length 30mm connection M5 3 hole flange immersion heater |                 |                                    |
| <b>For models:</b>     | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S                                                                                                                                                                                                                                      |                 |                                    |
| <b>spare parts for</b> | 416214                                                                                                                                                                                                                                                                                    |                 |                                    |
|                        | <b>GEV No.</b>                                                                                                                                                                                                                                                                            | 510409          | <b>Ref. No.</b> GUREBOT ORRB3F     |
|                        | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs                                                                                                                                                                                                                                       |                 |                                    |
| <b>accessories for</b> | 416214                                                                                                                                                                                                                                                                                    |                 |                                    |
|                        | <b>GEV No.</b>                                                                                                                                                                                                                                                                            | 510409          | <b>Ref. No.</b> GUREBOT ORRB3F     |
|                        | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs                                                                                                                                                                                                                                       |                 |                                    |
|                        | <b>GEV No.</b>                                                                                                                                                                                                                                                                            | 520332          | <b>Ref. No.</b> GB083F<br>GB083FV0 |
|                        | protection cap for heating element                                                                                                                                                                                                                                                        |                 |                                    |

|                    |                                                                                                                                                                                                                                                                                              |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 416215                                                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | CERB903F |
| <b>description</b> | heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 410mm W 35mm H 52mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length 290mm thermostat sleeve eccentric, non clinging tube ø 8mm hole distance 70mm hole ø 8mm connection M5 3 hole flange immersion heater |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                                                                                                                                                                                                                                                                     |                 |          |



1 1/4"



1

| GEV No.                                                                                                                         | 416218                                                                                                                                                                                                      | Ref. No. | CERV453F          |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description                                                                                                                     | heating element 4500W 230V heating circuits 3 thread 1 1/4" L 275mm W 95mm H 45mm L1 40mm L2 25mm L3 210mm W1 32mm W2 29mm H1 23mm H2 22mm connection male faston 6.3mm immersion heater flange with thread |          |                   |
| For models:                                                                                                                     | SEI 1P, SEI 2P/S                                                                                                                                                                                            |          |                   |
| spare parts for                                                                                                                 | 416218                                                                                                                                                                                                      |          |                   |
|                                                                                                                                 | GEV No.                                                                                                                                                                                                     | 510405   | Ref. No. —        |
| flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs                                                 |                                                                                                                                                                                                             |          |                   |
| accessories for                                                                                                                 | 416218                                                                                                                                                                                                      |          |                   |
|                                                                                                                                 | GEV No.                                                                                                                                                                                                     | 507333   | Ref. No. G50403GT |
| flat gasket rubber ED ø 52mm ID ø 41.5mm thickness 3mm Qty 1 pcs equiv. no. G50403GT suitable for IME/Omniwash                  |                                                                                                                                                                                                             |          |                   |
|                                                                                                                                 | GEV No.                                                                                                                                                                                                     | 528021   | Ref. No. —        |
| flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega |                                                                                                                                                                                                             |          |                   |



1

| GEV No.                                                       | 416216                                                                                                                                                                           | Ref. No. | CERV18                           |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------|
| description                                                   | heating element 1800W 230V heating circuits 1 L 330mm W 48mm H 32mm thread M12x1 mounting distance 40mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater |          |                                  |
| For models:                                                   | DUE ACLQ, DUE ACSQ, DUE AQ, UNO AQ, UNO CLQ, UNO CSQ, UNO Q                                                                                                                      |          |                                  |
| accessories for                                               | 416216                                                                                                                                                                           |          |                                  |
|                                                               | GEV No.                                                                                                                                                                          | 507332   | Ref. No. G18122GT                |
| flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs |                                                                                                                                                                                  |          |                                  |
|                                                               | GEV No.                                                                                                                                                                          | 511923   | Ref. No. CEPRV CEPRVV0 CEPRVV0GR |
| protection cap for heating element thread M12                 |                                                                                                                                                                                  |          |                                  |
|                                                               | GEV No.                                                                                                                                                                          | 550681   | Ref. No. —                       |
| nut thread M12x1.25 H 5mm WS 17 brass Qty 1 pcs               |                                                                                                                                                                                  |          |                                  |



1

| GEV No.                                                  | 418603                                                                                                                                                                                                               | Ref. No. | CERV22     |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                              | heating element 2200W 230V heating circuits 1 L 405mm W 160mm H 35mm thread M12x1 mounting distance 42mm tube ø 8.5mm 2 hole fixing connection male faston 6.3mm immersion heater L1 208mm L2 197mm W1 110mm W2 50mm |          |            |
| spare parts for                                          | 418603                                                                                                                                                                                                               |          |            |
|                                                          | GEV No.                                                                                                                                                                                                              | 528110   | Ref. No. — |
| O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs      |                                                                                                                                                                                                                      |          |            |
| accessories for                                          | 418603                                                                                                                                                                                                               |          |            |
|                                                          | GEV No.                                                                                                                                                                                                              | 520229   | Ref. No. — |
| nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs |                                                                                                                                                                                                                      |          |            |

accessories for 418603

| GEV No.                                                       | 521110 | Ref. No. | — |
|---------------------------------------------------------------|--------|----------|---|
| flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs |        |          |   |
| GEV No.                                                       | 521131 | Ref. No. | — |
| nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs                   |        |          |   |



1

| GEV No.                                                       | 416217                                                                                                                                                                                                              | Ref. No. | CERV25            |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description                                                   | heating element 2500W 230V heating circuits 1 L 410mm W 147mm H 27mm thread M12x1 mounting distance 35mm tube ø 8.3mm connection male faston 6.3mm 2 hole fixing immersion heater L1 195mm L2 215mm W1 96mm W2 43mm |          |                   |
| For models:                                                   | QUATTRO Q/82, QUATTRO T/82                                                                                                                                                                                          |          |                   |
| accessories for                                               | 416217                                                                                                                                                                                                              |          |                   |
|                                                               | GEV No.                                                                                                                                                                                                             | 507332   | Ref. No. G18122GT |
| flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs |                                                                                                                                                                                                                     |          |                   |



1

| GEV No.                                                       | 416219                                                                                                                                                                            | Ref. No. | CERV8             |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description                                                   | heating element 800W 230V heating circuits 1 L 317mm W 55mm H 32mm thread M12x1 mounting distance 46.5mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater |          |                   |
| For models:                                                   | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T                                                                                                                                              |          |                   |
| accessories for                                               | 416219                                                                                                                                                                            |          |                   |
|                                                               | GEV No.                                                                                                                                                                           | 507332   | Ref. No. G18122GT |
| flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs |                                                                                                                                                                                   |          |                   |
|                                                               | GEV No.                                                                                                                                                                           | 520229   | Ref. No. —        |
| nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs      |                                                                                                                                                                                   |          |                   |

## thermostats

### bi-metal thermostats

#### safety bi-metal thermostats



1

| GEV No.     | 390455                                                                                                                                                  | Ref. No. | CESB454 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | bi-metal safety thermostat hole distance 40mm switch-off temp. 100°C 2NC 2-pole 16A connection F6.3 2 hole fixing                                       |          |         |
| For models: | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |          |         |



Зип Общепит

vsezip.ru

+7(812)987-0034

|                                                                                   |                                                                                                                  |                 |         |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                  |                 |         |
| 1                                                                                 |                                                                                                                  |                 |         |
| <b>GEV No.</b>                                                                    | 390456                                                                                                           | <b>Ref. No.</b> | CESV001 |
| <b>description</b>                                                                | bi-metal safety thermostat hole distance 40mm switch-off temp. 85°C 2NC 2-pole 16A connection F6.3 2 hole fixing |                 |         |
| <b>For models:</b>                                                                | SEI 1P, SEI 2P, SEI 2P/S                                                                                         |                 |         |

## control and safety thermostats

## IMIT / TEMPOMATIC / ARTHERMO

## control thermostats

|                                                                                   |                                                                                                                                                                                     |                 |                     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
|  |                                                                                                                                                                                     |                 |                     |
| 1                                                                                 |                                                                                                                                                                                     |                 |                     |
| <b>GEV No.</b>                                                                    | 390186                                                                                                                                                                              | <b>Ref. No.</b> | CETV55<br>CETV55CAM |
| <b>description</b>                                                                | thermostat t.max. 52°C temperature range fixed 52°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft Lmm contacts 1CO |                 |                     |
| <b>For models:</b>                                                                | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO CLQ, UNO CSQ, UNO Q                                                       |                 |                     |

|                                                                                     |                                                                                                                                                                                                                                                                     |                 |                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
|  |                                                                                                                                                                                                                                                                     |                 |                     |
| 1                                                                                   |                                                                                                                                                                                                                                                                     |                 |                     |
| <b>GEV No.</b>                                                                      | 390457                                                                                                                                                                                                                                                              | <b>Ref. No.</b> | CETB85<br>CETB85CAM |
| <b>description</b>                                                                  | thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 110mm capillary pipe 1000mm capillary pipe isolated 950mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper shaft position +135° rotation 270° probe material copper |                 |                     |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO CLQ, UNO CSQ, UNO Q                                                                                                             |                 |                     |

## switches and momentary switches

## rocker/momentary rocker switches

|                                                                                     |                                                                                                                                                                     |                 |          |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| 30x22mm                                                                             |                                                                                                                                                                     |                 |          |
|  |                                                                                                                                                                     |                 |          |
| 1                                                                                   |                                                                                                                                                                     |                 |          |
| <b>GEV No.</b>                                                                      | 301135                                                                                                                                                              | <b>Ref. No.</b> | CEPU6374 |
| <b>description</b>                                                                  | momentary rocker switch mounting measurements 30x22mm orange 2NO 24V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 |                 |          |

Общепит

sezip.ru



|                                                                                   |                                                                                                                                                                         |                 |                 |   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|---|
| <b>GEV No.</b>                                                                    | 301018                                                                                                                                                                  | <b>Ref. No.</b> | CEPUASL         |   |
| <b>description</b>                                                                | momentary rocker switch mounting measurements 30x22mm orange 2NO 24V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 |                 |                 |   |
| <b>For models:</b>                                                                | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                                                                |                 |                 |   |
| <b>accessories for</b>                                                            | 301018                                                                                                                                                                  |                 |                 |   |
|  | <b>GEV No.</b>                                                                                                                                                          | 301036          | <b>Ref. No.</b> | — |
| protective cover internal size 30x22mm for rocker switch mounting measurementsmm  |                                                                                                                                                                         |                 |                 |   |



1

|                                                                                   |                                                                                                                                                                 |                 |                 |   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|---|
| <b>GEV No.</b>                                                                    | 301145                                                                                                                                                          | <b>Ref. No.</b> | CEDV6364        |   |
| <b>description</b>                                                                | momentary rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |                 |   |
| <b>accessories for</b>                                                            | 301145                                                                                                                                                          |                 |                 |   |
|  | <b>GEV No.</b>                                                                                                                                                  | 301036          | <b>Ref. No.</b> | — |
| protective cover internal size 30x22mm for rocker switch mounting measurementsmm  |                                                                                                                                                                 |                 |                 |   |

|                                                                                    |                                                                                                                                                     |                 |                    |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
|  |                                                                                                                                                     |                 |                    |
| 1                                                                                  |                                                                                                                                                     |                 |                    |
| <b>GEV No.</b>                                                                     | 301278                                                                                                                                              | <b>Ref. No.</b> | CEDV6364<br>CEDVRT |
| <b>description</b>                                                                 | rocker switch mounting measurements 30x22mm green 2CO 24V 6A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |                    |
| <b>For models:</b>                                                                 | SEI 2P                                                                                                                                              |                 |                    |

|                                                                                     |                                                                                                                                                           |                 |                   |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
|  |                                                                                                                                                           |                 |                   |
| 1                                                                                   |                                                                                                                                                           |                 |                   |
| <b>GEV No.</b>                                                                      | 301017                                                                                                                                                    | <b>Ref. No.</b> | CEDV01VSL         |
| <b>description</b>                                                                  | rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |                   |
| <b>For models:</b>                                                                  | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                                                  |                 |                   |
| <b>accessories for</b>                                                              | 301017                                                                                                                                                    |                 |                   |
|  | <b>GEV No.</b>                                                                                                                                            | 301036          | <b>Ref. No.</b> — |
| protective cover internal size 30x22mm for rocker switch mounting measurementsmm    |                                                                                                                                                           |                 |                   |



Зип Общепит

vsezip.ru

8 (812) 982 106 00

|                                                                                        |                                                                                                                                                    |                 |                   |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <br>1 |                                                                                                                                                    |                 |                   |
| <b>GEV No.</b>                                                                         | 301140                                                                                                                                             | <b>Ref. No.</b> | CEDVC2            |
| <b>description</b>                                                                     | rocker switch mounting measurements 30x22mm black 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |                   |
| <b>For models:</b>                                                                     | QUATTRO Q/82, QUATTRO T/82                                                                                                                         |                 |                   |
| <b>accessories for</b>                                                                 | 301140                                                                                                                                             |                 |                   |
|       | <b>GEV No.</b>                                                                                                                                     | 301036          | <b>Ref. No.</b> — |
| protective cover internal size 30x22mm for rocker switch mounting measurementsmm       |                                                                                                                                                    |                 |                   |

|                                                                                        |                                                                                                                                                                      |                 |          |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <br>1 |                                                                                                                                                                      |                 |          |
| <b>GEV No.</b>                                                                         | 301288                                                                                                                                                               | <b>Ref. No.</b> | CEPU6374 |
| <b>description</b>                                                                     | momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 |                 |          |
| <b>For models:</b>                                                                     | SEI 2P                                                                                                                                                               |                 |          |

|                                                                                        |                                                                                                                                                                          |                 |        |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <br>1 |                                                                                                                                                                          |                 |        |
| <b>GEV No.</b>                                                                         | 301136                                                                                                                                                                   | <b>Ref. No.</b> | CEPUC2 |
| <b>description</b>                                                                     | momentary rocker switch mounting measurements 30x22mm orange 2NO/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 |                 |        |
| <b>For models:</b>                                                                     | QUATTRO Q/82, QUATTRO T/82                                                                                                                                               |                 |        |

|                                                                                          |                                                                                                                                                                                   |                 |         |
|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <br>1 |                                                                                                                                                                                   |                 |         |
| <b>GEV No.</b>                                                                           | 301132                                                                                                                                                                            | <b>Ref. No.</b> | CEPUVSL |
| <b>description</b>                                                                       | momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated rinsing warm/cold connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |         |
| <b>For models:</b>                                                                       | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                                                                          |                 |         |

|                                                                                          |                                                                                                                                                                              |                 |        |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <br>1 |                                                                                                                                                                              |                 |        |
| <b>GEV No.</b>                                                                           | 301134                                                                                                                                                                       | <b>Ref. No.</b> | CEPUPS |
| <b>description</b>                                                                       | momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated outflow connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 |                 |        |
| <b>For models:</b>                                                                       | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                                                                     |                 |        |

|                                                                                        |                                                                                                                                                                                   |                 |         |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <br>1 |                                                                                                                                                                                   |                 |         |
| <b>GEV No.</b>                                                                         | 301133                                                                                                                                                                            | <b>Ref. No.</b> | CEPURIG |
| <b>description</b>                                                                     | momentary rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated regeneration connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 |                 |         |
| <b>For models:</b>                                                                     | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                                                                          |                 |         |

## 34.2x12.6mm

|                                                                                        |                                                                                                                                          |                 |           |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <br>1 |                                                                                                                                          |                 |           |
| <b>GEV No.</b>                                                                         | 301131                                                                                                                                   | <b>Ref. No.</b> | CEPUR3012 |
| <b>description</b>                                                                     | momentary rocker switch mounting measurements 34.2x12.6mm orange 2NO 250V 16A illuminated rinsing warm/cold connection male faston 6.3mm |                 |           |
| <b>For models:</b>                                                                     | DUE ACLQ, DUE ACLT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO CLQ, UNO CLT                                                               |                 |           |

|                                                                                        |                                                                                                                                    |                 |           |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <br>1 |                                                                                                                                    |                 |           |
| <b>GEV No.</b>                                                                         | 301130                                                                                                                             | <b>Ref. No.</b> | CEPUC3012 |
| <b>description</b>                                                                     | momentary rocker switch mounting measurements 34.2x12.6mm orange 2NO 250V 16A illuminated ventilation connection male faston 6.3mm |                 |           |
| <b>For models:</b>                                                                     | DUE ACLQ, DUE ACLT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO CLQ, UNO CLT                                                         |                 |           |

## accessories

## element holders

|                                                                                          |                                   |                 |                            |
|------------------------------------------------------------------------------------------|-----------------------------------|-----------------|----------------------------|
| <br>1 |                                   |                 |                            |
| <b>GEV No.</b>                                                                           | 346938                            | <b>Ref. No.</b> | CETP2230                   |
| <b>description</b>                                                                       | element holder dimensions 30x22mm |                 |                            |
| <b>accessories for</b>                                                                   | 346938                            |                 |                            |
|       | <b>GEV No.</b>                    | 346950          | <b>Ref. No.</b> CETRP2230V |
| push button L 25mm W 19.5mm green                                                        |                                   |                 |                            |

## microswitches

## lever actuated



1

|                    |                                                                                                                  |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345515                                                                                                           | <b>Ref. No.</b> | CEMP12CL |
| <b>description</b> | microswitch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C with plunger type EF83161.1 |                 |          |



1

|                    |                                                                                                                    |                 |           |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346946                                                                                                             | <b>Ref. No.</b> | CEMP12CLC |
| <b>description</b> | microswitch with lever 230V 4A 1NO connection male faston 6.3mm ambient temperature max. 85°C lever length 48/42mm |                 |           |



1

|                    |                                                                                                                                                                                     |                 |             |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 347725                                                                                                                                                                              | <b>Ref. No.</b> | CEMP62PS306 |
| <b>description</b> | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 35mm ambient temperature max. 125°C mounting distance 22mm type VRSR01DA1 actuating force: 70g lever length 22mm |                 |             |



1

|                    |                                                                                                                                                                                                        |                 |           |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346237                                                                                                                                                                                                 | <b>Ref. No.</b> | CEMP12CSC |
| <b>description</b> | microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 46.5mm ambient temperature max. 125°C mounting distance 22.5mm with plunger type U83161.1 actuating force: 80g lever length 48/42mm |                 |           |



1

|                    |                                                                                                                |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345529                                                                                                         | <b>Ref. No.</b> | CEMP12CS |
| <b>description</b> | microswitch with lever connection male faston                                                                  |                 |          |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |          |



1

|                    |                          |                 |           |
|--------------------|--------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 345561                   | <b>Ref. No.</b> | CEMP62PS3 |
| <b>description</b> | microswitch              |                 |           |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S |                 |           |



|                    |                                               |                 |          |
|--------------------|-----------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345560                                        | <b>Ref. No.</b> | CEMP62PS |
| <b>description</b> | microswitch with lever connection male faston |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                      |                 |          |

## pin-plunger actuated



1

|                    |                                                                                                                               |                 |        |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 345528                                                                                                                        | <b>Ref. No.</b> | CEMP12 |
| <b>description</b> | microswitch 250V 4A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm with plunger white |                 |        |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                                                                                                    |                 |        |



1

|                    |                                                                                                                                                                     |                 |          |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 347847                                                                                                                                                              | <b>Ref. No.</b> | CEMP12SM |
| <b>description</b> | microswitch with plunger 250V 4A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22.2mm type U83161.1 actuating force: 240g white |                 |          |

## non-standard



1

|                    |                                                                                                                                                                           |                 |           |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346888                                                                                                                                                                    | <b>Ref. No.</b> | CESMP61SC |
| <b>description</b> | microswitch with push button mounting distance 97mm 250V 16A 3CO connection male faston 6.3mm L 32mm ambient temperature max. 125°C type VRSR01DA1 actuating force: 1000g |                 |           |

|                        |        |  |  |
|------------------------|--------|--|--|
| <b>accessories for</b> | 346888 |  |  |
|------------------------|--------|--|--|



|                    |                             |                 |           |
|--------------------|-----------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346939                      | <b>Ref. No.</b> | CETAM62PS |
| <b>description</b> | push button for microswitch |                 |           |



|                    |                                                                                             |                 |                     |
|--------------------|---------------------------------------------------------------------------------------------|-----------------|---------------------|
| <b>GEV No.</b>     | 346940                                                                                      | <b>Ref. No.</b> | 18010943<br>CEMMP6S |
| <b>description</b> | compression spring $\varnothing$ 9mm L 19mm wire gauge $\varnothing$ 0.7mm for micro-switch |                 |                     |



|                    |                                                              |                 |        |
|--------------------|--------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 346941                                                       | <b>Ref. No.</b> | CEMP6S |
| <b>description</b> | bolt for microswitch thread M5x0.75 L 60mm $\varnothing$ 6mm |                 |        |



|                    |                                |                 |           |
|--------------------|--------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346943                         | <b>Ref. No.</b> | CEAZM62PS |
| <b>description</b> | pressure plate for microswitch |                 |           |



## accessories



1

| GEV No.                                                                                                                    | 507402                                                                    | Ref. No. | CEMP1823<br>CEMP1825B<br>CEMP1823BGR |
|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|----------|--------------------------------------|
| description                                                                                                                | actuator for microswitch thread 3/8" L 105mm complete ID ø 12mm ED ø 32mm |          |                                      |
| spare parts for                                                                                                            | 507402                                                                    |          |                                      |
|                                           | GEV No.                                                                   | 507038   | Ref. No. CEMP20                      |
| compression spring ø 8.8mm L 31mm wire gauge ø 0.7mm                                                                       |                                                                           |          |                                      |
|                                           | GEV No.                                                                   | 507039   | Ref. No. CEMP21                      |
| door shaft                                                                                                                 |                                                                           |          |                                      |
|                                           | GEV No.                                                                   | 507040   | Ref. No. CEMP22                      |
| retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm                                                             |                                                                           |          |                                      |
| accessories for                                                                                                            | 507402                                                                    |          |                                      |
|                                           | GEV No.                                                                   | 347533   | Ref. No. —                           |
| microswitch with lever 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 125°C for door lever length 74mm |                                                                           |          |                                      |



1

| GEV No.     | 507037                     | Ref. No. | CEMP18<br>CEMP18B<br>CEMP18BGR |
|-------------|----------------------------|----------|--------------------------------|
| description | back part for microswitch  |          |                                |
| For models: | QUATTRO Q/82, QUATTRO T/82 |          |                                |



1

| GEV No.     | 346941                                           | Ref. No. | CEMP6S |
|-------------|--------------------------------------------------|----------|--------|
| description | bolt for microswitch thread M5x0.75 L 60mm ø 6mm |          |        |



1

| GEV No.     | 507041                     | Ref. No. | CEMP23<br>CEMP23B |
|-------------|----------------------------|----------|-------------------|
| description | front part for microswitch |          |                   |
| For models: | QUATTRO Q/82, QUATTRO T/82 |          |                   |



1

| GEV No.     | 551057                                             | Ref. No. | CESMP6SC |
|-------------|----------------------------------------------------|----------|----------|
| description | housing with microswitch suitable for IME/Omniwash |          |          |



1

| GEV No.     | 507032              | Ref. No. | CECSM62P |
|-------------|---------------------|----------|----------|
| description | lid microswitch box |          |          |



1

| GEV No.     | 346943                         | Ref. No. | CEAZM62PS |
|-------------|--------------------------------|----------|-----------|
| description | pressure plate for microswitch |          |           |



1

| GEV No.     | 346939                      | Ref. No. | CETAM62PS |
|-------------|-----------------------------|----------|-----------|
| description | push button for microswitch |          |           |



1

| GEV No.     | 346944    | Ref. No. | CEMPPI |
|-------------|-----------|----------|--------|
| description | screw cap |          |        |

## system switches (ROLD)



1

| GEV No.     | 345721           | Ref. No. | CETP25SF |
|-------------|------------------|----------|----------|
| description | blank cap holder |          |          |



1

| GEV No.     | 345546                                                          | Ref. No. | CEPUD08 |
|-------------|-----------------------------------------------------------------|----------|---------|
| description | momentary switch unit 1CO 250V 16A connection male faston 6.3mm |          |         |



1

| GEV No.     | 345606                                                          | Ref. No. | CEBP6FD |
|-------------|-----------------------------------------------------------------|----------|---------|
| description | momentary switch unit 2CO 250V 16A connection male faston 6.3mm |          |         |





Зип Общепит  
vsezip.ru  
+7(812)987-08-81



1

|                    |                                            |                 |           |
|--------------------|--------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347133                                     | <b>Ref. No.</b> | CETP25VRF |
| <b>description</b> | push button ø 23mm green rinsing warm/cold |                 |           |



1

|                    |                                   |                 |          |
|--------------------|-----------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 345523                            | <b>Ref. No.</b> | CETSTGCL |
| <b>description</b> | push button ø 23mm grey programme |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P/S                  |                 |          |



1

|                    |                         |                 |          |
|--------------------|-------------------------|-----------------|----------|
| <b>GEV No.</b>     | 347141                  | <b>Ref. No.</b> | CETP25GR |
| <b>description</b> | push button ø 23mm grey |                 |          |



1

|                    |                                   |                 |           |
|--------------------|-----------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347148                            | <b>Ref. No.</b> | CETP25GLV |
| <b>description</b> | push button ø 23mm grey programme |                 |           |



1

|                    |                               |                 |           |
|--------------------|-------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347139                        | <b>Ref. No.</b> | CETP25GPC |
| <b>description</b> | push button ø 23mm grey cycle |                 |           |



1

|                    |                                      |                 |           |
|--------------------|--------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347143                               | <b>Ref. No.</b> | CETP25GRR |
| <b>description</b> | push button ø 23mm grey regeneration |                 |           |



1

|                    |                                    |                 |           |
|--------------------|------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347144                             | <b>Ref. No.</b> | CETP25GPS |
| <b>description</b> | push button ø 23mm grey drain pump |                 |           |



1

|                    |                                           |                 |           |
|--------------------|-------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347140                                    | <b>Ref. No.</b> | CETP25GRF |
| <b>description</b> | push button ø 23mm grey rinsing warm/cold |                 |           |



1

|                    |                                 |                 |            |
|--------------------|---------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 347142                          | <b>Ref. No.</b> | CETP25GRRS |
| <b>description</b> | push button ø 23mm grey heating |                 |            |



1

|                    |                                 |                 |           |
|--------------------|---------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346947                          | <b>Ref. No.</b> | CETP25APC |
| <b>description</b> | push button ø 23mm orange cycle |                 |           |



1

|                    |                                |                 |           |
|--------------------|--------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 347138                         | <b>Ref. No.</b> | CETP25G01 |
| <b>description</b> | push button ø 23mm grey ON-OFF |                 |           |



1

|                    |                                      |                 |           |
|--------------------|--------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 346948                               | <b>Ref. No.</b> | CETP25APS |
| <b>description</b> | push button ø 23mm orange drain pump |                 |           |

Зип Общепит  
vsezip.ru  
+7(812)987-08-81

|                                                                                   |                                        |                 |               |
|-----------------------------------------------------------------------------------|----------------------------------------|-----------------|---------------|
|  |                                        |                 |               |
| 1                                                                                 |                                        |                 |               |
| <b>GEV No.</b>                                                                    | 347845                                 | <b>Ref. No.</b> | CETP25ALV/USA |
| <b>description</b>                                                                | push button ø 23mm orange NORMAL/HEAVY |                 |               |

|                                                                                   |                                     |                 |           |
|-----------------------------------------------------------------------------------|-------------------------------------|-----------------|-----------|
|  |                                     |                 |           |
| 1                                                                                 |                                     |                 |           |
| <b>GEV No.</b>                                                                    | 347146                              | <b>Ref. No.</b> | CETP25ALV |
| <b>description</b>                                                                | push button ø 23mm orange programme |                 |           |

|                                                                                   |                                        |                 |          |
|-----------------------------------------------------------------------------------|----------------------------------------|-----------------|----------|
|  |                                        |                 |          |
| 1                                                                                 |                                        |                 |          |
| <b>GEV No.</b>                                                                    | 347132                                 | <b>Ref. No.</b> | CETP25AR |
| <b>description</b>                                                                | push button ø 23mm orange regeneration |                 |          |

|                                                                                    |                               |                 |          |
|------------------------------------------------------------------------------------|-------------------------------|-----------------|----------|
|  |                               |                 |          |
| 1                                                                                  |                               |                 |          |
| <b>GEV No.</b>                                                                     | 345524                        | <b>Ref. No.</b> | CETSTR01 |
| <b>description</b>                                                                 | push button ø 23mm red ON-OFF |                 |          |
| <b>For models:</b>                                                                 | SEI 1P, SEI 2P/S              |                 |          |

|                                                                                     |                                         |                 |             |
|-------------------------------------------------------------------------------------|-----------------------------------------|-----------------|-------------|
|  |                                         |                 |             |
| 1                                                                                   |                                         |                 |             |
| <b>GEV No.</b>                                                                      | 348197                                  | <b>Ref. No.</b> | CETPED16G01 |
| <b>description</b>                                                                  | push button size 17x13mm grey 0-1 white |                 |             |

|                                                                                     |                                                  |                 |             |
|-------------------------------------------------------------------------------------|--------------------------------------------------|-----------------|-------------|
|  |                                                  |                 |             |
| 1                                                                                   |                                                  |                 |             |
| <b>GEV No.</b>                                                                      | 348198                                           | <b>Ref. No.</b> | CETPED16GRF |
| <b>description</b>                                                                  | push button size 17x13mm grey cold rinsing white |                 |             |

|                                                                                     |                                           |                 |             |
|-------------------------------------------------------------------------------------|-------------------------------------------|-----------------|-------------|
|  |                                           |                 |             |
| 1                                                                                   |                                           |                 |             |
| <b>GEV No.</b>                                                                      | 347846                                    | <b>Ref. No.</b> | CETPED16GPC |
| <b>description</b>                                                                  | push button size 17x13mm grey START white |                 |             |

|                                                                                   |                                                  |                 |         |
|-----------------------------------------------------------------------------------|--------------------------------------------------|-----------------|---------|
|  |                                                  |                 |         |
| 1                                                                                 |                                                  |                 |         |
| <b>GEV No.</b>                                                                    | 345719                                           | <b>Ref. No.</b> | CEDPU08 |
| <b>description</b>                                                                | switch 1CO 250V 16A connection male faston 6.3mm |                 |         |

|                                                                                    |                                                  |                 |                            |
|------------------------------------------------------------------------------------|--------------------------------------------------|-----------------|----------------------------|
|  |                                                  |                 |                            |
| 1                                                                                  |                                                  |                 |                            |
| <b>GEV No.</b>                                                                     | 347467                                           | <b>Ref. No.</b> | CEDPPFD<br>CEDPPFDCOMP     |
| <b>description</b>                                                                 | switch 2CO 250V 16A 2-pole                       |                 |                            |
| <b>spare parts for</b>                                                             | 347467                                           |                 |                            |
|   | <b>GEV No.</b>                                   | 347098          | <b>Ref. No.</b> —          |
|                                                                                    | switch 2CO 250V 16A connection male faston 6.3mm |                 |                            |
| <b>accessories for</b>                                                             | 347467                                           |                 |                            |
|   | <b>GEV No.</b>                                   | 346950          | <b>Ref. No.</b> CETRP2230V |
|                                                                                    | push button L 25mm W 19.5mm green                |                 |                            |

|                                                                                      |                                                  |                 |          |
|--------------------------------------------------------------------------------------|--------------------------------------------------|-----------------|----------|
|  |                                                  |                 |          |
| 1                                                                                    |                                                  |                 |          |
| <b>GEV No.</b>                                                                       | 345651                                           | <b>Ref. No.</b> | CEDP62PS |
| <b>description</b>                                                                   | switch 2CO 250V 16A connection male faston 6.3mm |                 |          |
| <b>For models:</b>                                                                   | SEI 1P, SEI 2P/S                                 |                 |          |

## system switches

### OMNIWASH

#### push buttons

|                                                                                     |                                             |                 |           |
|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------|-----------|
|  |                                             |                 |           |
| 1                                                                                   |                                             |                 |           |
| <b>GEV No.</b>                                                                      | 347983                                      | <b>Ref. No.</b> | CETPCBSIM |
| <b>description</b>                                                                  | push button blue L 24.2mm W 19.2mm H 16.6mm |                 |           |


|                                                                                     |                                             |                 |          |
|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------|----------|
|  |                                             |                 |          |
| 1                                                                                   |                                             |                 |          |
| <b>GEV No.</b>                                                                      | 347726                                      | <b>Ref. No.</b> | CETPCSIM |
| <b>description</b>                                                                  | push button grey L 24.2mm W 19.2mm H 16.4mm |                 |          |

## magnetic switches

65x20mm




1



| GEV No.                                                                           | 345116                                                                                       | Ref. No. | CERD6434 |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------|----------|
| description                                                                       | magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm |          |          |
| accessories for                                                                   | 345116                                                                                       |          |          |
|                                                                                   | GEV No.                                                                                      | 345399   | Ref. No. |
|  |                                                                                              |          | —        |
|                                                                                   | magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3                                     |          |          |

## accessories

### magnets



1

| GEV No.     | 345336                                                      | Ref. No. | CERM6444 |
|-------------|-------------------------------------------------------------|----------|----------|
| description | magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4 |          |          |

## control equipment

### SIEMENS

#### 3SB series ø22mm old

#### rotary switches



1

| GEV No.     | 345526                                                                  | Ref. No. | CEIN623A4NT |
|-------------|-------------------------------------------------------------------------|----------|-------------|
| description | rotary selector mounting measurements ø22mm sequence 0-1 latching black |          |             |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

| GEV No.     | 345526                                                                    | Ref. No. | CESC6284<br>CESC6284NT |
|-------------|---------------------------------------------------------------------------|----------|------------------------|
| description | rotary selector mounting measurements ø22mm sequence 1-0-2 latching black |          |                        |
| For models: | SEI 2P                                                                    |          |                        |

#### 3SB series ø22mm new



1

| GEV No.                                                                           | 346630                                                        | Ref. No. | CECNO6244NT |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|----------|-------------|
| description                                                                       | contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black       |          |             |
| accessories for                                                                   | 346630                                                        |          |             |
|                                                                                   | GEV No.                                                       | 347520   | Ref. No.    |
|  |                                                               |          | —           |
|                                                                                   | push button mounting measurements ø22mm non-illuminated black |          |             |



1

| GEV No.     | 346631                                                  | Ref. No. | CECNC6294 (from 03/2005) |
|-------------|---------------------------------------------------------|----------|--------------------------|
| description | contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black |          |                          |

#### rotary switches



1

| GEV No.                                                                             | 346601                                                                  | Ref. No. | CEIN623A4                |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------|--------------------------|
| description                                                                         | rotary selector mounting measurements ø22mm black latching sequence 0-1 |          |                          |
| For models:                                                                         | SEI 2P                                                                  |          |                          |
| accessories for                                                                     | 346601                                                                  |          |                          |
|                                                                                     | GEV No.                                                                 | 346602   | Ref. No.                 |
|  |                                                                         |          | —                        |
|                                                                                     | contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black                 |          |                          |
|                                                                                     | GEV No.                                                                 | 346603   | Ref. No.                 |
|  |                                                                         |          | —                        |
|                                                                                     | contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black                 |          |                          |
|                                                                                     | GEV No.                                                                 | 346630   | Ref. No.                 |
|  |                                                                         |          | CECNO6244NT              |
|                                                                                     | contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black                 |          |                          |
|                                                                                     | GEV No.                                                                 | 346631   | Ref. No.                 |
|  |                                                                         |          | CECNC6294 (from 03/2005) |
|                                                                                     | contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black                 |          |                          |

Table continues overleaf

|                                                                                   |         |        |          |
|-----------------------------------------------------------------------------------|---------|--------|----------|
| accessories for                                                                   |         | 346601 |          |
|  | GEV No. | 346632 | Ref. No. |
|                                                                                   | —       |        |          |
| contact block SIEMENS 3SB3400-0D 1NC/1NO max 400V 10A black                       |         |        |          |

## lamps

### indicator lights

#### indicator lights 2-piece (lens and indicator lamp)

##### indicator light lenses

##### ø 6mm (type SQ-20)



1

|             |                                            |          |       |
|-------------|--------------------------------------------|----------|-------|
| GEV No.     | 359803                                     | Ref. No. | CEGV6 |
| description | indicator light lens green Qty 1 pcs ø 6mm |          |       |



1

|             |                                          |          |       |
|-------------|------------------------------------------|----------|-------|
| GEV No.     | 359805                                   | Ref. No. | CEGA6 |
| description | indicator light lens red Qty 1 pcs ø 6mm |          |       |

##### ø10mm (type SRZ-2)



1

|             |                                                                   |          |          |
|-------------|-------------------------------------------------------------------|----------|----------|
| GEV No.     | 359359                                                            | Ref. No. | CESP6224 |
| description | indicator light housings mounting measurements ø10mm green square |          |          |
| For models: | SEI 2P                                                            |          |          |



1

|             |                                                                    |          |          |
|-------------|--------------------------------------------------------------------|----------|----------|
| GEV No.     | 359358                                                             | Ref. No. | CESP6274 |
| description | indicator light housings mounting measurements ø10mm orange square |          |          |
| For models: | SEI 2P                                                             |          |          |

##### ø10mm (type SRZ-3)



1

| GEV No.                                                                             | 359123                                                                                               | Ref. No. | CESPE31 |          |         |  |  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|----------|---------|----------|---------|--|--|
| description                                                                         | indicator light housings mounting measurements ø10mm green round Qty 1 pcs                           |          |         |          |         |  |  |
| For models:                                                                         | DUE ACLQ, DUE ACLT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, SEI 1P, SEI 2P/S, UNO CLQ, UNO CLT         |          |         |          |         |  |  |
| accessories for                                                                     | 359123                                                                                               |          |         |          |         |  |  |
|  | <table> <tr> <th>GEV No.</th><th>359132</th><th>Ref. No.</th><th>CESP27V</th></tr> </table>          | GEV No.  | 359132  | Ref. No. | CESP27V |  |  |
| GEV No.                                                                             | 359132                                                                                               | Ref. No. | CESP27V |          |         |  |  |
|                                                                                     | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C |          |         |          |         |  |  |

|  | <table> <tr> <th>GEV No.</th><th>359124</th><th>Ref. No.</th><th>CESPE32</th></tr> </table>          | GEV No.  | 359124  | Ref. No. | CESPE32 |  |  |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|----------|---------|----------|---------|--|--|
| GEV No.                                                                           | 359124                                                                                               | Ref. No. | CESPE32 |          |         |  |  |
| description                                                                       | indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs                          |          |         |          |         |  |  |
| For models:                                                                       | DUE ACLQ, DUE ACLT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, SEI 1P, SEI 2P/S, UNO CLQ, UNO CLT         |          |         |          |         |  |  |
| accessories for                                                                   | 359124                                                                                               |          |         |          |         |  |  |
|  | <table> <tr> <th>GEV No.</th><th>359132</th><th>Ref. No.</th><th>CESP27V</th></tr> </table>          | GEV No.  | 359132  | Ref. No. | CESP27V |  |  |
| GEV No.                                                                           | 359132                                                                                               | Ref. No. | CESP27V |          |         |  |  |
|                                                                                   | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C |          |         |          |         |  |  |

#### indicator lamps for socket type SQ



1

| GEV No.                                                                           | 359109                                                                                | Ref. No. | CESPV6 |          |   |  |  |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|--------|----------|---|--|--|
| description                                                                       | indicator lamp 230V green connection male faston 6.3mm no lens ø 6mm                  |          |        |          |   |  |  |
| accessories for                                                                   | 359109                                                                                |          |        |          |   |  |  |
|  | <table> <tr> <th>GEV No.</th><th>359806</th><th>Ref. No.</th><th>—</th></tr> </table> | GEV No.  | 359806 | Ref. No. | — |  |  |
| GEV No.                                                                           | 359806                                                                                | Ref. No. | —      |          |   |  |  |
|                                                                                   | indicator light lens clear Qty 1 pcs ø 6mm                                            |          |        |          |   |  |  |



1

|             |                                                                      |          |        |
|-------------|----------------------------------------------------------------------|----------|--------|
| GEV No.     | 359110                                                               | Ref. No. | CESPA6 |
| description | indicator lamp 230V white connection male faston 6.3mm no lens ø 6mm |          |        |

#### indicator lamps for socket type SRZ / SDK / SDY / SFK



1

|             |                                                                                              |          |        |
|-------------|----------------------------------------------------------------------------------------------|----------|--------|
| GEV No.     | 359130                                                                                       | Ref. No. | CESP27 |
| description | indicator lamp 230V clear connection male faston 6.3mm ø 8mm                                 |          |        |
| For models: | DUE ACLQ, DUE ACLT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, SEI 1P, SEI 2P/S, UNO CLQ, UNO CLT |          |        |



1

|             |                                                       |          |          |
|-------------|-------------------------------------------------------|----------|----------|
| GEV No.     | 359129                                                | Ref. No. | CESP6394 |
| description | indicator lamp 24V clear connection male faston 6.3mm |          |          |
| For models: | SEI 2P                                                |          |          |



1

|             |                                                                                                      |          |         |
|-------------|------------------------------------------------------------------------------------------------------|----------|---------|
| GEV No.     | 359132                                                                                               | Ref. No. | CESP27V |
| description | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C |          |         |



## indicator lights (complete)

30x22mm



1

| GEV No.     | 301138                                                                                                                    | Ref. No. | CESDAV<br>CESPDAV |
|-------------|---------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description | indicator light mounting measurements 30x22mm 230V red/green connection male faston 6.3mm temp.-resist. 125/55°C type RL2 |          |                   |
| For models: | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                                                  |          |                   |

## blank elements



1

| GEV No.     | 359784 | Ref. No. | CESB6334 |
|-------------|--------|----------|----------|
| description | bezel  |          |          |
| For models: | SEI 2P |          |          |



1

| GEV No.     | 359787 | Ref. No. | CESB6384 |
|-------------|--------|----------|----------|
| description | bezel  |          |          |
| For models: | SEI 2P |          |          |



1

| GEV No.     | 359778       | Ref. No. | CESB6194 |
|-------------|--------------|----------|----------|
| description | bezel boiler |          |          |
| For models: | SEI 2P       |          |          |



1

| GEV No.     | 359781              | Ref. No. | CESB6304 |
|-------------|---------------------|----------|----------|
| description | bezel cycle 1-short |          |          |
| For models: | SEI 2P              |          |          |



1

| GEV No.     | 359783               | Ref. No. | CESB6324 |
|-------------|----------------------|----------|----------|
| description | bezel cycle 2-medium |          |          |
| For models: | SEI 2P               |          |          |

Зип Общепит

vsezip.ru

+7(812)987-08-81

| GEV No.     | 359782             | Ref. No. | CESB6314 |
|-------------|--------------------|----------|----------|
| description | bezel cycle 1-long |          |          |
| For models: | SEI 2P             |          |          |



1

| GEV No.     | 359777  | Ref. No. | CESB6184 |
|-------------|---------|----------|----------|
| description | bezel O |          |          |
| For models: | SEI 2P  |          |          |



1

| GEV No.     | 359776             | Ref. No. | CEGV2329 |
|-------------|--------------------|----------|----------|
| description | bezel ø 10mm cycle |          |          |
| For models: | SEI 1P, SEI 2P/S   |          |          |



1

| GEV No.     | 359773              | Ref. No. | CEGA2328 |
|-------------|---------------------|----------|----------|
| description | bezel ø 10mm ON-OFF |          |          |
| For models: | SEI 1P, SEI 2P/S    |          |          |



1

| GEV No.     | 359774            | Ref. No. | CEGV2307 |
|-------------|-------------------|----------|----------|
| description | bezel ø 10mm tank |          |          |
| For models: | SEI 2P/S          |          |          |



1

| GEV No.     | 359775                              | Ref. No. | CEGV2320 |
|-------------|-------------------------------------|----------|----------|
| description | bezel ø 13mm boiler mounting ø 10mm |          |          |
| For models: | SEI 1P, SEI 2P/S                    |          |          |



1

| GEV No.     | 359780   | Ref. No. | CESB6264 |
|-------------|----------|----------|----------|
| description | bezel on |          |          |
| For models: | SEI 2P   |          |          |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |               |                 |          |
|--------------------|---------------|-----------------|----------|
| <b>GEV No.</b>     | 359785        | <b>Ref. No.</b> | CESB6344 |
| <b>description</b> | bezel rinsing |                 |          |
| <b>For models:</b> | SEI 2P        |                 |          |



1

|                    |            |                 |          |
|--------------------|------------|-----------------|----------|
| <b>GEV No.</b>     | 359779     | <b>Ref. No.</b> | CESB6204 |
| <b>description</b> | bezel tank |                 |          |
| <b>For models:</b> | SEI 2P     |                 |          |



1

|                    |               |                 |          |
|--------------------|---------------|-----------------|----------|
| <b>GEV No.</b>     | 359786        | <b>Ref. No.</b> | CESB6354 |
| <b>description</b> | bezel washing |                 |          |
| <b>For models:</b> | SEI 2P        |                 |          |



1

|                    |                                                                                                                                     |                 |          |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 360560                                                                                                                              | <b>Ref. No.</b> | CEPRRI50 |
| <b>description</b> | timer CDC 7804F engines 1 chambers 4 operation time 12min 230V 50Hz shaft ømm shaft Lmm manuf. no. 7804 motor type M37RN voltage AC |                 |          |



1

|                    |                                                                                             |                 |             |
|--------------------|---------------------------------------------------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 360689                                                                                      | <b>Ref. No.</b> | CETD1224BGB |
| <b>description</b> | timer CDC 7805DV engines 2 chambers 5 operation time 40s/4min 230V 50Hz shaft ømm shaft Lmm |                 |             |

## timers

## programme timers



1

|                    |        |                 |        |
|--------------------|--------|-----------------|--------|
| <b>GEV No.</b>     | 360226 | <b>Ref. No.</b> | CETR24 |
| <b>description</b> | timer  |                 |        |



1

|                    |                                                          |                 |          |
|--------------------|----------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 360220                                                   | <b>Ref. No.</b> | CETF150J |
| <b>description</b> | timer CDC 11803 engines 1 chambers 3 operation time 150s |                 |          |



1

|                        |                                                                                                                                            |                 |                   |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>         | 360216                                                                                                                                     | <b>Ref. No.</b> | CET2C6S           |
| <b>description</b>     | timer CDC 7805DV engines 2 chambers 5 operation time 6s / 135s 230V shaft ømm shaft Lmm manuf. no. 7805DV / CET2C6S motor type M37RN/M37LN |                 |                   |
| <b>For models:</b>     | SEI 2P/S                                                                                                                                   |                 |                   |
| <b>spare parts for</b> | 360216                                                                                                                                     |                 |                   |
|                        | <b>GEV No.</b>                                                                                                                             | 360119          | <b>Ref. No.</b> — |
|                        | motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer                                        |                 |                   |
|                        | <b>GEV No.</b>                                                                                                                             | 360131          | <b>Ref. No.</b> — |
|                        | motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer                                         |                 |                   |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

| GEV No.                                                                                             | 360215                                                                                                         | Ref. No. | CET2C61P   |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                                         | timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN |          |            |
| For models:                                                                                         | SEI 1P                                                                                                         |          |            |
| spare parts for                                                                                     | 360215                                                                                                         |          |            |
|                    | GEV No.                                                                                                        | 360119   | Ref. No. — |
| motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer |                                                                                                                |          |            |
|                    | GEV No.                                                                                                        | 360131   | Ref. No. — |
| motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer  |                                                                                                                |          |            |

1

| GEV No.     | 360451                                                                                                               | Ref. No. | CET2C6SGB |
|-------------|----------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | timer CDC 7806DV engines 2 chambers 6 230V 50Hz manuf. no. 7806DV / CET2C6SGB motor type M37RN/M37LN run-time 6/135s |          |           |

1

| GEV No.     | 360561                                                                                                                                         | Ref. No. | CET2C6S08 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | timer CDC 7806DV engines 2 chambers 6 operation time 6s / 2min 230V 50Hz shaft ømm shaft Lmm manuf. no. 7806DV motor type M37R/M37L voltage AC |          |           |

1

| GEV No.     | 360452                                                                                                                                             | Ref. No. | CET2C61PGB |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V 50Hz shaft ømm shaft Lmm manuf. no. 7806DV / CET2C61PGB motor type M37RN/M37LN |          |            |

1

| GEV No.                                                                                             | 360217                                                                                                      | Ref. No. | CET3C4SC<br>CET3C6<br>CET3C6NT |
|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description                                                                                         | timer CDC 7807DV engines 2 chambers 7 operation time 6s / 3min 24V manuf. no. 7807DV motor type M37RN/M37LN |          |                                |
| For models:                                                                                         | SEI 2P                                                                                                      |          |                                |
| spare parts for                                                                                     | 360217                                                                                                      |          |                                |
|                    | GEV No.                                                                                                     | 360324   | Ref. No. —                     |
| motor CDC pinion ø 5.4mm teeth 12 24V voltage AC turn direction right motor ø 37mm motor type M37RN |                                                                                                             |          |                                |
|                    | GEV No.                                                                                                     | 360325   | Ref. No. —                     |
| motor CDC pinion ø 5.4mm teeth 12 24V voltage AC turn direction left motor ø 37mm motor type M37LN  |                                                                                                             |          |                                |

1

| GEV No.     | 360692                                                                                                                            | Ref. No. | CEPSTFB |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | timer CDC CEPSTFB engines 1 chambers 2 operation time 180s 230V shaft ømm shaft Lmm manuf. no. 7802F10AEE000.0000 motor type M37R |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82                                                                                                        |          |         |

1

| GEV No.                                                                                                                                                            | 360219                                                                                                                           | Ref. No. | CETF12     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                                                                                                        | timer FIBER P25 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manuf. no. P255J03H3C1 motor type M51B-J0R6400 |          |            |
| spare parts for                                                                                                                                                    | 360219                                                                                                                           |          |            |
|                                                                                 | GEV No.                                                                                                                          | 360673   | Ref. No. — |
| motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder |                                                                                                                                  |          |            |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

| GEV No.                                                                                                                                                            | 360249                                                                                                                                  | Ref. No. | CETF150J<br>CETF150J05 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------|
| description                                                                                                                                                        | timer FIBER P25 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. P255J03H4U7 motor type M51B-J0R6400 / 230V |          |                        |
| For models:                                                                                                                                                        | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T                                                                                                    |          |                        |
| spare parts for                                                                                                                                                    | 360249                                                                                                                                  |          |                        |
|                                                                                   | GEV No.                                                                                                                                 | 360673   | Ref. No. —             |
| motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder |                                                                                                                                         |          |                        |

1

| GEV No.                                                                                                                                                            | 360548                                                                                                   | Ref. No. | CETF24     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                                                                                                        | timer FIBER P25 engines 1 chambers 3 operation time 4min 230V shaft ømm shaft Lmm manuf. no. P255J03H6Y3 |          |            |
| spare parts for                                                                                                                                                    | 360548                                                                                                   |          |            |
|                                                                                 | GEV No.                                                                                                  | 360673   | Ref. No. — |
| motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder |                                                                                                          |          |            |

1

| GEV No.     | 360228                                                                                                                          | Ref. No. | CEPSTF |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | timer FIBER P26 engines 1 chambers 2 operation time 180s 230V shaft ømm shaft Lmm manuf. no. P265J02H545 motor type M61B40R6400 |          |        |

1

| GEV No.     | 360221                                                                                                                           | Ref. No. | CETF20<br>CETR20B |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description | timer FIBER P26 engines 1 chambers 3 operation time 20min 230V shaft ømm shaft Lmm manuf. no. P265J03L147 motor type M61B40R6400 |          |                   |

1

| GEV No.     | 360559                                                                                                                    | Ref. No. | CETF12B |
|-------------|---------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | timer FIBER P26 engines 1 chambers 3 operation time 2min 230V shaft ømm shaft Lmm motor type M61B40R0000 type P265J03H346 |          |         |

1

| GEV No.     | 360227                                                                                                                                   | Ref. No. | CETR24B |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | timer FIBER P26 engines 1 chambers 3 operation time 4min 230V shaft ø 6x4.6mm shaft L 19mm manuf. no. P265J03H650 motor type M61B40L6400 |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82                                                                                                               |          |         |

1

| GEV No.     | 360222                                                                                                                          | Ref. No. | CETF24B |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | timer FIBER P26 engines 1 chambers 3 operation time 4min 230V shaft ømm shaft Lmm manuf. no. P265J03H649 motor type M61B40R6400 |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82                                                                                                      |          |         |





## spare parts and accessories

## miscellaneous



1

| GEV No.     | 360229 | Ref. No. | CETF60<br>CETF60S |
|-------------|--------|----------|-------------------|
| description | plug   |          |                   |
| For models: | SEI 2P |          |                   |

## contactors

## ISKRA (FANAL)

## power contactors



1

| GEV No.     | 380415                                                                                                                                                                       | Ref. No. | TEBOFA |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | power contactor resistive load 16A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type Fanal DSL7 01 type ISKRA K07MF 01 |          |        |



1

| GEV No.     | 380212                                                                                                                                                                     | Ref. No. | CECT |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal K07M 01 type ISKRA DSL7 01 |          |      |



1

| GEV No.     | 380411                                                                                                                                                                    | Ref. No. | CECT24P |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | power contactor resistive load 20A 24VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal DSL7 10 type ISKRA K07M 01 |          |         |
| For models: | SEI 2P                                                                                                                                                                    |          |         |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 380204                                                                                                                                                                 | Ref. No. | CECT24G |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10 |          |         |
| For models: | SEI 2P                                                                                                                                                                 |          |         |



1

| GEV No.     | 380420                                                                                                                                                                | Ref. No. | CER16A2NO |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| description | power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10 |          |           |

## SIEMENS

## power contactors



1

| GEV No.     | 380529                                                                                                                                                  | Ref. No. | CECTF<br>CER16A2NO |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| description | power contactor resistive load 16A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type 3TG10-01-1A2L2 |          |                    |
| For models: | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T                        |          |                    |



## relays

## relay sockets



1

| GEV No.     | 360230           | Ref. No. | CETF60A |
|-------------|------------------|----------|---------|
| description | base             |          |         |
| For models: | SEI 2P, SEI 2P/S |          |         |

## transformers

## open transformers

## with clamp terminal



1

| GEV No.     | 400134                                                                                                                       | Ref. No. | CETRS24<br>CETRS24E |
|-------------|------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | transformer primary 230/400VAC secondary 24VAC 100VA secondary 5A H 95mm L 85mm W 85mm connection screw 50/60Hz type USE10BB |          |                     |
| For models: | SEI 2P                                                                                                                       |          |                     |

## electronic controllers

## ELIWELL

## refrigeration controllers

## built-in version 2-piece



1

|                                                                                     |                                                                                                                                                                                                                                                                   |          |          |   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| GEV No.                                                                             | 379398                                                                                                                                                                                                                                                            | Ref. No. | TKS0312  |   |
| description                                                                         | keypad unit ELIWELL type IS972LX model IS23DI0XCD000 mounting measurements 71x29mm 230V voltage AC relay outputs DI built-in depth 30mm°C display 3½ digits                                                                                                       |          |          |   |
| accessories for                                                                     | 379398                                                                                                                                                                                                                                                            |          |          |   |
|  | GEV No.                                                                                                                                                                                                                                                           | 379533   | Ref. No. | — |
|                                                                                     | load module ELIWELL type EWEM233 model DS34000DC700 mounting measurements 70x85mm 230V voltage AC NTC/PTC relay outputs 3 NO-15A(12) CO-10A(7) NO-16A(8) NTC/PTC NTC/PTC front measurements 70mm built-in depth 61mm protection IPx0 yes -55 up to +150°C display |          |          |   |
|  | GEV No.                                                                                                                                                                                                                                                           | 379534   | Ref. No. | — |
|                                                                                     | connection cable type EC0000110 connection RJ45 L 1000mm for ELIWELL/universal                                                                                                                                                                                    |          |          |   |

Зип.Общепит

probes

vsezip.ru

+7(812)987-08-81

## producer-specific probes

probes



| GEV No.     | 379823                                                                                                                                        | Ref. No. | CESTVBJ<br>CESTM |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|
| description | temperature probe PTC 2kOhm cable PTFE probe -50 up to +150°C cable -40 up to +250°C connection plug thread probe ø6.5x25mm cable length 1.5m |          |                  |

## electronics

## PCBs



1

| GEV No.     | 403121                                         | Ref. No. | CEMTEM2BT<br>CETEM2BT |
|-------------|------------------------------------------------|----------|-----------------------|
| description | keypad PCB dishwasher L 126mm W 22mm buttons 3 |          |                       |



1

| GEV No.     | 403772                                     | Ref. No. | CESEMM3500ST |
|-------------|--------------------------------------------|----------|--------------|
| description | main PCB dishwasher 3500ST L 122mm W 100mm |          |              |

## keypads

## front foils



1

| GEV No.     | 519538                                                | Ref. No. | CETSHILTA4<br>TAORHIS42 |
|-------------|-------------------------------------------------------|----------|-------------------------|
| description | front foil grey/black suitable for IME L 585mm W 55mm |          |                         |

## control panel



1

| GEV No.     | 502253                                                | Ref. No. | CEPC6214P1<br>CEPC6214P105 |
|-------------|-------------------------------------------------------|----------|----------------------------|
| description | control panel warewashing L 310mm W 133mm H 7mm black |          |                            |

Зип Общепит

vsezip.ru

8(812)987-08-81



1

|                    |                                                                        |                 |           |
|--------------------|------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 511639                                                                 | <b>Ref. No.</b> | CEPC62145 |
| <b>description</b> | switch panel dishwasher L 312mm W 132mm blue suitable for IME/Omniwash |                 |           |



1

|                    |                                                                        |                 |             |
|--------------------|------------------------------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 512435                                                                 | <b>Ref. No.</b> | CEPC6214505 |
| <b>description</b> | switch panel dishwasher L 312mm W 132mm grey suitable for IME/Omniwash |                 |             |



1

|                    |                                                                            |                 |            |
|--------------------|----------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 511686                                                                     | <b>Ref. No.</b> | CEPC621405 |
| <b>description</b> | switch panel for dishwasher L 312mm W 132mm suitable for IME/Omniwash grey |                 |            |

## accessories



1

|                    |                                                 |                 |             |
|--------------------|-------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 347147                                          | <b>Ref. No.</b> | CETRP2230AR |
| <b>description</b> | push button L 19.5mm W 25mm regeneration orange |                 |             |



1

|                    |                                               |                 |              |
|--------------------|-----------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 347134                                        | <b>Ref. No.</b> | CETRP2230ALV |
| <b>description</b> | push button L 19.5mm W 25mm short/long orange |                 |              |



1

|                                                                                   |                                  |                 |                             |
|-----------------------------------------------------------------------------------|----------------------------------|-----------------|-----------------------------|
| <b>GEV No.</b>                                                                    | 347844                           | <b>Ref. No.</b> | CETRP2230GR                 |
| <b>description</b>                                                                | push button L 25mm W 19.5mm grey |                 |                             |
| <b>accessories for</b>                                                            | 347844                           |                 |                             |
|  | <b>GEV No.</b>                   | 347843          | <b>Ref. No.</b> CEPBPFDCOMP |
| momentary switch unit 2NO 250V 16A 2-pole                                         |                                  |                 |                             |



1

|                    |                                               |                 |              |
|--------------------|-----------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 347135                                        | <b>Ref. No.</b> | CETRP2230APS |
| <b>description</b> | push button L 25mm W 19.5mm orange drain pump |                 |              |

## solenoid valves

### solenoid valves (water)

#### RPE



1

|                    |                                                                  |                 |         |
|--------------------|------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 374054                                                           | <b>Ref. No.</b> | CEEV124 |
| <b>description</b> | solenoid valve single straight 24V inlet 3/4" outlet 11.5mm DN10 |                 |         |
| <b>For models:</b> | SEI 2P                                                           |                 |         |

#### solenoid valves with reducers

#### 3-fold



1

|                    |                                                                                                                                                     |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 370240                                                                                                                                              | <b>Ref. No.</b> | CEEV3 |
| <b>description</b> | solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C RPE plastic output B 0.32-0.42l/min flow regulating valve outlet B green |                 |       |
| <b>For models:</b> | DUE AQ, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO Q                                                                                                   |                 |       |

|                                                                                     |                                                                                                                               |          |            |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| TP                                                                                  |                                                                                                                               |          |            |
|    |                                                                                                                               |          |            |
| 1                                                                                   |                                                                                                                               |          |            |
| GEV No.                                                                             | 370021                                                                                                                        | Ref. No. | CEEV2      |
| description                                                                         | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white                      |          |            |
| For models:                                                                         | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |          |            |
| spare parts for                                                                     | 370021                                                                                                                        |          |            |
|    | GEV No.                                                                                                                       | 371013   | Ref. No. — |
| solenoid coil TP 230VAC 50/60Hz                                                     |                                                                                                                               |          |            |
| accessories for                                                                     | 370021                                                                                                                        |          |            |
|    | GEV No.                                                                                                                       | 371220   | Ref. No. — |
| reducer TP flow rate 3l/min red tolerance ±15%                                      |                                                                                                                               |          |            |
|    | GEV No.                                                                                                                       | 371221   | Ref. No. — |
| reducer TP flow rate 5.5l/min yellow tolerance ±15%                                 |                                                                                                                               |          |            |
|   | GEV No.                                                                                                                       | 371222   | Ref. No. — |
| reducer TP flow rate 6l/min grey tolerance ±15%                                     |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371223   | Ref. No. — |
| reducer TP flow rate 10l/min white tolerance ±15%                                   |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371224   | Ref. No. — |
| reducer TP flow rate 12l/min bronze tolerance ±15%                                  |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371225   | Ref. No. — |
| reducer TP flow rate 16l/min light brown tolerance ±15%                             |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371226   | Ref. No. — |
| reducer TP flow rate 20l/min red tolerance ±15%                                     |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371230   | Ref. No. — |
| reducer TP flow rate 0.25l/min red tolerance ±25%                                   |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371231   | Ref. No. — |
| reducer TP flow rate 0.35l/min violet tolerance ±25%                                |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371232   | Ref. No. — |
| reducer TP flow rate 0.5l/min orange tolerance ±25%                                 |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371233   | Ref. No. — |
| reducer TP flow rate 0.8l/min white tolerance ±25%                                  |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371234   | Ref. No. — |
| reducer TP flow rate 1l/min light blue tolerance ±25%                               |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371235   | Ref. No. — |
| reducer TP flow rate 1.2l/min brown tolerance ±25%                                  |                                                                                                                               |          |            |
|  | GEV No.                                                                                                                       | 371236   | Ref. No. — |
| reducer TP flow rate 1.5l/min light brown tolerance ±25%                            |                                                                                                                               |          |            |

|                                                                                   |         |        |            |
|-----------------------------------------------------------------------------------|---------|--------|------------|
| 3zip.ru                                                                           |         |        |            |
| vsezip.ru                                                                         |         |        |            |
| +7(812)987-08-81                                                                  |         |        |            |
| accessories for 370021                                                            |         |        |            |
|  | GEV No. | 371237 | Ref. No. — |
| reducer TP flow rate 2.5l/min yellow tolerance ±25%                               |         |        |            |
|  | GEV No. | 371238 | Ref. No. — |
| reducer TP flow rate 3.4l/min dark green tolerance ±25%                           |         |        |            |
|  | GEV No. | 371239 | Ref. No. — |
| reducer TP flow rate 5l/min black tolerance ±25%                                  |         |        |            |
|  | GEV No. | 371240 | Ref. No. — |
| reducer TP flow rate 8l/min blue tolerance ±20%                                   |         |        |            |

|                                                                                     |                                                                                    |          |            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------|------------|
| TP                                                                                  |                                                                                    |          |            |
|    |                                                                                    |          |            |
| 1                                                                                   |                                                                                    |          |            |
| GEV No.                                                                             | 370017                                                                             | Ref. No. | CEEV1      |
| description                                                                         | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar |          |            |
| For models:                                                                         | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P/S                                       |          |            |
| spare parts for                                                                     | 370017                                                                             |          |            |
|   | GEV No.                                                                            | 371013   | Ref. No. — |
| solenoid coil TP 230VAC 50/60Hz                                                     |                                                                                    |          |            |
| accessories for                                                                     | 370017                                                                             |          |            |
|  | GEV No.                                                                            | 371220   | Ref. No. — |
| reducer TP flow rate 3l/min red tolerance ±15%                                      |                                                                                    |          |            |
|  | GEV No.                                                                            | 371221   | Ref. No. — |
| reducer TP flow rate 5.5l/min yellow tolerance ±15%                                 |                                                                                    |          |            |
|  | GEV No.                                                                            | 371222   | Ref. No. — |
| reducer TP flow rate 6l/min grey tolerance ±15%                                     |                                                                                    |          |            |
|  | GEV No.                                                                            | 371223   | Ref. No. — |
| reducer TP flow rate 10l/min white tolerance ±15%                                   |                                                                                    |          |            |
|  | GEV No.                                                                            | 371224   | Ref. No. — |
| reducer TP flow rate 12l/min bronze tolerance ±15%                                  |                                                                                    |          |            |
|  | GEV No.                                                                            | 371225   | Ref. No. — |
| reducer TP flow rate 16l/min light brown tolerance ±15%                             |                                                                                    |          |            |
|  | GEV No.                                                                            | 371226   | Ref. No. — |
| reducer TP flow rate 20l/min red tolerance ±15%                                     |                                                                                    |          |            |
|  | GEV No.                                                                            | 371230   | Ref. No. — |
| reducer TP flow rate 0.25l/min red tolerance ±25%                                   |                                                                                    |          |            |
|  | GEV No.                                                                            | 371231   | Ref. No. — |
| reducer TP flow rate 0.35l/min violet tolerance ±25%                                |                                                                                    |          |            |
|  | GEV No.                                                                            | 371232   | Ref. No. — |
| reducer TP flow rate 0.5l/min orange tolerance ±25%                                 |                                                                                    |          |            |

Table continues overleaf

Зип-Общепит

vsezip.ru

+7(812)987-08-81

| accessories for                                                                   | 370017                                                         |        |          |   |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------|--------|----------|---|
|  | GEV No.                                                        | 371233 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$       |        |          |   |
|  | GEV No.                                                        | 371234 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$    |        |          |   |
|  | GEV No.                                                        | 371235 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$       |        |          |   |
|  | GEV No.                                                        | 371236 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$ |        |          |   |
|  | GEV No.                                                        | 371237 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$      |        |          |   |
|  | GEV No.                                                        | 371238 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$  |        |          |   |
|  | GEV No.                                                        | 371239 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 5l/min black tolerance $\pm 25\%$         |        |          |   |
|  | GEV No.                                                        | 371240 | Ref. No. | — |
|                                                                                   | reducer TP flow rate 8l/min blue tolerance $\pm 20\%$          |        |          |   |



1

|                                                                                     |                                                                                                         |          |          |   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------|----------|---|
| GEV No.                                                                             | 370029                                                                                                  | Ref. No. | CEEV124  |   |
| description                                                                         | solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white |          |          |   |
| spare parts for                                                                     | 370029                                                                                                  |          |          |   |
|  | GEV No.                                                                                                 | 371035   | Ref. No. | — |
|                                                                                     | solenoid coil 24VAC                                                                                     |          |          |   |
| accessories for                                                                     | 370029                                                                                                  |          |          |   |
|  | GEV No.                                                                                                 | 371220   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 3l/min red tolerance ±15%                                                          |          |          |   |
|  | GEV No.                                                                                                 | 371221   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 5.5l/min yellow tolerance ±15%                                                     |          |          |   |
|  | GEV No.                                                                                                 | 371222   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 6l/min grey tolerance ±15%                                                         |          |          |   |
|  | GEV No.                                                                                                 | 371223   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 10l/min white tolerance ±15%                                                       |          |          |   |
|  | GEV No.                                                                                                 | 371224   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 12l/min bronze tolerance ±15%                                                      |          |          |   |
|  | GEV No.                                                                                                 | 371225   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 16l/min light brown tolerance ±15%                                                 |          |          |   |
|  | GEV No.                                                                                                 | 371226   | Ref. No. | — |
|                                                                                     | reducer TP flow rate 20l/min red tolerance ±15%                                                         |          |          |   |

| accessories for                                                                     | 370029                                                         |        |          |   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------|--------|----------|---|
|    | GEV No.                                                        | 371230 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$        |        |          |   |
|    | GEV No.                                                        | 371231 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 0.3 l/min violet tolerance $\pm 25\%$     |        |          |   |
|    | GEV No.                                                        | 371232 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$      |        |          |   |
|    | GEV No.                                                        | 371233 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$       |        |          |   |
|    | GEV No.                                                        | 371234 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$    |        |          |   |
|    | GEV No.                                                        | 371235 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$       |        |          |   |
|    | GEV No.                                                        | 371236 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$ |        |          |   |
|    | GEV No.                                                        | 371237 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$      |        |          |   |
|   | GEV No.                                                        | 371238 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$  |        |          |   |
|  | GEV No.                                                        | 371239 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 5l/min black tolerance $\pm 25\%$         |        |          |   |
|  | GEV No.                                                        | 371240 | Ref. No. | — |
|                                                                                     | reducer TP flow rate 8l/min blue tolerance $\pm 20\%$          |        |          |   |

## pressure switches for warewashing

ø51mm with coded plug

1

|                    |                                                                                                                                     |                 |                            |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>     | 541784                                                                                                                              | <b>Ref. No.</b> | CECBCMPR<br>CEPR<br>PRL110 |
| <b>description</b> | pressure control pressure range 50/20mbar ø 51mm pressure connection horizontal warewashing pressure connection ø 5.5mm at 250V 10A |                 |                            |



ø 58mm with male faston 6.3mm

with connection horizontal



|                    |                                                                                                                |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 541889                                                                                                         | <b>Ref. No.</b> | CEPR |
| <b>description</b> | pressure control pressure range 50/20mbar connection 6mm ø 58mm                                                |                 |      |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |      |



|                    |                                                                                                                                      |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 541165                                                                                                                               | <b>Ref. No.</b> | CEPRE |
| <b>description</b> | pressure control pressure range 60/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm |                 |       |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                                                                                                           |                 |       |



|                    |                                                                                                                                      |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 541959                                                                                                                               | <b>Ref. No.</b> | CEPR62P |
| <b>description</b> | pressure control pressure range 90/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm |                 |         |

ø 79mm with coded plug



|                    |                                                                                                                               |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 541874                                                                                                                        | <b>Ref. No.</b> | CEPR2LE |
| <b>description</b> | pressure control 2 pressure ranges pressure range 27/12 41/26mbar connection 6mm ø 79mm warewashing pressure connection ø 6mm |                 |         |

Зип Общепит

ø 84mm with coded plug



|                    |                                                                                                                   |                 |           |
|--------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 541645                                                                                                            | <b>Ref. No.</b> | CEPRE2LUL |
| <b>description</b> | pressure control 2 pressure ranges pressure range 45/20 65/47mbar connection 6mm ø 84mm pressure connection ø 6mm |                 |           |

## pumps

wash and rinse pumps

ALBA (C&A)

pumps



|                                                                                     |                                                                                                                                                                                                            |                 |                         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>                                                                      | 500938                                                                                                                                                                                                     | <b>Ref. No.</b> | EP25CPG EP30            |
| <b>description</b>                                                                  | pump inlet ø 30mm outlet ø 30mm type IM1629030 230V 50Hz 1 phase 0.22kW 0.3HP L 175mm rotation direction right capacitor 10µF auxiliary pressure connection 10mm supporting pressure open ALBA PUMPS (C&A) |                 |                         |
| <b>For models:</b>                                                                  | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T                                                                                                                                         |                 |                         |
| <b>spare parts for</b>                                                              | 500938                                                                                                                                                                                                     |                 |                         |
|  | <b>GEV No.</b>                                                                                                                                                                                             | 507065          | <b>Ref. No.</b> EP251TP |
|                                                                                     | pump cover                                                                                                                                                                                                 |                 |                         |
|  | <b>GEV No.</b>                                                                                                                                                                                             | 509018          | <b>Ref. No.</b> —       |
|                                                                                     | O-ring EPDM thickness 3.53mm ID ø 107.5mm Qty 1 pcs                                                                                                                                                        |                 |                         |
|  | <b>GEV No.</b>                                                                                                                                                                                             | 509028          | <b>Ref. No.</b> —       |
|                                                                                     | impellor ø 87mm H 21mm rotation direction right thread M7L shaft ø 12mm                                                                                                                                    |                 |                         |
|  | <b>GEV No.</b>                                                                                                                                                                                             | 510693          | <b>Ref. No.</b> —       |
|                                                                                     | mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm                   |                 |                         |

Table continues overleaf



ЗипОбщепит

pumps

vsezip.ru

+7(812)987-08-81

accessories for 500938

GEV No. 365014 Ref. No. CECN12



operating capacitor capacity 12.5μF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection



1

| GEV No.         | 500941                                                                                                                                                                                                     | Ref. No.        | EP50CPG<br>EP60 |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|
| description     | pump inlet ø 30mm outlet ø 30mm type IM32591 230V 50Hz 1 phase 0.45kW 0.6HP L 200mm rotation direction right capacitor 12.5μF auxiliary pressure connection 11mm supporting pressure open ALBA PUMPS (C&A) |                 |                 |
| For models:     | DUE AQ, DUE AT                                                                                                                                                                                             |                 |                 |
| spare parts for | 500941                                                                                                                                                                                                     |                 |                 |
|                 | GEV No. 365014                                                                                                                                                                                             | Ref. No. CECN12 |                 |
|                 | operating capacitor capacity 12.5μF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection                               |                 |                 |
|                 | GEV No. 509018                                                                                                                                                                                             | Ref. No. —      |                 |
|                 | O-ring EPDM thickness 3.53mm ID ø 107.5mm Qty 1 pcs                                                                                                                                                        |                 |                 |
|                 | GEV No. 510692                                                                                                                                                                                             | Ref. No. —      |                 |
|                 | mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm                                              |                 |                 |

1



| GEV No.         | 499137                                                                                                                                                                     | Ref. No.   | ABPRF5213 |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|
| description     | pump inlet ø 30mm outlet ø 26mm type 5213E2452 220/240V 50Hz 1 phase 0.07kW 0.1HP L 195mm rotation direction left capacitor 5μF FIR                                        |            |           |
| spare parts for | 499137                                                                                                                                                                     |            |           |
|                 | GEV No. 365017                                                                                                                                                             | Ref. No. — |           |
|                 | operating capacitor capacity 5μF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection |            |           |
|                 | GEV No. 502250                                                                                                                                                             | Ref. No. — |           |
|                 | O-ring EPDM thickness 4mm ID ø 74mm Qty 1 pcs                                                                                                                              |            |           |
|                 | GEV No. 502265                                                                                                                                                             | Ref. No. — |           |
|                 | pump cover inlet ø 30mm outlet ø 26mm ID ø 89mm inner height 35mm                                                                                                          |            |           |
|                 | GEV No. 510695                                                                                                                                                             | Ref. No. — |           |
|                 | mechanical shaft seal height counter ring 5.5mm ID ø 11mm                                                                                                                  |            |           |
|                 | GEV No. 521203                                                                                                                                                             | Ref. No. — |           |
|                 | impeller ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3                                                                                                   |            |           |
|                 | GEV No. 532718                                                                                                                                                             | Ref. No. — |           |
|                 | O-ring EPDM thickness 4mm ID ø 80mm Qty 1 pcs                                                                                                                              |            |           |
|                 | GEV No. 699372                                                                                                                                                             | Ref. No. — |           |
|                 | flange for pump with cover type 5213 L 103mm W 103mm H 69mm                                                                                                                |            |           |

## drain pumps

### ASKOLL



1

| GEV No.     | 500347                    | Ref. No. | CEPS031482 |
|-------------|---------------------------|----------|------------|
| description | drain pump 230V 34W       |          |            |
| For models: | QUATTRO Q/82, QUATTROT/82 |          |            |

## condensators & interference sup- pression filters

operating capacitors

plastic

+7(812)987-08-81



1

|                    |                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 499340                                                                   | <b>Ref. No.</b> | CEPS51 |
| <b>description</b> | drain pump 40W 220-240V inlet ø 30mm outlet ø 22mm 50Hz ASKOLL type M332 |                 |        |



1

|                    |                                                                                     |                 |         |
|--------------------|-------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 500346                                                                              | <b>Ref. No.</b> | CEPS031 |
| <b>description</b> | drain pump inlet ø 30mm outlet ø 22mm 230V 40W 50Hz ASKOLL type M231 XP with holder |                 |         |

## booster pumps II

### accessories



1

|                    |                                                                                                                                                                |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 365015                                                                                                                                                         | <b>Ref. No.</b> | CECN10 |
| <b>description</b> | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection |                 |        |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T                                                                                             |                 |        |



1

|                    |                                                                                                                                                                |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 365015                                                                                                                                                         | <b>Ref. No.</b> | CECN10 |
| <b>description</b> | operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection |                 |        |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T                                                                                             |                 |        |



1

|                    |                                                                                                                                                                              |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 365014                                                                                                                                                                       | <b>Ref. No.</b> | CECN12 |
| <b>description</b> | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S                                                                                                         |                 |        |

## filters

### interference suppression filters



1

|                    |                                                                                                                                                                      |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 365046                                                                                                                                                               | <b>Ref. No.</b> | CEFA |
| <b>description</b> | interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm ø 40mm Hmm Wmm M8 plastic Qty 1 pcs |                 |      |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T                             |                 |      |

## fuses

### fine fuses



1

|                    |                                                             |                 |           |
|--------------------|-------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 358074                                                      | <b>Ref. No.</b> | CEFU5205A |
| <b>description</b> | fine fuse size ø5x20mm 5A fast-acting rated 250V Qty 10 pcs |                 |           |

## fine fuse holders



1

| GEV No.     | 358512                   | Ref. No. | CEMESTR |
|-------------|--------------------------|----------|---------|
| description | fuse holder              |          |         |
| For models: | SEI 1P, SEI 2P, SEI 2P/S |          |         |

## electric accessories

### terminals

#### connection terminals with screw/faston connections



1

| GEV No.     | 550278                                                                                                                               | Ref. No. | CEMOS |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | power terminal block 3-pole max. 40A max 400V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> |          |       |



1

| GEV No.     | 550411                                                                                                                               | Ref. No. | CEMOS3F |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | power terminal block 6-pole max. 40A max 450V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S                                                                                 |          |         |

## equipment-specific units

### for espresso machines

#### brewing units

#### filter holder gaskets

#### O-rings



1

| GEV No.     | 510409                                              | Ref. No. | GUREBOT ORRB3F |
|-------------|-----------------------------------------------------|----------|----------------|
| description | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs |          |                |

#### brewing units with solenoid valve

#### gaskets

| GEV No.     | 532554                                               | Ref. No. | OR102 |
|-------------|------------------------------------------------------|----------|-------|
| description | O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs |          |       |

#### steam/water taps

#### steam/water pipes

#### accessories

#### gaskets



1

| GEV No.     | 510893                                                             | Ref. No. | OR112 |
|-------------|--------------------------------------------------------------------|----------|-------|
| description | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs                 |          |       |
| For models: | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T |          |       |

### for tilting bratt pans

#### spindles



1

| GEV No.     | 507405                              | Ref. No. | CEPAMP6S |
|-------------|-------------------------------------|----------|----------|
| description | threaded rod thread M6 L 43mm ø 6mm |          |          |

### for dishwashers

#### drain and intake components

#### OMNIWASH

#### drain /intake bodies



1

| GEV No.     | 507234        | Ref. No. | LI426F |
|-------------|---------------|----------|--------|
| description | drain fitting |          |        |
| For models: | QUATTRO Q/82  |          |        |



1

| GEV No.     | 524838                                         | Ref. No. | GAPS1299B<br>GAPS1299BGR |
|-------------|------------------------------------------------|----------|--------------------------|
| description | drain fitting straight ø 50mm H 68mm thread 1" |          |                          |





Зип Общепит

всезип.ру

+7(812)987-08-81



|                    |                                                      |                 |        |
|--------------------|------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 540222                                               | <b>Ref. No.</b> | OR3187 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs   |                 |        |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |        |



|                    |                                                                                                                                          |                 |                  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| <b>GEV No.</b>     | 507058                                                                                                                                   | <b>Ref. No.</b> | DP114<br>DP114GR |
| <b>description</b> | screw connection thread 1 1/4" H 14mm WS 55                                                                                              |                 |                  |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |                 |                  |



|                    |                                   |                 |         |
|--------------------|-----------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507237                            | <b>Ref. No.</b> | LI430FC |
| <b>description</b> | wash arm support wash arm support |                 |         |
| <b>For models:</b> | QUATTRO Q/82                      |                 |         |

## filters



|                    |                |                 |        |
|--------------------|----------------|-----------------|--------|
| <b>GEV No.</b>     | 507084         | <b>Ref. No.</b> | GA012C |
| <b>description</b> | bar for filter |                 |        |



|                    |                                  |                 |         |
|--------------------|----------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507396                           | <b>Ref. No.</b> | GASA12C |
| <b>description</b> | bar for filter L 140mm thread M6 |                 |         |



|                    |                                 |                 |                              |
|--------------------|---------------------------------|-----------------|------------------------------|
| <b>GEV No.</b>     | 507082                          | <b>Ref. No.</b> | GA012A<br>GA012B<br>GAGS1299 |
| <b>description</b> | bar for filter L 52mm thread M6 |                 |                              |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82      |                 |                              |



|                    |                                 |                 |                  |
|--------------------|---------------------------------|-----------------|------------------|
| <b>GEV No.</b>     | 507096                          | <b>Ref. No.</b> | GA512<br>GA5120T |
| <b>description</b> | bar for filter L 74mm thread M6 |                 |                  |
| <b>For models:</b> | QUATTRO Q/82                    |                 |                  |




|                    |                                                      |                 |                    |
|--------------------|------------------------------------------------------|-----------------|--------------------|
| <b>GEV No.</b>     | 507098                                               | <b>Ref. No.</b> | GA6122<br>GA61220T |
| <b>description</b> | bar for filter L 86mm thread M6                      |                 |                    |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |                    |

|                    |                                 |                 |         |
|--------------------|---------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507339                          | <b>Ref. No.</b> | GAGS599 |
| <b>description</b> | bar L 50mm thread M5 for filter |                 |         |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82      |                 |         |

|                    |        |                 |                       |
|--------------------|--------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507247 | <b>Ref. No.</b> | LIF4V4TP<br>LIF4V4TPC |
| <b>description</b> | filter |                 |                       |



|                    |        |                 |            |
|--------------------|--------|-----------------|------------|
| <b>GEV No.</b>     | 507338 | <b>Ref. No.</b> | GA115SCOMP |
| <b>description</b> | filter |                 |            |



|                    |                                                                       |                 |                        |
|--------------------|-----------------------------------------------------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 507243                                                                | <b>Ref. No.</b> | LIF12V1P<br>LIF12V1PV0 |
| <b>description</b> | flat filter                                                           |                 |                        |
| <b>For models:</b> | UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |                        |



|                    |                                                |                 |          |
|--------------------|------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507244                                         | <b>Ref. No.</b> | LIF22V1P |
| <b>description</b> | flat filter                                    |                 |          |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ |                 |          |



|                    |                                                                                         |                 |                         |
|--------------------|-----------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>     | 524919                                                                                  | <b>Ref. No.</b> | LIF4V2PSX04GR<br>REFO40 |
| <b>description</b> | flat filter for dishwasher H 15mm L 540mm W 288mm with hole plastic mounting pos. right |                 |                         |





1

|                    |                                                                                           |                 |              |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 524918                                                                                    | <b>Ref. No.</b> | LIF4V2PCSX04 |
| <b>description</b> | flat filter for dishwasher H 15mm L 540mm W 288mm without hole plastic mounting pos. left |                 |              |




1

|                    |                                    |                 |                                                           |
|--------------------|------------------------------------|-----------------|-----------------------------------------------------------|
| <b>GEV No.</b>     | 507246                             | <b>Ref. No.</b> | LIF4V4P<br>LIF4V4PL<br>LIF4V4PV0<br>LIF4V4PV0GR<br>REFI40 |
| <b>description</b> | flat filter H 15mm L 230mm W 200mm |                 |                                                           |
| <b>For models:</b> | QUATTRO Q/82, SEI 1P, SEI 2P/S     |                 |                                                           |




1

|                    |                                              |                 |                          |
|--------------------|----------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>     | 507248                                       | <b>Ref. No.</b> | LIF4V4TPP<br>LIF4V4TPPGR |
| <b>description</b> | flat filter H 15mm L 230mm W 200mm with hole |                 |                          |
| <b>For models:</b> | QUATTRO Q/82                                 |                 |                          |



1

|                    |                                                        |                 |             |
|--------------------|--------------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 519489                                                 | <b>Ref. No.</b> | LIF4V2PDX04 |
| <b>description</b> | flat filter H 15mm L 535mm W 285mm mounting pos. right |                 |             |



1

|                    |                                                                 |                 |             |
|--------------------|-----------------------------------------------------------------|-----------------|-------------|
| <b>GEV No.</b>     | 519488                                                          | <b>Ref. No.</b> | LIF4V2PSX04 |
| <b>description</b> | flat filter H 15mm L 535mm W 285mm with hole mounting pos. left |                 |             |



1

|                    |                                   |                 |                                                   |
|--------------------|-----------------------------------|-----------------|---------------------------------------------------|
| <b>GEV No.</b>     | 507089                            | <b>Ref. No.</b> | GA115RA<br>GA115RAB<br>GA115RABV0<br>GA115RABV0GR |
| <b>description</b> | flat filter H 27mm L 140mm W 95mm |                 |                                                   |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82        |                 |                                                   |



1

|                    |                                                      |                 |                                                 |
|--------------------|------------------------------------------------------|-----------------|-------------------------------------------------|
| <b>GEV No.</b>     | 507094                                               | <b>Ref. No.</b> | GA315RA<br>GA315RAV0<br>GA315RAV0GR<br>GA315RCA |
| <b>description</b> | flat filter H 36mm L 170mm W 135mm                   |                 |                                                 |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |                                                 |



1

|                    |                             |                 |                   |
|--------------------|-----------------------------|-----------------|-------------------|
| <b>GEV No.</b>     | 507245                      | <b>Ref. No.</b> | LIF4V4<br>LIF4V4C |
| <b>description</b> | flat filter L 230mm W 200mm |                 |                   |
| <b>For models:</b> | SEI 2P, SEI 2P/S            |                 |                   |

1

|                                                                                     |                                                             |                 |                            |                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|----------------------------|----------------------------------|
| <b>GEV No.</b>                                                                      | 524916                                                      | <b>Ref. No.</b> | GA115RCBV0<br>GA115RCBV0GR |                                  |
| <b>description</b>                                                                  | intake filter for dishwasher H 50mm L 140mm W 95mm complete |                 |                            |                                  |
| <b>spare parts for</b>                                                              | 524916                                                      |                 |                            |                                  |
|  | <b>GEV No.</b>                                              | 507088          | <b>Ref. No.</b>            | GA115R<br>GA115RV0<br>GA115RV0GR |
| rectangular filter H 50mm L 137mm W 92mm                                            |                                                             |                 |                            |                                  |
|  | <b>GEV No.</b>                                              | 507515          | <b>Ref. No.</b>            | GA115RAV0<br>GA115RAV0GR         |
| lid for filter H 10mm L 140mm W 95mm                                                |                                                             |                 |                            |                                  |



1

|                                                                                     |                                      |                 |                          |
|-------------------------------------------------------------------------------------|--------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>                                                                      | 507515                               | <b>Ref. No.</b> | GA115RAV0<br>GA115RAV0GR |
| <b>description</b>                                                                  | lid for filter H 10mm L 140mm W 95mm |                 |                          |
| <b>accessories for</b>                                                              | 507515                               |                 |                          |
|  | <b>GEV No.</b>                       | 507088          | <b>Ref. No.</b>          |
|                                                                                     | GA115R<br>GA115RV0<br>GA115RV0GR     |                 |                          |
| rectangular filter H 50mm L 137mm W 92mm                                            |                                      |                 |                          |



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 507085                                    | Ref. No. | GA013<br>GA013B<br>GA013GR |
|-------------|-------------------------------------------|----------|----------------------------|
| description | nut for filter ED ø 32mm H 10mm thread M6 |          |                            |
| For models: | QUATTRO Q/82, QUATTRO T/82                |          |                            |



2

| GEV No.     | 507100             | Ref. No. | GAPS335 |
|-------------|--------------------|----------|---------|
| description | rectangular filter |          |         |



1

| GEV No.         | 507362                                     | Ref. No. | GA315RAV0GR+GA315RVOGR<br>GA315RCB<br>GA315RCBV0<br>GA315RCBV0GR |
|-----------------|--------------------------------------------|----------|------------------------------------------------------------------|
| description     | rectangular filter H 100mm L 170mm W 130mm |          |                                                                  |
| For models:     | QUATTRO Q/82, QUATTRO T/82                 |          |                                                                  |
| spare parts for | 507362                                     |          |                                                                  |
|                 | GEV No.                                    | 507093   | Ref. No. GA315R<br>GA315RV0                                      |
|                 | rectangular filter H 62mm L 168mm W 126mm  |          |                                                                  |
|                 | GEV No.                                    | 507094   | Ref. No. GA315RA<br>GA315RAV0<br>GA315RAV0GR<br>GA315RCA         |
|                 | flat filter H 36mm L 170mm W 135mm         |          |                                                                  |



1

| GEV No.         | 507088                                                                                                         | Ref. No. | GA115R<br>GA115RV0<br>GA115RV0GR  |
|-----------------|----------------------------------------------------------------------------------------------------------------|----------|-----------------------------------|
| description     | rectangular filter H 50mm L 137mm W 92mm                                                                       |          |                                   |
| For models:     | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |          |                                   |
| accessories for | 507088                                                                                                         |          |                                   |
|                 | GEV No.                                                                                                        | 507515   | Ref. No. GA115RAV0<br>GA115RAV0GR |
|                 | lid for filter H 10mm L 140mm W 95mm                                                                           |          |                                   |



1

| GEV No.     | 507093                                               | Ref. No. | GA315R<br>GA315RV0 |
|-------------|------------------------------------------------------|----------|--------------------|
| description | rectangular filter H 62mm L 168mm W 126mm            |          |                    |
| For models: | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |          |                    |



1

| GEV No.     | 507091                      | Ref. No. | GA214AT |
|-------------|-----------------------------|----------|---------|
| description | round filters H 52mm ø 62mm |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82  |          |         |

## overflow pipes



1

| GEV No.     | 507217        | Ref. No. | GSSA16 |
|-------------|---------------|----------|--------|
| description | overflow pipe |          |        |



1

| GEV No.     | 507203                       | Ref. No. | GS1116CCA<br>GS116CC<br>GS116CCAB<br>GS116CCABGR |
|-------------|------------------------------|----------|--------------------------------------------------|
| description | overflow pipe L 100mm ø 26mm |          |                                                  |



1

| GEV No.     | 507212                       | Ref. No. | GS416CC |
|-------------|------------------------------|----------|---------|
| description | overflow pipe L 167mm ø 35mm |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82   |          |         |





Зип-Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 510018                                                                   | <b>Ref. No.</b> | CERI45 |
| <b>description</b> | nut ø 92mm H 10.5mm for salt tank ID ø 64mm                              |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |



1

|                                                                                     |                                                                              |                 |                         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>                                                                      | 510929                                                                       | <b>Ref. No.</b> | CERI43                  |
| <b>description</b>                                                                  | salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm   |                 |                         |
| <b>For models:</b>                                                                  | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T     |                 |                         |
| <b>spare parts for</b>                                                              | 510929                                                                       |                 |                         |
|  | <b>GEV No.</b>                                                               | 506015          | <b>Ref. No.</b> CERI46A |
|                                                                                     | O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs                          |                 |                         |
|  | <b>GEV No.</b>                                                               | 510018          | <b>Ref. No.</b> CERI45  |
|                                                                                     | nut ø 92mm H 10.5mm for salt tank ID ø 64mm                                  |                 |                         |
|  | <b>GEV No.</b>                                                               | 524177          | <b>Ref. No.</b> CERI46  |
|                                                                                     | lid ø 69mm H 20mm for salt tank ID ø 50mm                                    |                 |                         |
| <b>accessories for</b>                                                              | 510929                                                                       |                 |                         |
|  | <b>GEV No.</b>                                                               | 510071          | <b>Ref. No.</b> —       |
|                                                                                     | flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs |                 |                         |
|  | <b>GEV No.</b>                                                               | 510654          | <b>Ref. No.</b> —       |
|                                                                                     | gasket H 6mm D1 ø 82mm D2 ø 68mm                                             |                 |                         |
|  | <b>GEV No.</b>                                                               | 510883          | <b>Ref. No.</b> —       |
|                                                                                     | gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs      |                 |                         |

boilers

boilers for dishwashers



1

|                    |        |                 |      |
|--------------------|--------|-----------------|------|
| <b>GEV No.</b>     | 507106 | <b>Ref. No.</b> | GB11 |
| <b>description</b> | boiler |                 |      |



1

|                    |                                                                       |                 |        |
|--------------------|-----------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507107                                                                | <b>Ref. No.</b> | GB11NT |
| <b>description</b> | boiler                                                                |                 |        |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |                 |        |



1

|                    |        |                 |      |
|--------------------|--------|-----------------|------|
| <b>GEV No.</b>     | 507108 | <b>Ref. No.</b> | GB21 |
| <b>description</b> | boiler |                 |      |



1

|                    |        |                 |         |
|--------------------|--------|-----------------|---------|
| <b>GEV No.</b>     | 507110 | <b>Ref. No.</b> | GB4133F |
| <b>description</b> | boiler |                 |         |



1

|                    |                            |                 |         |
|--------------------|----------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507111                     | <b>Ref. No.</b> | GB4821F |
| <b>description</b> | boiler                     |                 |         |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82 |                 |         |



1

|                    |                        |                 |           |
|--------------------|------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507508                 | <b>Ref. No.</b> | GB21NTPR5 |
| <b>description</b> | boiler ø 140mm L 365mm |                 |           |

Зип Общежит

rotation plates

vsezip.ru

+7(812)987-08-81



1

|                    |                            |                 |         |
|--------------------|----------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507112                     | <b>Ref. No.</b> | GB4823F |
| <b>description</b> | boiler ø 150mm L 425mm     |                 |         |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82 |                 |         |



1

|                    |                        |                 |            |
|--------------------|------------------------|-----------------|------------|
| <b>GEV No.</b>     | 507047                 | <b>Ref. No.</b> | GB413FNT05 |
| <b>description</b> | boiler ø 160mm L 440mm |                 |            |



1

|                    |                                    |                 |                    |
|--------------------|------------------------------------|-----------------|--------------------|
| <b>GEV No.</b>     | 507109                             | <b>Ref. No.</b> | GB413F<br>GB413FNT |
| <b>description</b> | boiler ø 160mm L 440mm hose ø 10mm |                 |                    |

#### accessories



1

|                    |                                                          |                 |        |
|--------------------|----------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507406                                                   | <b>Ref. No.</b> | GBPBSA |
| <b>description</b> | insulating mat for boiler L 330mm W 330mm thickness 10mm |                 |        |

#### rotation plates



1

|                    |                |                 |       |
|--------------------|----------------|-----------------|-------|
| <b>GEV No.</b>     | 507126         | <b>Ref. No.</b> | GG3TA |
| <b>description</b> | rotation plate |                 |       |
| <b>For models:</b> | QUATTRO T/82   |                 |       |



1

|                    |                                          |                 |                             |
|--------------------|------------------------------------------|-----------------|-----------------------------|
| <b>GEV No.</b>     | 507321                                   | <b>Ref. No.</b> | GG1T1<br>GG1T1B<br>GG1T1CGR |
| <b>description</b> | rotation plate ø 292mm                   |                 |                             |
| <b>For models:</b> | DUE AT, JOLLY AT, JOLLY T, UNO AT, UNO T |                 |                             |



1

|                    |                                            |                 |                 |
|--------------------|--------------------------------------------|-----------------|-----------------|
| <b>GEV No.</b>     | 507117                                     | <b>Ref. No.</b> | GG1TA<br>GG1TAB |
| <b>description</b> | rotation plate ø 293mm plastic seat ø 15mm |                 |                 |





## rotation plate bearings



1

|                    |                                          |                 |       |
|--------------------|------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507115                                   | <b>Ref. No.</b> | GG1T2 |
| <b>description</b> | bearing rotation plate                   |                 |       |
| <b>For models:</b> | DUE AT, JOLLY AT, JOLLY T, UNO AT, UNO T |                 |       |

## accessories



1

|                    |              |                 |       |
|--------------------|--------------|-----------------|-------|
| <b>GEV No.</b>     | 507124       | <b>Ref. No.</b> | GG3T2 |
| <b>description</b> | bushing      |                 |       |
| <b>For models:</b> | QUATTRO T/82 |                 |       |



1

|                    |                   |                 |         |
|--------------------|-------------------|-----------------|---------|
| <b>GEV No.</b>     | 507132            | <b>Ref. No.</b> | GG4TFEG |
| <b>description</b> | spindle with ball |                 |         |
| <b>For models:</b> | QUATTRO T/82      |                 |         |



1

|                    |                                                   |                 |                   |
|--------------------|---------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>     | 507123                                            | <b>Ref. No.</b> | GG1TH<br>GG1THBGR |
| <b>description</b> | union screw for rotation plate $\varnothing$ 19mm |                 |                   |
| <b>For models:</b> | JOLLY AT, JOLLY T                                 |                 |                   |

## softener cartridges

### softening columns



1

|                    |                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 530000                                                                   | <b>Ref. No.</b> | CERI47 |
| <b>description</b> | softener 4-fold L 380mm W 180mm                                          |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |

## housing and bezels

### fascias



1

|                    |                                                               |                 |                                                |
|--------------------|---------------------------------------------------------------|-----------------|------------------------------------------------|
| <b>GEV No.</b>     | 699271                                                        | <b>Ref. No.</b> | CEPC6214S05C<br>CEPC6214S08C<br>CEPC6214SGR12C |
| <b>description</b> | control panel for dishwasher assembled L 312mm W 132mm H 85mm |                 |                                                |



1

|                    |                                                    |                 |          |
|--------------------|----------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 502188                                             | <b>Ref. No.</b> | CEPC6214 |
| <b>description</b> | control panel LTM1600 L 400mm W 50mm H 159mm black |                 |          |



1

|                    |                                                       |                 |                            |
|--------------------|-------------------------------------------------------|-----------------|----------------------------|
| <b>GEV No.</b>     | 502253                                                | <b>Ref. No.</b> | CEPC6214P1<br>CEPC6214P105 |
| <b>description</b> | control panel warewashing L 310mm W 133mm H 7mm black |                 |                            |

## miscellaneous



1

|                    |         |                 |        |
|--------------------|---------|-----------------|--------|
| <b>GEV No.</b>     | 507055  | <b>Ref. No.</b> | DOT14P |
| <b>description</b> | end cap |                 |        |



1

|                    |                              |                 |           |
|--------------------|------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507569                       | <b>Ref. No.</b> | DOT38PBGR |
| <b>description</b> | screw connection thread 3/8" |                 |           |

3zip

vsezip.ru

+7(812)987-08-81

## hood mechanics for dishwashers

### bolts



|                    |                     |                 |          |
|--------------------|---------------------|-----------------|----------|
| <b>GEV No.</b>     | 507166              | <b>Ref. No.</b> | GMMN6171 |
| <b>description</b> | bolt for hood joint |                 |          |
| <b>For models:</b> | SEI 2P, SEI 2P/S    |                 |          |

### bushes



|                    |                          |                 |          |
|--------------------|--------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507167                   | <b>Ref. No.</b> | GMMN6191 |
| <b>description</b> | bush for hood joint      |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S |                 |          |

### spring holders



|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507156                       | <b>Ref. No.</b> | GMML6251 |
| <b>description</b> | spring holder hood mechanics |                 |          |
| <b>For models:</b> | SEI 2P, SEI 2P/S             |                 |          |

### linkage



|                    |                          |                 |          |
|--------------------|--------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507158                   | <b>Ref. No.</b> | GMML6271 |
| <b>description</b> | tie bar for hood spring  |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S |                 |          |

### hood handles



|                    |                          |                 |          |
|--------------------|--------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507159                   | <b>Ref. No.</b> | GMMN6151 |
| <b>description</b> | hood handle              |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S |                 |          |

## hood handles supports



|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507163                       | <b>Ref. No.</b> | GMMN6171 |
| <b>description</b> | handle holder hood mechanics |                 |          |



|                    |                              |                 |         |
|--------------------|------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507168                       | <b>Ref. No.</b> | GMMN630 |
| <b>description</b> | handle holder hood mechanics |                 |         |



|                    |                              |                 |                                      |
|--------------------|------------------------------|-----------------|--------------------------------------|
| <b>GEV No.</b>     | 507169                       | <b>Ref. No.</b> | GMMN6301<br>GMMN6301GR<br>GMMN6301P1 |
| <b>description</b> | handle holder hood mechanics |                 |                                      |



|                    |                              |                 |           |
|--------------------|------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507170                       | <b>Ref. No.</b> | GMMN6301S |
| <b>description</b> | handle holder hood mechanics |                 |           |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S     |                 |           |



|                    |                                                  |                 |            |
|--------------------|--------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 507164                                           | <b>Ref. No.</b> | GMMN6171P1 |
| <b>description</b> | handle holder hood mechanics mounting pos. lower |                 |            |



|                    |                                                  |                 |           |
|--------------------|--------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507165                                           | <b>Ref. No.</b> | GMMN6171S |
| <b>description</b> | handle holder hood mechanics mounting pos. lower |                 |           |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                         |                 |           |



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                                  |                 |          |
|--------------------|--------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507160                                           | <b>Ref. No.</b> | GMMN6161 |
| <b>description</b> | handle holder hood mechanics mounting pos. upper |                 |          |



1

|                    |                                                  |                 |            |
|--------------------|--------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 507161                                           | <b>Ref. No.</b> | GMMN6161P1 |
| <b>description</b> | handle holder hood mechanics mounting pos. upper |                 |            |



1

|                    |                                                  |                 |           |
|--------------------|--------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507162                                           | <b>Ref. No.</b> | GMMN6161S |
| <b>description</b> | handle holder hood mechanics mounting pos. upper |                 |           |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                         |                 |           |

## basket guides

## guide bars



1

|                    |              |                 |          |
|--------------------|--------------|-----------------|----------|
| <b>GEV No.</b>     | 971141       | <b>Ref. No.</b> | GMGC6461 |
| <b>description</b> | basket guide |                 |          |



1

|                    |              |                 |        |
|--------------------|--------------|-----------------|--------|
| <b>GEV No.</b>     | 971142       | <b>Ref. No.</b> | LISFA6 |
| <b>description</b> | basket guide |                 |        |



1

|                    |                                 |                 |                        |
|--------------------|---------------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 517322                          | <b>Ref. No.</b> | GMGC5SXI<br>GMGC5SXINT |
| <b>description</b> | basket guide mounting pos. left |                 |                        |



1

|                    |                                  |                 |          |
|--------------------|----------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 517323                           | <b>Ref. No.</b> | GMGC5DXI |
| <b>description</b> | basket guide mounting pos. right |                 |          |

## basket holders



1

|                    |                               |                 |                        |
|--------------------|-------------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 971140                        | <b>Ref. No.</b> | GMGC6401<br>GMGC6401FC |
| <b>description</b> | basket support L 500m W 500mm |                 |                        |

## air traps

## air traps



1

| GEV No.                                                                             | 507171                     | Ref. No. | GP025<br>GP025B<br>GP025BGR             |
|-------------------------------------------------------------------------------------|----------------------------|----------|-----------------------------------------|
| description                                                                         | air trap                   |          |                                         |
| For models:                                                                         | QUATTRO Q/82, QUATTRO T/82 |          |                                         |
| accessories for                                                                     | 507171                     |          |                                         |
|    | GEV No.                    | 507052   | Ref. No. D034                           |
| hexagonal nut thread 3/4" Qty 1 pcs                                                 |                            |          |                                         |
|    | GEV No.                    | 507078   | Ref. No. G15253G<br>G251525G            |
| flat gasket rubber ED ø 25mm ID ø 14.5mm thickness 2.5mm Qty 1 pcs                  |                            |          |                                         |
|    | GEV No.                    | 507080   | Ref. No. G382615G                       |
| flat gasket rubber ED ø 39mm ID ø 25mm thickness 1.5mm Qty 1 pcs                    |                            |          |                                         |
|    | GEV No.                    | 507172   | Ref. No. GP026A<br>GP026AB<br>GP026ABGR |
| connection angle for air trap                                                       |                            |          |                                         |
|  | GEV No.                    | 507173   | Ref. No. GP026B<br>GP026BB<br>GP026BBGR |
| nut for connection angle for air trap                                               |                            |          |                                         |



1

| GEV No.                                                                             | 507516                                                    | Ref. No. | GP025BCOMP<br>GP025BGRCOMP              |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|-----------------------------------------|
| description                                                                         | air trap complete L 80mm W 30mm H 50mm hose ø 5mm plastic |          |                                         |
| spare parts for                                                                     | 507516                                                    |          |                                         |
|  | GEV No.                                                   | 507052   | Ref. No. D034                           |
| hexagonal nut thread 3/4" Qty 1 pcs                                                 |                                                           |          |                                         |
|  | GEV No.                                                   | 507078   | Ref. No. G15253G<br>G251525G            |
| flat gasket rubber ED ø 25mm ID ø 14.5mm thickness 2.5mm Qty 1 pcs                  |                                                           |          |                                         |
|  | GEV No.                                                   | 507080   | Ref. No. G382615G                       |
| flat gasket rubber ED ø 39mm ID ø 25mm thickness 1.5mm Qty 1 pcs                    |                                                           |          |                                         |
|  | GEV No.                                                   | 507171   | Ref. No. GP025<br>GP025B<br>GP025BGR    |
| air trap                                                                            |                                                           |          |                                         |
|  | GEV No.                                                   | 507172   | Ref. No. GP026A<br>GP026AB<br>GP026ABGR |
| connection angle for air trap                                                       |                                                           |          |                                         |
|  | GEV No.                                                   | 524463   | Ref. No. GP026BB<br>GP026BBGR           |
| union nut thread 3/4" H 13mm WS 32 plastic Qty 1 pcs for air trap                   |                                                           |          |                                         |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

| GEV No.     | 524917                                                   | Ref. No. | GP02562PB<br>GP02562PBGR<br>SE12PCQ |
|-------------|----------------------------------------------------------|----------|-------------------------------------|
| description | air trap ø 60.5mm H 110mm thread 3/4" hose ø 6mm plastic |          |                                     |

## air trap accessories



1

| GEV No.     | 507172                                                                   | Ref. No. | GP026A<br>GP026AB<br>GP026ABGR |
|-------------|--------------------------------------------------------------------------|----------|--------------------------------|
| description | connection angle for air trap                                            |          |                                |
| For models: | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |          |                                |



1

| GEV No.     | 507173                                                                   | Ref. No. | GP026B<br>GP026BB<br>GP026BBGR |
|-------------|--------------------------------------------------------------------------|----------|--------------------------------|
| description | nut for connection angle for air trap                                    |          |                                |
| For models: | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |          |                                |

## miscellaneous



1

| GEV No.     | 506249                                | Ref. No. | CETP6GR |
|-------------|---------------------------------------|----------|---------|
| description | blind plug D1 ø 6mm for control panel |          |         |



1

| GEV No.     | 507219  | Ref. No. | LI027A |
|-------------|---------|----------|--------|
| description | reducer |          |        |

door mechanics

doors



|                    |                                                           |                 |        |
|--------------------|-----------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507400                                                    | <b>Ref. No.</b> | GMP02A |
| <b>description</b> | door complete IME/Omnivash DUE AT suitable for dishwasher |                 |        |



|                    |                                                          |                 |       |
|--------------------|----------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507401                                                   | <b>Ref. No.</b> | GMP05 |
| <b>description</b> | door IME/Omnivash Quattro Q 4/82 suitable for dishwasher |                 |       |



|                    |                                     |                 |           |
|--------------------|-------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 694275                              | <b>Ref. No.</b> | GMP05MPR5 |
| <b>description</b> | door W 555mm H 410mm thickness 22mm |                 |           |

door bumpers



|                    |                                           |                 |       |
|--------------------|-------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507490                                    | <b>Ref. No.</b> | AMPCP |
| <b>description</b> | door bumper H 10mm silicone L 33mm W 15mm |                 |       |

door shafts



|                    |                                                                                                             |                 |          |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507023                                                                                                      | <b>Ref. No.</b> | AM112NTM |
| <b>description</b> | door shaft                                                                                                  |                 |          |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |                 |          |



|                    |                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507039                                                                   | <b>Ref. No.</b> | CEMP21 |
| <b>description</b> | door shaft                                                               |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |

|                                                                                   |                |        |                        |
|-----------------------------------------------------------------------------------|----------------|--------|------------------------|
| <b>accessories for</b>                                                            | 507039         |        |                        |
|  | <b>GEV No.</b> | 507040 | <b>Ref. No.</b> CEMP22 |
| retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm                    |                |        |                        |



|                        |                    |                 |         |
|------------------------|--------------------|-----------------|---------|
| <b>GEV No.</b>         | 507024             | <b>Ref. No.</b> | AM212NT |
| <b>description</b>     | door shaft L 120mm |                 |         |
| <b>For models:</b>     | DUE AQ             |                 |         |
| <b>accessories for</b> | 507024             |                 |         |



|                                                                                    |        |                 |         |
|------------------------------------------------------------------------------------|--------|-----------------|---------|
| <b>GEV No.</b>                                                                     | 507015 | <b>Ref. No.</b> | AM013NT |
| retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm |        |                 |         |



|                    |                            |                 |                   |
|--------------------|----------------------------|-----------------|-------------------|
| <b>GEV No.</b>     | 507025                     | <b>Ref. No.</b> | AM412<br>AM412NTM |
| <b>description</b> | door shaft L 170mm         |                 |                   |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82 |                 |                   |



|                                                                                     |                            |                 |                         |
|-------------------------------------------------------------------------------------|----------------------------|-----------------|-------------------------|
| <b>GEV No.</b>                                                                      | 507026                     | <b>Ref. No.</b> | AM512                   |
| <b>description</b>                                                                  | door shaft L 175mm         |                 |                         |
| <b>For models:</b>                                                                  | QUATTRO Q/82, QUATTRO T/82 |                 |                         |
| <b>accessories for</b>                                                              | 507026                     |                 |                         |
|  | <b>GEV No.</b>             | 507015          | <b>Ref. No.</b> AM013NT |
| retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm  |                            |                 |                         |





## screw connections



1

|                    |        |                 |      |
|--------------------|--------|-----------------|------|
| <b>GEV No.</b>     | 507059 | <b>Ref. No.</b> | DP14 |
| <b>description</b> | nut    |                 |      |



1

|                    |                                                                                                                                                                                    |                 |              |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 507056                                                                                                                                                                             | <b>Ref. No.</b> | DP1<br>DP1GR |
| <b>description</b> | nut thread 1" H 14mm WS 46 ø 52mm                                                                                                                                                  |                 |              |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |              |



1

|                    |                                                      |                 |                  |
|--------------------|------------------------------------------------------|-----------------|------------------|
| <b>GEV No.</b>     | 507057                                               | <b>Ref. No.</b> | DP112<br>DP112GR |
| <b>description</b> | nut thread 1½" H 14mm WS 60 ø 65mm                   |                 |                  |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |                  |



1


|                    |                                                                                                                                          |                 |                  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| <b>GEV No.</b>     | 507058                                                                                                                                   | <b>Ref. No.</b> | DP114<br>DP114GR |
| <b>description</b> | screw connection thread 1¼" H 14mm WS 55                                                                                                 |                 |                  |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |                 |                  |

## EQUIPMENT-SPECIFIC UNITS OMNIWASH

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                   |                 |                      |
|--------------------|-------------------------------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 524463                                                            | <b>Ref. No.</b> | GP026BB<br>GP026BBGR |
| <b>description</b> | union nut thread 3/4" H 13mm WS 32 plastic Qty 1 pcs for air trap |                 |                      |

## washing and rinsing systems



1

|                    |                    |                 |         |
|--------------------|--------------------|-----------------|---------|
| <b>GEV No.</b>     | 507251             | <b>Ref. No.</b> | LISA26F |
| <b>description</b> | connecting fitting |                 |         |



1

|                    |                              |                 |       |
|--------------------|------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507233                       | <b>Ref. No.</b> | LI335 |
| <b>description</b> | counterpart wash arm support |                 |       |
| <b>For models:</b> | QUATTRO Q/82                 |                 |       |



1

|                    |                                |                 |       |
|--------------------|--------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507226                         | <b>Ref. No.</b> | LI128 |
| <b>description</b> | extension for wash arm support |                 |       |



1

|                    |                                |                 |       |
|--------------------|--------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507230                         | <b>Ref. No.</b> | LI228 |
| <b>description</b> | extension for wash arm support |                 |       |



1

|                    |                                |                 |        |
|--------------------|--------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507236                         | <b>Ref. No.</b> | LI428F |
| <b>description</b> | extension for wash arm support |                 |        |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                |                 |         |
|--------------------|--------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507250                         | <b>Ref. No.</b> | LISA26A |
| <b>description</b> | extension for wash arm support |                 |         |



1

|                    |                                                        |                 |          |
|--------------------|--------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507177                                                 | <b>Ref. No.</b> | GR016PNT |
| <b>description</b> | hose connector brass straight                          |                 |          |
| <b>For models:</b> | DUE AT, JOLLY AT, JOLLY T, QUATTRO T/82, UNO AT, UNO T |                 |          |



1

|                    |                                                                                                                                                             |                 |               |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|
| <b>GEV No.</b>     | 507054                                                                                                                                                      | <b>Ref. No.</b> | D038<br>D038A |
| <b>description</b> | nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs                                                                                                                |                 |               |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AT, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |               |



1

|                    |                                       |                 |        |
|--------------------|---------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507178                                | <b>Ref. No.</b> | GR019A |
| <b>description</b> | rinse arm support mounting pos. lower |                 |        |
| <b>For models:</b> | QUATTRO T/82                          |                 |        |



1

|                    |                                                                                                                                          |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 517414                                                                                                                                   | <b>Ref. No.</b> | LI133FOT |
| <b>description</b> | rinse arm support ø 20mm H 44mm thread 1/4"/M10x1 WS 23                                                                                  |                 |          |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |          |



|                    |                                |                 |        |
|--------------------|--------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507175                         | <b>Ref. No.</b> | GR016A |
| <b>description</b> | screw connection for rinse arm |                 |        |
| <b>For models:</b> | QUATTRO T/82                   |                 |        |



1

|                    |                                                                                                                                                                                  |                 |                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|
| <b>GEV No.</b>     | 507224                                                                                                                                                                           | <b>Ref. No.</b> | LI034P<br>LI034PV0<br>LI034PV0GR |
| <b>description</b> | slide ring                                                                                                                                                                       |                 |                                  |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |                                  |



1

|                    |              |                 |       |
|--------------------|--------------|-----------------|-------|
| <b>GEV No.</b>     | 507235       | <b>Ref. No.</b> | LI428 |
| <b>description</b> | wash pipe    |                 |       |
| <b>For models:</b> | QUATTRO Q/82 |                 |       |



1

|                    |                                                                                          |                 |         |
|--------------------|------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507227                                                                                   | <b>Ref. No.</b> | LI12830 |
| <b>description</b> | wash pipe L 160mm                                                                        |                 |         |
| <b>For models:</b> | JOLLY AQ, JOLLY Q, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |         |



1

|                    |                                                |                 |         |
|--------------------|------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507231                                         | <b>Ref. No.</b> | LI22830 |
| <b>description</b> | wash pipe L 195mm                              |                 |         |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ |                 |         |



Зип Общепит

vsezip.ru

+7(812)987-08-81



|                    |                               |                 |        |
|--------------------|-------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507407                        | <b>Ref. No.</b> | LS6372 |
| <b>description</b> | wash pipe mounting pos. upper |                 |        |

## washing and rinsing systems (sorted by producer)

## OMNIWASH



|                    |                                              |                 |          |
|--------------------|----------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507284                                       | <b>Ref. No.</b> | LSI16CSL |
| <b>description</b> | wash and rinse arm 2 wash arms/ 2 rinse arms |                 |          |



|                    |                                                                                                                                                  |                 |                                 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| <b>GEV No.</b>     | 507276                                                                                                                                           | <b>Ref. No.</b> | LSI16<br>LSI16BBB<br>LSI16BBBGR |
| <b>description</b> | wash and rinse arm wash arm L 315mm rinse arm L 320mm w. jets 5 r. jets 6 mounting ø 12/45mm mounting pos. upper/lower 2 wash arms/ 2 rinse arms |                 |                                 |



|                    |                                                                                                                                                                                |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507309                                                                                                                                                                         | <b>Ref. No.</b> | OR122 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs                                                                                                                            |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |       |



|                    |                                                                                                                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 504590                                                                                                                                                                           | <b>Ref. No.</b> | OR124 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                                                              |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |



|                    |           |                 |        |
|--------------------|-----------|-----------------|--------|
| <b>GEV No.</b>     | 507280    | <b>Ref. No.</b> | LSI16C |
| <b>description</b> | rinse arm |                 |        |



|                    |                                                                  |                 |                          |
|--------------------|------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>     | 507282                                                           | <b>Ref. No.</b> | LSI16CDSB<br>LSI16CDSBGR |
| <b>description</b> | rinse arm L 132mm nozzles 3 thread 1/2" mounting pos. lower grey |                 |                          |



|                    |                                                                  |                 |         |
|--------------------|------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 524837                                                           | <b>Ref. No.</b> | LSI16CB |
| <b>description</b> | rinse arm L 132mm nozzles 3 thread 1/2" mounting pos. lower grey |                 |         |



|                    |                |                 |                      |
|--------------------|----------------|-----------------|----------------------|
| <b>GEV No.</b>     | 507355         | <b>Ref. No.</b> | LSI020B<br>LSI020BGR |
| <b>description</b> | rinse jet grey |                 |                      |
| <b>For models:</b> | SEI 1P         |                 |                      |



|                    |              |                 |        |
|--------------------|--------------|-----------------|--------|
| <b>GEV No.</b>     | 507267       | <b>Ref. No.</b> | LSI017 |
| <b>description</b> | union nut    |                 |        |
| <b>For models:</b> | QUATTRO Q/82 |                 |        |



|                    |           |                 |                                |
|--------------------|-----------|-----------------|--------------------------------|
| <b>GEV No.</b>     | 507350    | <b>Ref. No.</b> | GHGELA<br>LSI017B<br>LSI017BGR |
| <b>description</b> | union nut |                 |                                |
| <b>For models:</b> | SEI 1P    |                 |                                |



|                    |           |                 |                      |
|--------------------|-----------|-----------------|----------------------|
| <b>GEV No.</b>     | 507354    | <b>Ref. No.</b> | LSI021B<br>LSI021BGR |
| <b>description</b> | union nut |                 |                      |
| <b>For models:</b> | SEI 1P    |                 |                      |







Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 507353       | Ref. No. | LSI018B<br>LSI018BGR |
|-------------|--------------|----------|----------------------|
| description | blank nozzle |          |                      |
| For models: | SEI 1P       |          |                      |



1

| GEV No.     | 507415                 | Ref. No. | LSI26CDB |
|-------------|------------------------|----------|----------|
| description | rinse arm with nozzles |          |          |



1

| GEV No.     | 507356                           | Ref. No. | LSI022B<br>LSI022BGR |
|-------------|----------------------------------|----------|----------------------|
| description | blank nozzle for rinse arm white |          |                      |
| For models: | SEI 1P                           |          |                      |



1

| GEV No.     | 507416                    | Ref. No. | LSI26CB |
|-------------|---------------------------|----------|---------|
| description | rinse arm without nozzles |          |         |



1

| GEV No.     | 504590                                                                                                                                                                           | Ref. No. | OR124 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                                                              |          |       |
| For models: | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |          |       |



1

| GEV No.     | 507355         | Ref. No. | LSI020B<br>LSI020BGR |
|-------------|----------------|----------|----------------------|
| description | rinse jet grey |          |                      |
| For models: | SEI 1P         |          |                      |



1

| GEV No.     | 507281    | Ref. No. | LSI26CD |
|-------------|-----------|----------|---------|
| description | rinse arm |          |         |



1

| GEV No.     | 507350    | Ref. No. | GHGELA<br>LSI017B<br>LSI017BGR |
|-------------|-----------|----------|--------------------------------|
| description | union nut |          |                                |
| For models: | SEI 1P    |          |                                |



1

| GEV No.     | 507289    | Ref. No. | LSI26C |
|-------------|-----------|----------|--------|
| description | rinse arm |          |        |



1

| GEV No.     | 507354    | Ref. No. | LSI021B<br>LSI021BGR |
|-------------|-----------|----------|----------------------|
| description | union nut |          |                      |
| For models: | SEI 1P    |          |                      |



1

| GEV No.     | 507044                      | Ref. No. | LSI26CSB |
|-------------|-----------------------------|----------|----------|
| description | rinse arm L 160mm nozzles 3 |          |          |



1

| GEV No.     | 507286   | Ref. No. | LSI26B |
|-------------|----------|----------|--------|
| description | wash arm |          |        |
| For models: | DUE AQ   |          |        |



1

| GEV No.     | 507283                      | Ref. No. | LSI26CS |
|-------------|-----------------------------|----------|---------|
| description | rinse arm L 160mm nozzles 3 |          |         |



1

| GEV No.     | 507287   | Ref. No. | LSI26BD |
|-------------|----------|----------|---------|
| description | wash arm |          |         |



1

|                    |          |                 |         |
|--------------------|----------|-----------------|---------|
| <b>GEV No.</b>     | 507288   | <b>Ref. No.</b> | LSI26BS |
| <b>description</b> | wash arm |                 |         |



1

|                    |                                                   |                 |          |
|--------------------|---------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507399                                            | <b>Ref. No.</b> | LSI26BSB |
| <b>description</b> | wash arm mounting pos. left complete with nozzles |                 |          |



1

|                    |                                                |                 |          |
|--------------------|------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507398                                         | <b>Ref. No.</b> | LSI26BDB |
| <b>description</b> | wash arm mounting pos. right L 155mm nozzles 3 |                 |          |



1

|                    |               |                 |           |
|--------------------|---------------|-----------------|-----------|
| <b>GEV No.</b>     | 507337        | <b>Ref. No.</b> | LSI0607AB |
| <b>description</b> | wash arm boss |                 |           |
| <b>For models:</b> | SEI 1P        |                 |           |



1

|                    |                                    |                 |         |
|--------------------|------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507352                             | <b>Ref. No.</b> | LSI015B |
| <b>description</b> | wash jet mounting pos. inner white |                 |         |
| <b>For models:</b> | SEI 1P                             |                 |         |



1

|                    |                                                |                 |                      |
|--------------------|------------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 507351                                         | <b>Ref. No.</b> | LSI016B<br>LSI016BGR |
| <b>description</b> | wash jet mounting pos. left grey H 16mm ø 13mm |                 |                      |
| <b>For models:</b> | SEI 1P                                         |                 |                      |



1

|                                                                                                                                       |                                                                                                                                                  |                 |                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------|
| <b>GEV No.</b>                                                                                                                        | 507342                                                                                                                                           | <b>Ref. No.</b> | LSI46<br>LSI46BBB<br>LSI46BBBGR<br>LSI66BBB<br>LSI66BBBGR |
| <b>description</b>                                                                                                                    | wash and rinse arm wash arm L 500mm rinse arm L 500mm w. jets 8 r. jets 6 mounting ø 12/45mm mounting pos. upper/lower 2 wash arms/ 2 rinse arms |                 |                                                           |
| <b>For models:</b>                                                                                                                    | QUATTRO Q/82, SEI 1P                                                                                                                             |                 |                                                           |
| <b>spare parts for</b>                                                                                                                | 507342                                                                                                                                           |                 |                                                           |
|                                                      | <b>GEV No.</b>                                                                                                                                   | 504590          | <b>Ref. No.</b> OR124                                     |
|                                                                                                                                       | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                              |                 |                                                           |
|                                                      | <b>GEV No.</b>                                                                                                                                   | 507309          | <b>Ref. No.</b> OR122                                     |
|                                                                                                                                       | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs                                                                                              |                 |                                                           |
|                                                      | <b>GEV No.</b>                                                                                                                                   | 507337          | <b>Ref. No.</b> LSI0607AB                                 |
|                                                                                                                                       | wash arm boss                                                                                                                                    |                 |                                                           |
|                                                      | <b>GEV No.</b>                                                                                                                                   | 507343          | <b>Ref. No.</b> LSI46CDB                                  |
|                                                                                                                                       | rinse arm mounting pos. right complete                                                                                                           |                 |                                                           |
|  | <b>GEV No.</b>                                                                                                                                   | 507344          | <b>Ref. No.</b> LSI46CSB                                  |
|                                                                                                                                       | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. left white                                                                                 |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507346          | <b>Ref. No.</b> LSI66BSB                                  |
|                                                                                                                                       | wash arm                                                                                                                                         |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507347          | <b>Ref. No.</b> LSI66BDB                                  |
|                                                                                                                                       | wash arm                                                                                                                                         |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507349          | <b>Ref. No.</b> LS09PB<br>LS09PBGR                        |
|                                                                                                                                       | Thumb screw                                                                                                                                      |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507350          | <b>Ref. No.</b> GHGELA<br>LSI017B<br>LSI017BGR            |
|                                                                                                                                       | union nut                                                                                                                                        |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507351          | <b>Ref. No.</b> LSI016B<br>LSI016BGR                      |
|                                                                                                                                       | wash jet mounting pos. left grey H 16mm ø 13mm                                                                                                   |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507352          | <b>Ref. No.</b> LSI015B                                   |
|                                                                                                                                       | wash jet mounting pos. inner white                                                                                                               |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507353          | <b>Ref. No.</b> LSI018B<br>LSI018BGR                      |
|                                                                                                                                       | blank nozzle                                                                                                                                     |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507354          | <b>Ref. No.</b> LSI021B<br>LSI021BGR                      |
|                                                                                                                                       | union nut                                                                                                                                        |                 |                                                           |
|                                                    | <b>GEV No.</b>                                                                                                                                   | 507355          | <b>Ref. No.</b> LSI020B<br>LSI020BGR                      |
|                                                                                                                                       | rinse jet grey                                                                                                                                   |                 |                                                           |



Зип Общепит

vsezip.ru

+7(812)987-08-81



|                    |              |                 |        |
|--------------------|--------------|-----------------|--------|
| <b>GEV No.</b>     | 507271       | <b>Ref. No.</b> | LSI022 |
| <b>description</b> | blank nozzle |                 |        |
| <b>For models:</b> | QUATTRO Q/82 |                 |        |



|                    |                                  |                 |                      |
|--------------------|----------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 507356                           | <b>Ref. No.</b> | LSI022B<br>LSI022BGR |
| <b>description</b> | blank nozzle for rinse arm white |                 |                      |
| <b>For models:</b> | SEI 1P                           |                 |                      |



|                    |                                                                                                                                                                                |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507309                                                                                                                                                                         | <b>Ref. No.</b> | OR122 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs                                                                                                                            |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |       |



|                    |                                                                                                                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 504590                                                                                                                                                                           | <b>Ref. No.</b> | OR124 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                                                              |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |



|                    |           |                 |                   |
|--------------------|-----------|-----------------|-------------------|
| <b>GEV No.</b>     | 507295    | <b>Ref. No.</b> | LSI46C<br>LSI46CB |
| <b>description</b> | rinse arm |                 |                   |
| <b>For models:</b> | SEI 1P    |                 |                   |



|                    |                                                                 |                 |                       |
|--------------------|-----------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507297                                                          | <b>Ref. No.</b> | LSI46CS<br>LSI46CSBGR |
| <b>description</b> | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. left grey |                 |                       |
| <b>For models:</b> | QUATTRO Q/82                                                    |                 |                       |



|                    |                                                                  |                 |          |
|--------------------|------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507344                                                           | <b>Ref. No.</b> | LSI46CSB |
| <b>description</b> | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. left white |                 |          |
| <b>For models:</b> | SEI 1P                                                           |                 |          |

**spare parts for** 507344

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 507309 | <b>Ref. No.</b> | OR122 |
|----------------|--------|-----------------|-------|



O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507354 | <b>Ref. No.</b> | LSI021B<br>LSI021BGR |
|----------------|--------|-----------------|----------------------|

union nut



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507355 | <b>Ref. No.</b> | LSI020B<br>LSI020BGR |
|----------------|--------|-----------------|----------------------|

rinse jet grey



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507356 | <b>Ref. No.</b> | LSI022B<br>LSI022BGR |
|----------------|--------|-----------------|----------------------|

blank nozzle for rinse arm white



|                    |                                                                  |                 |                       |
|--------------------|------------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507296                                                           | <b>Ref. No.</b> | LSI46CD<br>LSI46CDBGR |
| <b>description</b> | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. right grey |                 |                       |
| <b>For models:</b> | QUATTRO Q/82                                                     |                 |                       |



|                    |                                        |                 |          |
|--------------------|----------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507343                                 | <b>Ref. No.</b> | LSI46CDB |
| <b>description</b> | rinse arm mounting pos. right complete |                 |          |
| <b>For models:</b> | SEI 1P                                 |                 |          |

**spare parts for** 507343

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 507309 | <b>Ref. No.</b> | OR122 |
|----------------|--------|-----------------|-------|



O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507354 | <b>Ref. No.</b> | LSI021B<br>LSI021BGR |
|----------------|--------|-----------------|----------------------|

union nut



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507355 | <b>Ref. No.</b> | LSI020B<br>LSI020BGR |
|----------------|--------|-----------------|----------------------|

rinse jet grey



|                |        |                 |                      |
|----------------|--------|-----------------|----------------------|
| <b>GEV No.</b> | 507356 | <b>Ref. No.</b> | LSI022B<br>LSI022BGR |
|----------------|--------|-----------------|----------------------|

blank nozzle for rinse arm white

|                                                                                   |                |                 |                      |
|-----------------------------------------------------------------------------------|----------------|-----------------|----------------------|
|  |                |                 |                      |
| <b>GEV No.</b>                                                                    | 507355         | <b>Ref. No.</b> | LSI020B<br>LSI020BGR |
| <b>description</b>                                                                | rinse jet grey |                 |                      |
| <b>For models:</b>                                                                | SEI 1P         |                 |                      |

|                                                                                   |              |                 |                             |
|-----------------------------------------------------------------------------------|--------------|-----------------|-----------------------------|
|  |              |                 |                             |
| <b>GEV No.</b>                                                                    | 507261       | <b>Ref. No.</b> | LS09P<br>LS09PB<br>LS09PBGR |
| <b>description</b>                                                                | Thumb screw  |                 |                             |
| <b>For models:</b>                                                                | QUATTRO Q/82 |                 |                             |

|                                                                                   |             |                 |                    |
|-----------------------------------------------------------------------------------|-------------|-----------------|--------------------|
|  |             |                 |                    |
| <b>GEV No.</b>                                                                    | 507349      | <b>Ref. No.</b> | LS09PB<br>LS09PBGR |
| <b>description</b>                                                                | Thumb screw |                 |                    |
| <b>For models:</b>                                                                | SEI 1P      |                 |                    |

|                                                                                    |           |                 |                                |
|------------------------------------------------------------------------------------|-----------|-----------------|--------------------------------|
|  |           |                 |                                |
| <b>GEV No.</b>                                                                     | 507350    | <b>Ref. No.</b> | GHGELA<br>LSI017B<br>LSI017BGR |
| <b>description</b>                                                                 | union nut |                 |                                |
| <b>For models:</b>                                                                 | SEI 1P    |                 |                                |

|                                                                                     |           |                 |                      |
|-------------------------------------------------------------------------------------|-----------|-----------------|----------------------|
|  |           |                 |                      |
| <b>GEV No.</b>                                                                      | 507354    | <b>Ref. No.</b> | LSI021B<br>LSI021BGR |
| <b>description</b>                                                                  | union nut |                 |                      |
| <b>For models:</b>                                                                  | SEI 1P    |                 |                      |

|                                                                                     |          |                 |        |
|-------------------------------------------------------------------------------------|----------|-----------------|--------|
|  |          |                 |        |
| <b>GEV No.</b>                                                                      | 507292   | <b>Ref. No.</b> | LSI46B |
| <b>description</b>                                                                  | wash arm |                 |        |

|                    |              |                 |         |
|--------------------|--------------|-----------------|---------|
| <b>GEV No.</b>     | 507293       | <b>Ref. No.</b> | LSI46BD |
| <b>description</b> | wash arm     |                 |         |
| <b>For models:</b> | QUATTRO Q/82 |                 |         |

|                                                                                     |                |                 |                                                |
|-------------------------------------------------------------------------------------|----------------|-----------------|------------------------------------------------|
|    |                |                 |                                                |
| <b>GEV No.</b>                                                                      | 507346         | <b>Ref. No.</b> | LSI66BSB                                       |
| <b>description</b>                                                                  | wash arm       |                 |                                                |
| <b>For models:</b>                                                                  | SEI 1P         |                 |                                                |
| <b>spare parts for</b>                                                              | 507346         |                 |                                                |
|    | <b>GEV No.</b> | 504590          | <b>Ref. No.</b> OR124                          |
| O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                 |                |                 |                                                |
|    | <b>GEV No.</b> | 507350          | <b>Ref. No.</b> GHGELA<br>LSI017B<br>LSI017BGR |
| union nut                                                                           |                |                 |                                                |
|    | <b>GEV No.</b> | 507351          | <b>Ref. No.</b> LSI016B<br>LSI016BGR           |
| wash jet mounting pos. left grey H 16mm ø 13mm                                      |                |                 |                                                |
|  | <b>GEV No.</b> | 507352          | <b>Ref. No.</b> LSI015B                        |
| wash jet mounting pos. inner white                                                  |                |                 |                                                |
|  | <b>GEV No.</b> | 507353          | <b>Ref. No.</b> LSI018B<br>LSI018BGR           |
| blank nozzle                                                                        |                |                 |                                                |

|                                                                                     |                |                 |                                                |
|-------------------------------------------------------------------------------------|----------------|-----------------|------------------------------------------------|
|  |                |                 |                                                |
| <b>GEV No.</b>                                                                      | 507347         | <b>Ref. No.</b> | LSI66BDB                                       |
| <b>description</b>                                                                  | wash arm       |                 |                                                |
| <b>For models:</b>                                                                  | SEI 1P         |                 |                                                |
| <b>spare parts for</b>                                                              | 507347         |                 |                                                |
|  | <b>GEV No.</b> | 504590          | <b>Ref. No.</b> OR124                          |
| O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                 |                |                 |                                                |
|  | <b>GEV No.</b> | 507350          | <b>Ref. No.</b> GHGELA<br>LSI017B<br>LSI017BGR |
| union nut                                                                           |                |                 |                                                |
|  | <b>GEV No.</b> | 507351          | <b>Ref. No.</b> LSI016B<br>LSI016BGR           |
| wash jet mounting pos. left grey H 16mm ø 13mm                                      |                |                 |                                                |
|  | <b>GEV No.</b> | 507352          | <b>Ref. No.</b> LSI015B                        |
| wash jet mounting pos. inner white                                                  |                |                 |                                                |
|  | <b>GEV No.</b> | 507353          | <b>Ref. No.</b> LSI018B<br>LSI018BGR           |
| blank nozzle                                                                        |                |                 |                                                |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|                                                                                                                         |                                                                 |                 |                        |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------|------------------------|
|  |                                                                 |                 |                        |
| 1                                                                                                                       |                                                                 |                 |                        |
| <b>GEV No.</b>                                                                                                          | 524835                                                          | <b>Ref. No.</b> | LSI46BDB<br>LSI46EDBGR |
| <b>description</b>                                                                                                      | wash arm L 220mm nozzles 4 thread 3/4" mounting pos. lower grey |                 |                        |



1

|                                                                                   |                             |                 |                     |                                |
|-----------------------------------------------------------------------------------|-----------------------------|-----------------|---------------------|--------------------------------|
| <b>GEV No.</b>                                                                    | 507294                      | <b>Ref. No.</b> | LSI46BS<br>LSI46BSB |                                |
| <b>description</b>                                                                | wash arm mounting pos. left |                 |                     |                                |
| <b>For models:</b>                                                                | QUATTRO Q/82                |                 |                     |                                |
| <b>spare parts for</b>                                                            | 507294                      |                 |                     |                                |
|  | <b>GEV No.</b>              | 507350          | <b>Ref. No.</b>     | GHGELA<br>LSI017B<br>LSI017BGR |
| union nut                                                                         |                             |                 |                     |                                |
|  | <b>GEV No.</b>              | 507351          | <b>Ref. No.</b>     | LSI016B<br>LSI016BGR           |
| wash jet mounting pos. left grey H 16mm ø 13mm                                    |                             |                 |                     |                                |
|  | <b>GEV No.</b>              | 507353          | <b>Ref. No.</b>     | LSI018B<br>LSI018BGR           |
| blank nozzle                                                                      |                             |                 |                     |                                |



1

|                                                                                     |                                                         |                 |                 |                                |
|-------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|-----------------|--------------------------------|
| <b>GEV No.</b>                                                                      | 507348                                                  | <b>Ref. No.</b> | LSI66BB         |                                |
| <b>description</b>                                                                  | wash arm mounting pos. left/right without nozzles white |                 |                 |                                |
| <b>For models:</b>                                                                  | SEI 1P                                                  |                 |                 |                                |
| <b>accessories for</b>                                                              | 507348                                                  |                 |                 |                                |
|  | <b>GEV No.</b>                                          | 504590          | <b>Ref. No.</b> | OR124                          |
| O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                 |                                                         |                 |                 |                                |
|  | <b>GEV No.</b>                                          | 507350          | <b>Ref. No.</b> | GHGELA<br>LSI017B<br>LSI017BGR |
| union nut                                                                           |                                                         |                 |                 |                                |
|  | <b>GEV No.</b>                                          | 507351          | <b>Ref. No.</b> | LSI016B<br>LSI016BGR           |
| wash jet mounting pos. left grey H 16mm ø 13mm                                      |                                                         |                 |                 |                                |
|  | <b>GEV No.</b>                                          | 507352          | <b>Ref. No.</b> | LSI015B                        |
| wash jet mounting pos. inner white                                                  |                                                         |                 |                 |                                |
|  | <b>GEV No.</b>                                          | 507353          | <b>Ref. No.</b> | LSI018B<br>LSI018BGR           |
| blank nozzle                                                                        |                                                         |                 |                 |                                |

|                                                                                   |               |                 |           |
|-----------------------------------------------------------------------------------|---------------|-----------------|-----------|
|  |               |                 |           |
| 1                                                                                 |               |                 |           |
| <b>GEV No.</b>                                                                    | 507337        | <b>Ref. No.</b> | LSI0607AB |
| <b>description</b>                                                                | wash arm boss |                 |           |
| <b>For models:</b>                                                                | SEI 1P        |                 |           |

|                                                                                   |                                    |                 |         |
|-----------------------------------------------------------------------------------|------------------------------------|-----------------|---------|
|  |                                    |                 |         |
| 1                                                                                 |                                    |                 |         |
| <b>GEV No.</b>                                                                    | 507352                             | <b>Ref. No.</b> | LSI015B |
| <b>description</b>                                                                | wash jet mounting pos. inner white |                 |         |
| <b>For models:</b>                                                                | SEI 1P                             |                 |         |

|                                                                                   |                                                |                 |                      |
|-----------------------------------------------------------------------------------|------------------------------------------------|-----------------|----------------------|
|  |                                                |                 |                      |
| 1                                                                                 |                                                |                 |                      |
| <b>GEV No.</b>                                                                    | 507351                                         | <b>Ref. No.</b> | LSI016B<br>LSI016BGR |
| <b>description</b>                                                                | wash jet mounting pos. left grey H 16mm ø 13mm |                 |                      |
| <b>For models:</b>                                                                | SEI 1P                                         |                 |                      |

|                                                                                     |                                              |                 |        |
|-------------------------------------------------------------------------------------|----------------------------------------------|-----------------|--------|
|  |                                              |                 |        |
| 1                                                                                   |                                              |                 |        |
| <b>GEV No.</b>                                                                      | 507300                                       | <b>Ref. No.</b> | LSISA6 |
| <b>description</b>                                                                  | wash and rinse arm 2 wash arms/ 2 rinse arms |                 |        |

1

|                                                                                     |                                                                                                                                                   |                 |                                  |                                   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|-----------------------------------|
| <b>GEV No.</b>                                                                      | 507301                                                                                                                                            | <b>Ref. No.</b> | 09GILR60<br>LSISA6B<br>LSISA6BGR |                                   |
| <b>description</b>                                                                  | wash and rinse arm wash arm L 500mm rinse arm L 500mm w. jets 10 r. jets 6 mounting ø 12/45mm mounting pos. upper/lower 2 wash arms/ 2 rinse arms |                 |                                  |                                   |
| <b>For models:</b>                                                                  | SEI 2P, SEI 2P/S                                                                                                                                  |                 |                                  |                                   |
| <b>spare parts for</b>                                                              | 507301                                                                                                                                            |                 |                                  |                                   |
|  | <b>GEV No.</b>                                                                                                                                    | 507298          | <b>Ref. No.</b>                  | LSISA15<br>LSISA15B<br>LSISA15BGR |
| wash jet                                                                            |                                                                                                                                                   |                 |                                  |                                   |
|  | <b>GEV No.</b>                                                                                                                                    | 507299          | <b>Ref. No.</b>                  | LSISA16<br>LSISA16B<br>LSISA16BGR |
| wash jet                                                                            |                                                                                                                                                   |                 |                                  |                                   |
|  | <b>GEV No.</b>                                                                                                                                    | 507341          | <b>Ref. No.</b>                  | LSI0607ABGR<br>LSI0607ANT         |
| wash arm boss L 83mm W 80mm H 54mm                                                  |                                                                                                                                                   |                 |                                  |                                   |
|  | <b>GEV No.</b>                                                                                                                                    | 507350          | <b>Ref. No.</b>                  | GHGELA<br>LSI017B<br>LSI017BGR    |
| union nut                                                                           |                                                                                                                                                   |                 |                                  |                                   |

Table continues overleaf



|                                                                                   |                                  |        |          |                      |
|-----------------------------------------------------------------------------------|----------------------------------|--------|----------|----------------------|
| spare parts for 507301                                                            |                                  |        |          |                      |
|  | GEV No.                          | 507354 | Ref. No. | LSI021B<br>LSI021BGR |
|                                                                                   | union nut                        |        |          |                      |
|  | GEV No.                          | 507355 | Ref. No. | LSI020B<br>LSI020BGR |
|                                                                                   | rinse jet grey                   |        |          |                      |
|  | GEV No.                          | 507356 | Ref. No. | LSI022B<br>LSI022BGR |
|                                                                                   | blank nozzle for rinse arm white |        |          |                      |

|                                                                                                           |                                  |                 |                      |
|-----------------------------------------------------------------------------------------------------------|----------------------------------|-----------------|----------------------|
| <div>1</div> <div></div> |                                  |                 |                      |
| <b>GEV No.</b>                                                                                            | 507356                           | <b>Ref. No.</b> | LSI022B<br>LSI022BGR |
| <b>description</b>                                                                                        | blank nozzle for rinse arm white |                 |                      |
| <b>For models:</b>                                                                                        | SEI 1P                           |                 |                      |

|                                                                                                           |                                                                                                                                                                                |                 |       |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <div></div> <div>1</div> |                                                                                                                                                                                |                 |       |
| <b>GEV No.</b>                                                                                            | 507309                                                                                                                                                                         | <b>Ref. No.</b> | OR122 |
| <b>description</b>                                                                                        | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs                                                                                                                            |                 |       |
| <b>For models:</b>                                                                                        | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |       |

|                                                                                                             |                                                                                                                                                                                  |                 |       |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <div></div> <div>1</div> |                                                                                                                                                                                  |                 |       |
| <b>GEV No.</b>                                                                                              | 504590                                                                                                                                                                           | <b>Ref. No.</b> | OR124 |
| <b>description</b>                                                                                          | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                                                              |                 |       |
| <b>For models:</b>                                                                                          | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |

|                                                                                                |           |                 |                   |
|------------------------------------------------------------------------------------------------|-----------|-----------------|-------------------|
| <div></div> |           |                 |                   |
| 1                                                                                              |           |                 |                   |
| <b>GEV No.</b>                                                                                 | 507295    | <b>Ref. No.</b> | LSI46C<br>LSI46CB |
| <b>description</b>                                                                             | rinse arm |                 |                   |
| <b>For models:</b>                                                                             | SEI 1P    |                 |                   |



1

|                    |                                                                 |                 |                       |
|--------------------|-----------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507297                                                          | <b>Ref. No.</b> | LSI46CS<br>LSI46CSBGR |
| <b>description</b> | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. left grey |                 |                       |
| <b>For models:</b> | QUATTRO Q/82                                                    |                 |                       |

Общепит

sezip.ru



|                                                                                   |                                                                  |          |          |                      |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------|----------|----------|----------------------|
| GEV No.                                                                           | 507344                                                           | Ref. No. | LSI46CSB |                      |
| description                                                                       | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. left white |          |          |                      |
| For models:                                                                       | SEI 1P                                                           |          |          |                      |
| spare parts for                                                                   | 507344                                                           |          |          |                      |
|  | GEV No.                                                          | 507309   | Ref. No. | OR122                |
|                                                                                   | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs              |          |          |                      |
|  | GEV No.                                                          | 507354   | Ref. No. | LSI021B<br>LSI021BGR |
|                                                                                   | union nut                                                        |          |          |                      |
|  | GEV No.                                                          | 507355   | Ref. No. | LSI020B<br>LSI020BGR |
|                                                                                   | rinse jet grey                                                   |          |          |                      |
|  | GEV No.                                                          | 507356   | Ref. No. | LSI022B<br>LSI022BGR |
|                                                                                   | blank nozzle for rinse arm white                                 |          |          |                      |

|                                                                                                                     |                                                                  |                 |                       |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------|-----------------------|
| <div><div>1</div><div></div></div> |                                                                  |                 |                       |
| <b>GEV No.</b>                                                                                                      | 507296                                                           | <b>Ref. No.</b> | LSI46CD<br>LSI46CDBGR |
| <b>description</b>                                                                                                  | rinse arm L 220mm nozzles 3 thread 1/2" mounting pos. right grey |                 |                       |
| <b>For models:</b>                                                                                                  | QUATTRO Q/82                                                     |                 |                       |

1



|                                                                                     |                                                     |          |          |                      |
|-------------------------------------------------------------------------------------|-----------------------------------------------------|----------|----------|----------------------|
| GEV No.                                                                             | 507343                                              | Ref. No. | LSI46CDB |                      |
| description                                                                         | rinse arm mounting pos. right complete              |          |          |                      |
| For models:                                                                         | SEI 1P                                              |          |          |                      |
| spare parts for                                                                     | 507343                                              |          |          |                      |
|  | GEV No.                                             | 507309   | Ref. No. | OR122                |
|                                                                                     | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs |          |          |                      |
|  | GEV No.                                             | 507354   | Ref. No. | LSI021B<br>LSI021BGR |
|                                                                                     | union nut                                           |          |          |                      |
|  | GEV No.                                             | 507355   | Ref. No. | LSI020B<br>LSI020BGR |
|                                                                                     | rinse jet grey                                      |          |          |                      |
|  | GEV No.                                             | 507356   | Ref. No. | LSI022B<br>LSI022BGR |
|                                                                                     | blank nozzle for rinse arm white                    |          |          |                      |



Зип-Общепит

vsezip.ru

+7(812)987-08-81

|                                                                                   |                |                 |                      |
|-----------------------------------------------------------------------------------|----------------|-----------------|----------------------|
|  |                |                 |                      |
| 1                                                                                 |                |                 |                      |
| <b>GEV No.</b>                                                                    | 507355         | <b>Ref. No.</b> | LSI020B<br>LSI020BGR |
| <b>description</b>                                                                | rinse jet grey |                 |                      |
| <b>For models:</b>                                                                | SEI 1P         |                 |                      |

|                                                                                   |           |                 |                                |
|-----------------------------------------------------------------------------------|-----------|-----------------|--------------------------------|
|  |           |                 |                                |
| 1                                                                                 |           |                 |                                |
| <b>GEV No.</b>                                                                    | 507350    | <b>Ref. No.</b> | GHGELA<br>LSI017B<br>LSI017BGR |
| <b>description</b>                                                                | union nut |                 |                                |
| <b>For models:</b>                                                                | SEI 1P    |                 |                                |

|                                                                                   |           |                 |                      |
|-----------------------------------------------------------------------------------|-----------|-----------------|----------------------|
|  |           |                 |                      |
| 1                                                                                 |           |                 |                      |
| <b>GEV No.</b>                                                                    | 507354    | <b>Ref. No.</b> | LSI021B<br>LSI021BGR |
| <b>description</b>                                                                | union nut |                 |                      |
| <b>For models:</b>                                                                | SEI 1P    |                 |                      |

|                                                                                    |          |                 |          |
|------------------------------------------------------------------------------------|----------|-----------------|----------|
|  |          |                 |          |
| 1                                                                                  |          |                 |          |
| <b>GEV No.</b>                                                                     | 507303   | <b>Ref. No.</b> | LSISA6BS |
| <b>description</b>                                                                 | wash arm |                 |          |

|                                                                                                                          |                                                                               |                 |             |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                               |                 |             |
| 1                                                                                                                        |                                                                               |                 |             |
| <b>GEV No.</b>                                                                                                           | 507302                                                                        | <b>Ref. No.</b> | LSISA6BSBGR |
| <b>description</b>                                                                                                       | wash arm L 223mm nozzles 1 left - 4 right thread 3/4" mounting pos. left grey |                 |             |

|                                                                                                                           |                                                                                |                 |             |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------------|-------------|
|  |                                                                                |                 |             |
| 1                                                                                                                         |                                                                                |                 |             |
| <b>GEV No.</b>                                                                                                            | 507409                                                                         | <b>Ref. No.</b> | LSISA6BDBGR |
| <b>description</b>                                                                                                        | wash arm L 223mm nozzles 1 right - 4 left thread 3/4" mounting pos. right grey |                 |             |



1

|                                                                                     |                                                         |                 |                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>                                                                      | 507348                                                  | <b>Ref. No.</b> | LSI66BB               |
| <b>description</b>                                                                  | wash arm mounting pos. left/right without nozzles white |                 |                       |
| <b>For models:</b>                                                                  | SEI 1P                                                  |                 |                       |
| <b>accessories for</b>                                                              | 507348                                                  |                 |                       |
|  | <b>GEV No.</b>                                          | 504590          | <b>Ref. No.</b> OR124 |
| O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                 |                                                         |                 |                       |

|                                                                                   |                |        |                                                |
|-----------------------------------------------------------------------------------|----------------|--------|------------------------------------------------|
|  |                |        |                                                |
|                                                                                   | <b>GEV No.</b> | 507350 | <b>Ref. No.</b> GHGELA<br>LSI017B<br>LSI017BGR |
| union nut                                                                         |                |        |                                                |
|  |                |        |                                                |
|                                                                                   | <b>GEV No.</b> | 507351 | <b>Ref. No.</b> LSI016B<br>LSI016BGR           |
| wash jet mounting pos. left grey H 16mm ø 13mm                                    |                |        |                                                |
|  |                |        |                                                |
|                                                                                   | <b>GEV No.</b> | 507352 | <b>Ref. No.</b> LSI015B                        |
| wash jet mounting pos. inner white                                                |                |        |                                                |
|  |                |        |                                                |
|                                                                                   | <b>GEV No.</b> | 507353 | <b>Ref. No.</b> LSI018B<br>LSI018BGR           |
| blank nozzle                                                                      |                |        |                                                |

|                                                                                   |               |                 |           |
|-----------------------------------------------------------------------------------|---------------|-----------------|-----------|
|  |               |                 |           |
| 1                                                                                 |               |                 |           |
| <b>GEV No.</b>                                                                    | 507337        | <b>Ref. No.</b> | LSI0607AB |
| <b>description</b>                                                                | wash arm boss |                 |           |
| <b>For models:</b>                                                                | SEI 1P        |                 |           |

|                                                                                   |          |                 |                                   |
|-----------------------------------------------------------------------------------|----------|-----------------|-----------------------------------|
|  |          |                 |                                   |
| 1                                                                                 |          |                 |                                   |
| <b>GEV No.</b>                                                                    | 507298   | <b>Ref. No.</b> | LSISA15<br>LSISA15B<br>LSISA15BGR |
| <b>description</b>                                                                | wash jet |                 |                                   |

|                                                                                     |          |                 |                                   |
|-------------------------------------------------------------------------------------|----------|-----------------|-----------------------------------|
|  |          |                 |                                   |
| 1                                                                                   |          |                 |                                   |
| <b>GEV No.</b>                                                                      | 507299   | <b>Ref. No.</b> | LSISA16<br>LSISA16B<br>LSISA16BGR |
| <b>description</b>                                                                  | wash jet |                 |                                   |

|                                                                                      |                                                        |                 |        |
|--------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------|--------|
|  |                                                        |                 |        |
| 1                                                                                    |                                                        |                 |        |
| <b>GEV No.</b>                                                                       | 507185                                                 | <b>Ref. No.</b> | GR119C |
| <b>description</b>                                                                   | rinse arm H 323mm L 273mm nozzles 5 mounting pos. left |                 |        |
| <b>For models:</b>                                                                   | JOLLY T, UNO T                                         |                 |        |

|                                                                                      |                                                                             |                 |         |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|---------|
|  |                                                                             |                 |         |
| 1                                                                                    |                                                                             |                 |         |
| <b>GEV No.</b>                                                                       | 507186                                                                      | <b>Ref. No.</b> | GR119IN |
| <b>description</b>                                                                   | rinse arm H 323mm L 273mm nozzles 5 mounting pos. left complete with nozzle |                 |         |
| <b>For models:</b>                                                                   | JOLLY T                                                                     |                 |         |



1

|                    |                                                        |                 |         |
|--------------------|--------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507187                                                 | <b>Ref. No.</b> | GR1A19C |
| <b>description</b> | rinse arm H 385mm L 270mm nozzles 5 mounting pos. left |                 |         |
| <b>For models:</b> | JOLLY AT, UNO AT                                       |                 |         |



1

|                    |                                                                  |                 |          |
|--------------------|------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507188                                                           | <b>Ref. No.</b> | GR1A19IN |
| <b>description</b> | rinse arm H 385mm L 275mm nozzles 5 mounting pos. lower complete |                 |          |
| <b>For models:</b> | JOLLY AT                                                         |                 |          |



1

|                    |                                                        |                 |           |
|--------------------|--------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507568                                                 | <b>Ref. No.</b> | GR119INGR |
| <b>description</b> | rinse arm H 390mm L 280mm nozzles 5 suitable for JOLLY |                 |           |




1

|                    |                                                                           |                 |                     |
|--------------------|---------------------------------------------------------------------------|-----------------|---------------------|
| <b>GEV No.</b>     | 507200                                                                    | <b>Ref. No.</b> | GRS1QBCM<br>GRS1QCM |
| <b>description</b> | rinse arm H 395mm L 275mm nozzles 6 mounting pos. left complete           |                 |                     |
| <b>For models:</b> | JOLLY AQ, JOLLY Q, UNO ACSQ, UNO ACST, UNO CLQ, UNO CLT, UNO CSQ, UNO CST |                 |                     |



1

|                    |                                                                           |                 |       |
|--------------------|---------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507199                                                                    | <b>Ref. No.</b> | GRS1Q |
| <b>description</b> | rinse arm H 395mm L 275mm nozzles 6 mounting pos. left without nozzles    |                 |       |
| <b>For models:</b> | JOLLY AQ, JOLLY Q, UNO ACSQ, UNO ACST, UNO CLQ, UNO CLT, UNO CSQ, UNO CST |                 |       |



1

|                    |                                                                         |                 |       |
|--------------------|-------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507201                                                                  | <b>Ref. No.</b> | GRS2Q |
| <b>description</b> | rinse arm H 430mm L 320mm nozzles 6 mounting pos. right without nozzles |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST                                  |                 |       |



1

|                    |                                                                  |                 |                     |
|--------------------|------------------------------------------------------------------|-----------------|---------------------|
| <b>GEV No.</b>     | 507202                                                           | <b>Ref. No.</b> | GRS2QBCM<br>GRS2QCM |
| <b>description</b> | rinse arm H 430mm L 320mm nozzles 6 mounting pos. upper complete |                 |                     |



1

|                    |                                                                             |                 |          |
|--------------------|-----------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507190                                                                      | <b>Ref. No.</b> | GR2A19IN |
| <b>description</b> | rinse arm H 435mm L 300mm nozzles 5 mounting pos. left complete with nozzle |                 |          |



1

|                    |                                                                        |                 |         |
|--------------------|------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507189                                                                 | <b>Ref. No.</b> | GR2A19C |
| <b>description</b> | rinse arm H 435mm L 300mm nozzles 5 mounting pos. left without nozzles |                 |         |
| <b>For models:</b> | DUE AT                                                                 |                 |         |



1

|                    |                                                        |                 |        |
|--------------------|--------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507191                                                 | <b>Ref. No.</b> | GR419C |
| <b>description</b> | rinse arm H 475mm L 375mm nozzles 6 mounting pos. left |                 |        |
| <b>For models:</b> | QUATTRO T/82                                           |                 |        |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                                                                                                                        |                                                                                                              |                 |                                                |
|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------------------|
| <b>GEV No.</b>                                                                                                         | 507192                                                                                                       | <b>Ref. No.</b> | GR419IN                                        |
| <b>description</b>                                                                                                     | rinse arm H 475mm L 380mm nozzles 6 mounting pos. left suitable for IME/Omnishash type QUATTRO T-82 complete |                 |                                                |
| <b>For models:</b>                                                                                                     | QUATTRO T/82                                                                                                 |                 |                                                |
| <b>spare parts for</b>                                                                                                 | 507192                                                                                                       |                 |                                                |
|                                       | <b>GEV No.</b>                                                                                               | 507178          | <b>Ref. No.</b> GR019A                         |
| rinse arm support mounting pos. lower                                                                                  |                                                                                                              |                 |                                                |
|                                        | <b>GEV No.</b>                                                                                               | 507180          | <b>Ref. No.</b> GR019B<br>GR019BBGR            |
| rinse jet holder                                                                                                       |                                                                                                              |                 |                                                |
|                                        | <b>GEV No.</b>                                                                                               | 507181          | <b>Ref. No.</b> GR019D<br>GR019DB              |
| opposite support for rinse jet                                                                                         |                                                                                                              |                 |                                                |
|                                       | <b>GEV No.</b>                                                                                               | 507182          | <b>Ref. No.</b> GR019G<br>GR019GB<br>GR019GBGR |
| end cap for rinse arm                                                                                                  |                                                                                                              |                 |                                                |
|                                       | <b>GEV No.</b>                                                                                               | 507183          | <b>Ref. No.</b> GR020<br>GR020B<br>GR020BGR    |
| rinse jet                                                                                                              |                                                                                                              |                 |                                                |
|                                     | <b>GEV No.</b>                                                                                               | 507184          | <b>Ref. No.</b> GR021<br>GR021B<br>GR021BGR    |
| swirl H 15mm ø 10mm 1.5mm H1 5mm                                                                                       |                                                                                                              |                 |                                                |
|                                      | <b>GEV No.</b>                                                                                               | 507191          | <b>Ref. No.</b> GR419C                         |
| rinse arm H 475mm L 375mm nozzles 6 mounting pos. left                                                                 |                                                                                                              |                 |                                                |
|                                     | <b>GEV No.</b>                                                                                               | 510303          | <b>Ref. No.</b> OR106                          |
| O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs                                                                     |                                                                                                              |                 |                                                |
|                                     | <b>GEV No.</b>                                                                                               | 560062          | <b>Ref. No.</b> —                              |
| flat-headed bolt thread M4 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm |                                                                                                              |                 |                                                |

|                                                                                     |                       |                 |                                |
|-------------------------------------------------------------------------------------|-----------------------|-----------------|--------------------------------|
|  |                       |                 |                                |
| 1                                                                                   |                       |                 |                                |
| <b>GEV No.</b>                                                                      | 507182                | <b>Ref. No.</b> | GR019G<br>GR019GB<br>GR019GBGR |
| <b>description</b>                                                                  | end cap for rinse arm |                 |                                |
| <b>For models:</b>                                                                  | QUATTRO T/82          |                 |                                |

|                                                                                     |                                 |                 |                   |
|-------------------------------------------------------------------------------------|---------------------------------|-----------------|-------------------|
|  |                                 |                 |                   |
| 1                                                                                   |                                 |                 |                   |
| <b>GEV No.</b>                                                                      | 507181                          | <b>Ref. No.</b> | GR019D<br>GR019DB |
| <b>description</b>                                                                  | opposite support for rinse jet  |                 |                   |
| <b>For models:</b>                                                                  | JOLLY AQ, JOLLY Q, QUATTRO T/82 |                 |                   |

|                                                                                   |                                |                 |                   |
|-----------------------------------------------------------------------------------|--------------------------------|-----------------|-------------------|
|  |                                |                 |                   |
| 1                                                                                 |                                |                 |                   |
| <b>GEV No.</b>                                                                    | 507196                         | <b>Ref. No.</b> | GRS04<br>GRS04BGR |
| <b>description</b>                                                                | opposite support for rinse jet |                 |                   |

|                                                                                   |                                                                                                                                                                                                                |                 |       |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                                                                                |                 |       |
| 1                                                                                 |                                                                                                                                                                                                                |                 |       |
| <b>GEV No.</b>                                                                    | 510303                                                                                                                                                                                                         | <b>Ref. No.</b> | OR106 |
| <b>description</b>                                                                | O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs                                                                                                                                                             |                 |       |
| <b>For models:</b>                                                                | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |       |

|                                                                                   |                                                                                                                                                                                                 |                 |       |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                                                                 |                 |       |
| 1                                                                                 |                                                                                                                                                                                                 |                 |       |
| <b>GEV No.</b>                                                                    | 505073                                                                                                                                                                                          | <b>Ref. No.</b> | OR128 |
| <b>description</b>                                                                | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs                                                                                                                                             |                 |       |
| <b>For models:</b>                                                                | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |                 |       |

|                                                                                    |                                       |                 |          |
|------------------------------------------------------------------------------------|---------------------------------------|-----------------|----------|
|  |                                       |                 |          |
| 1                                                                                  |                                       |                 |          |
| <b>GEV No.</b>                                                                     | 507179                                | <b>Ref. No.</b> | GR019ANT |
| <b>description</b>                                                                 | rinse arm support mounting pos. upper |                 |          |

|                                                                                     |                                       |                 |                             |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------------|-----------------------------|
|  |                                       |                 |                             |
| 1                                                                                   |                                       |                 |                             |
| <b>GEV No.</b>                                                                      | 507195                                | <b>Ref. No.</b> | GRS03<br>GRS03B<br>GRS03BGR |
| <b>description</b>                                                                  | rinse arm support mounting pos. upper |                 |                             |

|                                                                                     |                                       |                 |                             |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------------|-----------------------------|
|  |                                       |                 |                             |
| 1                                                                                   |                                       |                 |                             |
| <b>GEV No.</b>                                                                      | 507197                                | <b>Ref. No.</b> | GRS05<br>GRS05B<br>GRS05BGR |
| <b>description</b>                                                                  | rinse arm support mounting pos. upper |                 |                             |

|                                                                                     |                                       |                 |                             |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------------|-----------------------------|
|  |                                       |                 |                             |
| 1                                                                                   |                                       |                 |                             |
| <b>GEV No.</b>                                                                      | 507198                                | <b>Ref. No.</b> | GRS06<br>GRS06B<br>GRS06BGR |
| <b>description</b>                                                                  | rinse arm support mounting pos. upper |                 |                             |

|                                                                                   |              |                 |                             |
|-----------------------------------------------------------------------------------|--------------|-----------------|-----------------------------|
|  |              |                 |                             |
| 1                                                                                 |              |                 |                             |
| <b>GEV No.</b>                                                                    | 507183       | <b>Ref. No.</b> | GR020<br>GR020B<br>GR020BGR |
| <b>description</b>                                                                | rinse jet    |                 |                             |
| <b>For models:</b>                                                                | QUATTRO T/82 |                 |                             |

|                                                                                   |                  |                 |                     |
|-----------------------------------------------------------------------------------|------------------|-----------------|---------------------|
|  |                  |                 |                     |
| 1                                                                                 |                  |                 |                     |
| <b>GEV No.</b>                                                                    | 507180           | <b>Ref. No.</b> | GR019B<br>GR019BBGR |
| <b>description</b>                                                                | rinse jet holder |                 |                     |
| <b>For models:</b>                                                                | QUATTRO T/82     |                 |                     |

|                                                                                   |                                  |                 |                             |
|-----------------------------------------------------------------------------------|----------------------------------|-----------------|-----------------------------|
|  |                                  |                 |                             |
| 1                                                                                 |                                  |                 |                             |
| <b>GEV No.</b>                                                                    | 507184                           | <b>Ref. No.</b> | GR021<br>GR021B<br>GR021BGR |
| <b>description</b>                                                                | swirl H 15mm ø 10mm 1.5mm H1 5mm |                 |                             |
| <b>For models:</b>                                                                | QUATTRO T/82                     |                 |                             |

|                                                                                    |                                             |                 |                   |
|------------------------------------------------------------------------------------|---------------------------------------------|-----------------|-------------------|
|  |                                             |                 |                   |
| 1                                                                                  |                                             |                 |                   |
| <b>GEV No.</b>                                                                     | 507142                                      | <b>Ref. No.</b> | GL1T32<br>GL1T32B |
| <b>description</b>                                                                 | end piece for wash pipe mounting pos. upper |                 |                   |

|                                                                                     |                                             |                 |                    |
|-------------------------------------------------------------------------------------|---------------------------------------------|-----------------|--------------------|
|  |                                             |                 |                    |
| 1                                                                                   |                                             |                 |                    |
| <b>GEV No.</b>                                                                      | 507147                                      | <b>Ref. No.</b> | GL2T32<br>GL2T3BGR |
| <b>description</b>                                                                  | end piece for wash pipe mounting pos. upper |                 |                    |

|                                                                                     |              |                 |         |
|-------------------------------------------------------------------------------------|--------------|-----------------|---------|
|  |              |                 |         |
| 1                                                                                   |              |                 |         |
| <b>GEV No.</b>                                                                      | 507151       | <b>Ref. No.</b> | GL4T28I |
| <b>description</b>                                                                  | wash arm     |                 |         |
| <b>For models:</b>                                                                  | QUATTRO T/82 |                 |         |

Общепит

sezip.ru

2)987-08-81

1

|                                                                                     |                |                 |                 |                             |
|-------------------------------------------------------------------------------------|----------------|-----------------|-----------------|-----------------------------|
| <b>GEV No.</b>                                                                      | 507152         | <b>Ref. No.</b> | GL4T29I         |                             |
| <b>description</b>                                                                  | wash arm       |                 |                 |                             |
| <b>For models:</b>                                                                  | QUATTRO T/82   |                 |                 |                             |
| <b>spare parts for</b>                                                              | 507152         |                 |                 |                             |
|    | <b>GEV No.</b> | 507133          | <b>Ref. No.</b> | GL030<br>GL030B<br>GL30BGR  |
| wash jet                                                                            |                |                 |                 |                             |
|    | <b>GEV No.</b> | 507134          | <b>Ref. No.</b> | GL031<br>GL031B<br>GL031BGR |
| swirl H 5mm ø 14.5mm 5.5mm                                                          |                |                 |                 |                             |
|    | <b>GEV No.</b> | 507135          | <b>Ref. No.</b> | GL032<br>GL032B<br>GL032BGR |
| rinse jet holder                                                                    |                |                 |                 |                             |
|    | <b>GEV No.</b> | 507136          | <b>Ref. No.</b> | GL033<br>GL033B<br>GL033BGR |
| opposite support                                                                    |                |                 |                 |                             |
|  | <b>GEV No.</b> | 507137          | <b>Ref. No.</b> | GL034A<br>GL034AB           |
| end cap                                                                             |                |                 |                 |                             |
|  | <b>GEV No.</b> | 507148          | <b>Ref. No.</b> | GL34T27A                    |
| union nut wash jet                                                                  |                |                 |                 |                             |
|  | <b>GEV No.</b> | 510302          | <b>Ref. No.</b> | OR2050                      |
| O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs                                 |                |                 |                 |                             |
|  | <b>GEV No.</b> | 560340          | <b>Ref. No.</b> | VD4I                        |
| hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs   |                |                 |                 |                             |

|                                                                                      |                   |                 |          |
|--------------------------------------------------------------------------------------|-------------------|-----------------|----------|
|  |                   |                 |          |
| 1                                                                                    |                   |                 |          |
| <b>GEV No.</b>                                                                       | 507140            | <b>Ref. No.</b> | GL1T28CM |
| <b>description</b>                                                                   | wash arm complete |                 |          |

|                                                                                      |                   |                 |                           |
|--------------------------------------------------------------------------------------|-------------------|-----------------|---------------------------|
|  |                   |                 |                           |
| 1                                                                                    |                   |                 |                           |
| <b>GEV No.</b>                                                                       | 507143            | <b>Ref. No.</b> | GL2AT28BCMI<br>GL2AT28CMI |
| <b>description</b>                                                                   | wash arm complete |                 |                           |





Зип Общепит

vsezip.ru

+7(812)987-08-81

1

|                    |                   |                 |          |
|--------------------|-------------------|-----------------|----------|
| <b>GEV No.</b>     | 507145            | <b>Ref. No.</b> | GL2T28CM |
| <b>description</b> | wash arm complete |                 |          |

1

|                    |                            |                 |                        |
|--------------------|----------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 507141                     | <b>Ref. No.</b> | GL1T28P<br>GL1T28PB8GR |
| <b>description</b> | wash arm L 202mm nozzles 4 |                 |                        |

1

|                    |                            |                 |                        |
|--------------------|----------------------------|-----------------|------------------------|
| <b>GEV No.</b>     | 507146                     | <b>Ref. No.</b> | GL2T28P<br>GL2T28PB8GR |
| <b>description</b> | wash arm L 220mm nozzles 4 |                 |                        |

1

|                    |                                                      |                 |                         |
|--------------------|------------------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>     | 507397                                               | <b>Ref. No.</b> | GL1T28BCM<br>GL2T28BPGR |
| <b>description</b> | wash arm mounting pos. upper/lower L 220mm nozzles 4 |                 |                         |

1

|                    |                    |                 |           |
|--------------------|--------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507324             | <b>Ref. No.</b> | GL2T28BCM |
| <b>description</b> | wash arm nozzles 4 |                 |           |

1

|                                                                                   |                                     |                 |                       |
|-----------------------------------------------------------------------------------|-------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>                                                                    | 507139                              | <b>Ref. No.</b> | GL1T27<br>GL1T27BGR   |
| <b>description</b>                                                                | wash pipe mounting pos. upper/lower |                 |                       |
| <b>accessories for</b>                                                            | 507139                              |                 |                       |
|  | <b>GEV No.</b>                      | 505073          | <b>Ref. No.</b> OR128 |
| O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs                               |                                     |                 |                       |

1

|                    |                                     |                 |        |
|--------------------|-------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507150                              | <b>Ref. No.</b> | GL4T27 |
| <b>description</b> | wash pipe mounting pos. upper/lower |                 |        |
| <b>For models:</b> | QUATTRO T/82                        |                 |        |

1

|                    |              |                 |                   |
|--------------------|--------------|-----------------|-------------------|
| <b>GEV No.</b>     | 507137       | <b>Ref. No.</b> | GL034A<br>GL034AB |
| <b>description</b> | end cap      |                 |                   |
| <b>For models:</b> | QUATTRO T/82 |                 |                   |

|                                                                                                                          |                                                                                                                                                                                    |                 |              |
|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                                                                                                                    |                 |              |
| 1                                                                                                                        |                                                                                                                                                                                    |                 |              |
| <b>GEV No.</b>                                                                                                           | 507056                                                                                                                                                                             | <b>Ref. No.</b> | DP1<br>DF1GR |
| <b>description</b>                                                                                                       | nut thread 1" H 14mm WS 46 ø 52mm                                                                                                                                                  |                 |              |
| <b>For models:</b>                                                                                                       | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |              |

|                                                                                   |                  |                 |                             |
|-----------------------------------------------------------------------------------|------------------|-----------------|-----------------------------|
|  |                  |                 |                             |
| 2                                                                                 |                  |                 |                             |
| <b>GEV No.</b>                                                                    | 507136           | <b>Ref. No.</b> | GL033<br>GL033B<br>GL033BGR |
| <b>description</b>                                                                | opposite support |                 |                             |
| <b>For models:</b>                                                                | QUATTRO T/82     |                 |                             |

|                                                                                   |                                                                                                                                                                                                                |                 |        |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                                                                |                 |        |
| 1                                                                                 |                                                                                                                                                                                                                |                 |        |
| <b>GEV No.</b>                                                                    | 510302                                                                                                                                                                                                         | <b>Ref. No.</b> | OR2050 |
| <b>description</b>                                                                | O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs                                                                                                                                                            |                 |        |
| <b>For models:</b>                                                                | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |        |

|                                                                                     |                                                                                                                                                                                           |                 |       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                                                           |                 |       |
| 1                                                                                   |                                                                                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                      | 505073                                                                                                                                                                                    | <b>Ref. No.</b> | OR128 |
| <b>description</b>                                                                  | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs                                                                                                                                       |                 |       |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |                 |       |



1

|                        |                                                                                                                                                                                    |                 |        |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>         | 507314                                                                                                                                                                             | <b>Ref. No.</b> | OR3131 |
| <b>description</b>     | O-ring EPDM thickness 2.62mm ID ø 32.99mm                                                                                                                                          |                 |        |
| <b>For models:</b>     | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |        |
| <b>accessories for</b> | 507314                                                                                                                                                                             |                 |        |



|                |                                           |                 |        |
|----------------|-------------------------------------------|-----------------|--------|
| <b>GEV No.</b> | 507314                                    | <b>Ref. No.</b> | OR3131 |
|                | O-ring EPDM thickness 2.62mm ID ø 32.99mm |                 |        |

|                                                                                     |                  |                 |                             |
|-------------------------------------------------------------------------------------|------------------|-----------------|-----------------------------|
|  |                  |                 |                             |
| 1                                                                                   |                  |                 |                             |
| <b>GEV No.</b>                                                                      | 507135           | <b>Ref. No.</b> | GL032<br>GL032B<br>GL032BGR |
| <b>description</b>                                                                  | rinse jet holder |                 |                             |
| <b>For models:</b>                                                                  | QUATTRO T/82     |                 |                             |

|                                                                                   |                            |                 |                             |
|-----------------------------------------------------------------------------------|----------------------------|-----------------|-----------------------------|
|  |                            |                 |                             |
| 1                                                                                 |                            |                 |                             |
| <b>GEV No.</b>                                                                    | 507134                     | <b>Ref. No.</b> | GL031<br>GL031B<br>GL031BGR |
| <b>description</b>                                                                | swirl H 5mm ø 14.5mm 5.5mm |                 |                             |
| <b>For models:</b>                                                                | QUATTRO T/82               |                 |                             |

|                                                                                   |                    |                 |          |
|-----------------------------------------------------------------------------------|--------------------|-----------------|----------|
|  |                    |                 |          |
| 1                                                                                 |                    |                 |          |
| <b>GEV No.</b>                                                                    | 507148             | <b>Ref. No.</b> | GL34T27A |
| <b>description</b>                                                                | union nut wash jet |                 |          |
| <b>For models:</b>                                                                | QUATTRO T/82       |                 |          |

|                                                                                   |              |                 |                            |
|-----------------------------------------------------------------------------------|--------------|-----------------|----------------------------|
|  |              |                 |                            |
| 1                                                                                 |              |                 |                            |
| <b>GEV No.</b>                                                                    | 507133       | <b>Ref. No.</b> | GL030<br>GL030B<br>GL30BGR |
| <b>description</b>                                                                | wash jet     |                 |                            |
| <b>For models:</b>                                                                | QUATTRO T/82 |                 |                            |

## miscellaneous

|                                                                                     |                                           |                 |            |
|-------------------------------------------------------------------------------------|-------------------------------------------|-----------------|------------|
|  |                                           |                 |            |
| 1                                                                                   |                                           |                 |            |
| <b>GEV No.</b>                                                                      | 519533                                    | <b>Ref. No.</b> | LS146CSBGR |
| <b>description</b>                                                                  | rinse arm mounting pos. left with nozzles |                 |            |

|                                                                                      |                                            |                 |            |
|--------------------------------------------------------------------------------------|--------------------------------------------|-----------------|------------|
|  |                                            |                 |            |
| 1                                                                                    |                                            |                 |            |
| <b>GEV No.</b>                                                                       | 519534                                     | <b>Ref. No.</b> | LS146CDBGR |
| <b>description</b>                                                                   | rinse arm mounting pos. right with nozzles |                 |            |

|                                                                                     |                                 |                 |            |
|-------------------------------------------------------------------------------------|---------------------------------|-----------------|------------|
|  |                                 |                 |            |
| 1                                                                                   |                                 |                 |            |
| <b>GEV No.</b>                                                                      | 507517                          | <b>Ref. No.</b> | LSI020VABS |
| <b>description</b>                                                                  | rinse jet ø 12mm H 12mm plastic |                 |            |

|                                                                                     |                          |                 |            |
|-------------------------------------------------------------------------------------|--------------------------|-----------------|------------|
|  |                          |                 |            |
| 1                                                                                   |                          |                 |            |
| <b>GEV No.</b>                                                                      | 507554                   | <b>Ref. No.</b> | GR0190BBGR |
| <b>description</b>                                                                  | rinse jet ø 3mm H 17.5mm |                 |            |



Зип Общепит

vsezi.ru

+7(812)987-08-81



1

| GEV No.     | 519535                                   | Ref. No. | LS166BSBGR |
|-------------|------------------------------------------|----------|------------|
| description | wash arm mounting pos. left with nozzles |          |            |



1

| GEV No.     | 519536                                    | Ref. No. | LS166BDBGR |
|-------------|-------------------------------------------|----------|------------|
| description | wash arm mounting pos. right with nozzles |          |            |



1

| GEV No.     | 507259        | Ref. No. | LS06<br>LS06ACBNT |
|-------------|---------------|----------|-------------------|
| description | wash arm boss |          |                   |



1

| GEV No.     | 519433                      | Ref. No. | LS015 |
|-------------|-----------------------------|----------|-------|
| description | wash jet mounting pos. left |          |       |



1

| GEV No.     | 507510                                     | Ref. No. | GELASD<br>LSI015BGR |
|-------------|--------------------------------------------|----------|---------------------|
| description | wash jet mounting pos. right H 16mm ø 13mm |          |                     |

## wash arm supports



1

| GEV No.     | 507395                | Ref. No. | LI430FCB<br>LI430FCBGR |
|-------------|-----------------------|----------|------------------------|
| description | angle piece wash pipe |          |                        |



1

| GEV No.     | 507249                                        | Ref. No. | GLICQ1BCOMP<br>LIGC1CSL |
|-------------|-----------------------------------------------|----------|-------------------------|
| description | wash arm support complete mounting pos. lower |          |                         |



1

| GEV No.     | 507220                               | Ref. No. | LI029 |
|-------------|--------------------------------------|----------|-------|
| description | wash arm support mounting pos. lower |          |       |
| For models: | QUATTRO Q/82                         |          |       |



1

| GEV No.     | 507221                               | Ref. No. | LI029CA |
|-------------|--------------------------------------|----------|---------|
| description | wash arm support mounting pos. lower |          |         |
| For models: | QUATTRO Q/82                         |          |         |



1

| GEV No.     | 507222                               | Ref. No. | LI029CB<br>LI135D |
|-------------|--------------------------------------|----------|-------------------|
| description | wash arm support mounting pos. lower |          |                   |



1

| GEV No.     | 507225                               | Ref. No. | LI126FC<br>LI126FCB<br>LI126FCBGR |
|-------------|--------------------------------------|----------|-----------------------------------|
| description | wash arm support mounting pos. lower |          |                                   |

| accessories for | 507225 |  |  |
|-----------------|--------|--|--|
|-----------------|--------|--|--|



| GEV No.                           | 507056 | Ref. No. | DP1<br>DP1GR |
|-----------------------------------|--------|----------|--------------|
| nut thread 1" H 14mm WS 46 ø 52mm |        |          |              |



| GEV No.                                   | 507314 | Ref. No. | OR3131 |
|-------------------------------------------|--------|----------|--------|
| O-ring EPDM thickness 2.62mm ID ø 32.99mm |        |          |        |



1

| GEV No.     | 507323                               | Ref. No. | LI135 |
|-------------|--------------------------------------|----------|-------|
| description | wash arm support mounting pos. lower |          |       |

|                                                                                   |                                      |                 |                     |
|-----------------------------------------------------------------------------------|--------------------------------------|-----------------|---------------------|
|  |                                      |                 |                     |
| 1                                                                                 |                                      |                 |                     |
| <b>GEV No.</b>                                                                    | 507358                               | <b>Ref. No.</b> | LI029CAB<br>SULRI30 |
| <b>description</b>                                                                | wash arm support mounting pos. lower |                 |                     |
| <b>For models:</b>                                                                | SEI 1P                               |                 |                     |

|                                                                                   |                                      |                 |          |
|-----------------------------------------------------------------------------------|--------------------------------------|-----------------|----------|
|  |                                      |                 |          |
| 1                                                                                 |                                      |                 |          |
| <b>GEV No.</b>                                                                    | 507359                               | <b>Ref. No.</b> | LI029CBB |
| <b>description</b>                                                                | wash arm support mounting pos. lower |                 |          |

|                                                                                   |                                      |                 |        |
|-----------------------------------------------------------------------------------|--------------------------------------|-----------------|--------|
|  |                                      |                 |        |
| 1                                                                                 |                                      |                 |        |
| <b>GEV No.</b>                                                                    | 507240                               | <b>Ref. No.</b> | LI6012 |
| <b>description</b>                                                                | wash arm support mounting pos. upper |                 |        |

|                                                                                     |                                      |                 |      |
|-------------------------------------------------------------------------------------|--------------------------------------|-----------------|------|
|  |                                      |                 |      |
| 1                                                                                   |                                      |                 |      |
| <b>GEV No.</b>                                                                      | 507254                               | <b>Ref. No.</b> | LS01 |
| <b>description</b>                                                                  | wash arm support mounting pos. upper |                 |      |

|                                                                                     |                                                                                                                                                                                       |                 |                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
|  |                                                                                                                                                                                       |                 |                       |
| 1                                                                                   |                                                                                                                                                                                       |                 |                       |
| <b>GEV No.</b>                                                                      | 507263                                                                                                                                                                                | <b>Ref. No.</b> | LS5<br>LS5B<br>LS5BGR |
| <b>description</b>                                                                  | wash arm support mounting pos. upper                                                                                                                                                  |                 |                       |
| <b>For models:</b>                                                                  | QUATTRO Q/82                                                                                                                                                                          |                 |                       |
| <b>accessories for</b>                                                              | 507263                                                                                                                                                                                |                 |                       |
|                                                                                     | <b>GEV No.</b>                                                                                                                                                                        | <b>Ref. No.</b> | <b>LS02</b>           |
|                                                                                     |  gasket D1 ø 45mm D2 ø 85mm thickness 2mm cork with 4 screw holes wash arm support equiv. no. LS02 |                 |                       |

|                                                                                     |                                      |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------|-----------------|--------|
|  |                                      |                 |        |
| 1                                                                                   |                                      |                 |        |
| <b>GEV No.</b>                                                                      | 507264                               | <b>Ref. No.</b> | LS6012 |
| <b>description</b>                                                                  | wash arm support mounting pos. upper |                 |        |

|                                                                                   |                                                                                                   |                 |                      |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------|----------------------|
|  |                                                                                                   |                 |                      |
| 1                                                                                 |                                                                                                   |                 |                      |
| <b>GEV No.</b>                                                                    | 507357                                                                                            | <b>Ref. No.</b> | LS6012B<br>LS6012BGR |
| <b>description</b>                                                                | wash arm support mounting pos. upper                                                              |                 |                      |
| <b>For models:</b>                                                                | SEI 1P                                                                                            |                 |                      |
| <b>spare parts for</b>                                                            | 507357                                                                                            |                 |                      |
|                                                                                   | <b>GEV No.</b>                                                                                    | <b>Ref. No.</b> | <b>LI18F</b>         |
|                                                                                   |  rinse arm shaft |                 |                      |

|                                                                                   |                           |                 |      |
|-----------------------------------------------------------------------------------|---------------------------|-----------------|------|
|  |                           |                 |      |
| 1                                                                                 |                           |                 |      |
| <b>GEV No.</b>                                                                    | 507257                    | <b>Ref. No.</b> | LS03 |
| <b>description</b>                                                                | disc for wash arm support |                 |      |

|                                                                                   |                                     |                 |                  |
|-----------------------------------------------------------------------------------|-------------------------------------|-----------------|------------------|
|  |                                     |                 |                  |
| 1                                                                                 |                                     |                 |                  |
| <b>GEV No.</b>                                                                    | 507258                              | <b>Ref. No.</b> | LS03P<br>LS03PGR |
| <b>description</b>                                                                | flange for wash arm support         |                 |                  |
| <b>For models:</b>                                                                | DUE AQ, QUATTRO Q/82, UNO AQ, UNO Q |                 |                  |

| rinse arm shafts                                                                    |                                                                                                                                          |                 |       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                          |                 |       |
| 1                                                                                   |                                                                                                                                          |                 |       |
| <b>GEV No.</b>                                                                      | 507228                                                                                                                                   | <b>Ref. No.</b> | LI130 |
| <b>description</b>                                                                  | rinse arm shaft                                                                                                                          |                 |       |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |

|                                                                                     |                                                                                                                                                                    |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                                    |                 |       |
| 1                                                                                   |                                                                                                                                                                    |                 |       |
| <b>GEV No.</b>                                                                      | 507229                                                                                                                                                             | <b>Ref. No.</b> | LI18F |
| <b>description</b>                                                                  | rinse arm shaft                                                                                                                                                    |                 |       |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |

|                                                                                     |                                        |                 |       |
|-------------------------------------------------------------------------------------|----------------------------------------|-----------------|-------|
|  |                                        |                 |       |
| 1                                                                                   |                                        |                 |       |
| <b>GEV No.</b>                                                                      | 507232                                 | <b>Ref. No.</b> | LI330 |
| <b>description</b>                                                                  | rinse arm shaft                        |                 |       |
| <b>For models:</b>                                                                  | QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S |                 |       |



1

|                                                                                   |                 |                 |                    |
|-----------------------------------------------------------------------------------|-----------------|-----------------|--------------------|
|  |                 |                 |                    |
| <b>GEV No.</b>                                                                    | 507239          | <b>Ref. No.</b> | LI533F<br>LI533FOT |
| <b>description</b>                                                                | rinse arm shaft |                 |                    |
| <b>For models:</b>                                                                | QUATTRO Q/82    |                 |                    |

1

|                                                                                   |                          |                 |        |
|-----------------------------------------------------------------------------------|--------------------------|-----------------|--------|
|  |                          |                 |        |
| <b>GEV No.</b>                                                                    | 507242                   | <b>Ref. No.</b> | LI6333 |
| <b>description</b>                                                                | rinse arm shaft          |                 |        |
| <b>For models:</b>                                                                | SEI 1P, SEI 2P, SEI 2P/S |                 |        |

1

|                                                                                   |                 |                 |         |
|-----------------------------------------------------------------------------------|-----------------|-----------------|---------|
|  |                 |                 |         |
| <b>GEV No.</b>                                                                    | 507252          | <b>Ref. No.</b> | LISA33F |
| <b>description</b>                                                                | rinse arm shaft |                 |         |

1

|                                                                                   |                                                               |                 |      |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|------|
|  |                                                               |                 |      |
| <b>GEV No.</b>                                                                    | 507260                                                        | <b>Ref. No.</b> | LS08 |
| <b>description</b>                                                                | rinse arm shaft                                               |                 |      |
| <b>For models:</b>                                                                | DUE AQ, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO Q |                 |      |

## knobs

### producer-specific knobs

#### OMNIWASH

1

|                                                                                     |                                                    |                 |       |
|-------------------------------------------------------------------------------------|----------------------------------------------------|-----------------|-------|
|  |                                                    |                 |       |
| <b>GEV No.</b>                                                                      | 507043                                             | <b>Ref. No.</b> | CEMTR |
| <b>description</b>                                                                  | knob timer ø 43mm shaft ø 6x4.6mm shaft flat lower |                 |       |
| <b>For models:</b>                                                                  | QUATTRO Q/82, QUATTRO T/82                         |                 |       |

## handles and hand wheels

### handle rails

#### handle rails

1

|                                                                                     |                                                                                                                                                                          |                 |        |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                          |                 |        |
| <b>GEV No.</b>                                                                      | 507005                                                                                                                                                                   | <b>Ref. No.</b> | AM010F |
| <b>description</b>                                                                  | handle rail                                                                                                                                                              |                 |        |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |        |

Зип Общепит

vsezi.ru

Image not available

+7(812)987-08-81

1

|                    |             |                 |        |
|--------------------|-------------|-----------------|--------|
| <b>GEV No.</b>     | 507006      | <b>Ref. No.</b> | AM010N |
| <b>description</b> | handle rail |                 |        |

1

|                                                                                    |                                                                                                                                                                          |                 |        |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                                          |                 |        |
| <b>GEV No.</b>                                                                     | 507007                                                                                                                                                                   | <b>Ref. No.</b> | AM010P |
| <b>description</b>                                                                 | handle rail                                                                                                                                                              |                 |        |
| <b>For models:</b>                                                                 | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |        |

1

|                                                                                    |                            |                 |        |
|------------------------------------------------------------------------------------|----------------------------|-----------------|--------|
|  |                            |                 |        |
| <b>GEV No.</b>                                                                     | 507010                     | <b>Ref. No.</b> | AM010R |
| <b>description</b>                                                                 | handle rail                |                 |        |
| <b>For models:</b>                                                                 | QUATTRO Q/82, QUATTRO T/82 |                 |        |

1

|                                                                                      |                                                                      |                 |           |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|-----------|
|  |                                                                      |                 |           |
| <b>GEV No.</b>                                                                       | 510664                                                               | <b>Ref. No.</b> | AM010MD25 |
| <b>description</b>                                                                   | handle rail L 250mm W 50mm H 50mm blue hole distance 120mm Qty 1 pcs |                 |           |

### bracket handles

1

|                                                                                      |                                                                                                                                                                                                                |                 |                    |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
|  |                                                                                                                                                                                                                |                 |                    |
| <b>GEV No.</b>                                                                       | 507008                                                                                                                                                                                                         | <b>Ref. No.</b> | AM010PA<br>AM010SW |
| <b>description</b>                                                                   | pull handle mounting distance 120mm                                                                                                                                                                            |                 |                    |
| <b>For models:</b>                                                                   | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |                    |



## recessed handles

|                                                                                   |                                                                                                                                                                          |                 |                     |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
|  |                                                                                                                                                                          |                 |                     |
| 1                                                                                 |                                                                                                                                                                          |                 |                     |
| <b>GEV No.</b>                                                                    | 507009                                                                                                                                                                   | <b>Ref. No.</b> | AM010MPC<br>AM010PC |
| <b>description</b>                                                                | recessed handle                                                                                                                                                          |                 |                     |
| <b>For models:</b>                                                                | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |                     |

## miscellaneous

|                                                                                   |                                                                  |                 |           |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------|-----------|
|  |                                                                  |                 |           |
| 1                                                                                 |                                                                  |                 |           |
| <b>GEV No.</b>                                                                    | 507440                                                           | <b>Ref. No.</b> | AM010CD25 |
| <b>description</b>                                                                | plate L 269mm W 80mm hole distance 120mm plastic for door handle |                 |           |

## locks

## snap locks

## producer-specific

## OMNIWASH

|                                                                                     |                          |                 |                                       |
|-------------------------------------------------------------------------------------|--------------------------|-----------------|---------------------------------------|
|  |                          |                 |                                       |
| 1                                                                                   |                          |                 |                                       |
| <b>GEV No.</b>                                                                      | 518231                   | <b>Ref. No.</b> | AM011NT<br>AM011NT+011CNT+011ENT+011D |
| <b>description</b>                                                                  | snap lock thread 1/4" SS |                 |                                       |

## fittings for catering equipment

## drain taps

## accessories

|                                                                                     |                                                      |                 |        |
|-------------------------------------------------------------------------------------|------------------------------------------------------|-----------------|--------|
|  |                                                      |                 |        |
| 1                                                                                   |                                                      |                 |        |
| <b>GEV No.</b>                                                                      | 540222                                               | <b>Ref. No.</b> | OR3187 |
| <b>description</b>                                                                  | O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs   |                 |        |
| <b>For models:</b>                                                                  | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |        |

## equipment feet and end caps

## screw-in feet

|                                                                                   |                                                               |                 |        |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|--------|
|  |                                                               |                 |        |
| 1                                                                                 |                                                               |                 |        |
| <b>GEV No.</b>                                                                    | 701168                                                        | <b>Ref. No.</b> | AM016C |
| <b>description</b>                                                                | equipment feet kit thread M10x1.5 thread L 25mm ø 38mm H 38mm |                 |        |

## baskets

## warewashing baskets

## plastic baskets round

|                                                                                    |                                                                          |                 |                      |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------|----------------------|
|  |                                                                          |                 |                      |
| 1                                                                                  |                                                                          |                 |                      |
| <b>GEV No.</b>                                                                     | 970812                                                                   | <b>Ref. No.</b> | CT3617L<br>CT3617PL2 |
| <b>description</b>                                                                 | mix basket ED ø 367mm H 173mm seat ø 280mm mesh type wide-meshed/plastic |                 |                      |

|                                                                                     |                                                               |                 |         |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|---------|
|  |                                                               |                 |         |
| 1                                                                                   |                                                               |                 |         |
| <b>GEV No.</b>                                                                      | 970827                                                        | <b>Ref. No.</b> | CT4117L |
| <b>description</b>                                                                  | mix basket ED ø 410mm H 170mm seat ø 375mm mesh type straight |                 |         |

## steel wire baskets square

## plate baskets

|                                                                                      |                                        |                 |         |
|--------------------------------------------------------------------------------------|----------------------------------------|-----------------|---------|
|  |                                        |                 |         |
| 1                                                                                    |                                        |                 |         |
| <b>GEV No.</b>                                                                       | 971088                                 | <b>Ref. No.</b> | CQ5018P |
| <b>description</b>                                                                   | plate basket L 500mm W 500mm plates 18 |                 |         |

## plastic baskets square

## mix baskets

|                                                                                      |                                    |                 |           |
|--------------------------------------------------------------------------------------|------------------------------------|-----------------|-----------|
|  |                                    |                 |           |
| 1                                                                                    |                                    |                 |           |
| <b>GEV No.</b>                                                                       | 971058                             | <b>Ref. No.</b> | CQ3516LPL |
| <b>description</b>                                                                   | mix basket L 350mm W 350mm H 150mm |                 |           |



|                    |                                    |                 |           |
|--------------------|------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 971078                             | <b>Ref. No.</b> | CQ4016LP1 |
| <b>description</b> | mix basket L 400mm W 400mm H 150mm |                 |           |

## accessories

### cutlery inserts



|                    |                                           |                 |       |
|--------------------|-------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 970349                                    | <b>Ref. No.</b> | IP2PP |
| <b>description</b> | cutlery insert L 130mm W 57mm ømm H 110mm |                 |       |

### section inserts for glasses



|                    |                                                                     |                 |            |
|--------------------|---------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 971080                                                              | <b>Ref. No.</b> | CQIB403FSP |
| <b>description</b> | section insert for glasses L 365mm W 365mm H 145mm number of rows 3 |                 |            |

### plate inserts



|                    |                              |                 |          |
|--------------------|------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 971079                       | <b>Ref. No.</b> | CQIP408P |
| <b>description</b> | plate insert L 365mm W 365mm |                 |          |

## gaskets

### O-rings

#### EPDM




|                    |                                                                                                                                                                                                                |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 510302                                                                                                                                                                                                         | <b>Ref. No.</b> | OR2050 |
| <b>description</b> | O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs                                                                                                                                                            |                 |        |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |        |



|                    |                                                    |                 |       |
|--------------------|----------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 517035                                             | <b>Ref. No.</b> | OR103 |
| <b>description</b> | O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs |                 |       |



|                    |                                                                                                                                                                                                                |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 510303                                                                                                                                                                                                         | <b>Ref. No.</b> | OR106 |
| <b>description</b> | O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs                                                                                                                                                             |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |       |




|                    |                                                                                                                                                             |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 528333                                                                                                                                                      | <b>Ref. No.</b> | OR117 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 13.1mm Qty 1 pcs                                                                                                          |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |



|                    |                                                     |                 |        |
|--------------------|-----------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507313                                              | <b>Ref. No.</b> | OR3056 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs |                 |        |




|                    |                                                     |                 |       |
|--------------------|-----------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 508008                                              | <b>Ref. No.</b> | OR121 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 15.88mm Qty 1 pcs |                 |       |




|                    |                                                                                                                                                                                |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507309                                                                                                                                                                         | <b>Ref. No.</b> | OR122 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs                                                                                                                            |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |       |




|                    |                                                                                                                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 504590                                                                                                                                                                           | <b>Ref. No.</b> | OF124 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs                                                                                                                              |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, JOLLY AQ, JOLLY Q, QUATTRO Q/82, SEI 1P, SEI 2P, SEI 2P/S, UNO ACSQ, UNO ACST, UNO AQ, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q |                 |       |




|                    |                                                                                                                                                                           |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 505073                                                                                                                                                                    | <b>Ref. No.</b> | OR128 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs                                                                                                                       |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |                 |       |



|                                                                                     |                                                                                                                                                                                    |                 |                        |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------|
| <b>GEV No.</b>                                                                      | 507314                                                                                                                                                                             | <b>Ref. No.</b> | OR3131                 |
| <b>description</b>                                                                  | O-ring EPDM thickness 2.62mm ID ø 32.99mm                                                                                                                                          |                 |                        |
| <b>For models:</b>                                                                  | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AQ, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |                        |
| <b>accessories for</b>                                                              | 507314                                                                                                                                                                             |                 |                        |
|  | <b>GEV No.</b>                                                                                                                                                                     | 507314          | <b>Ref. No.</b> OR3131 |
|                                                                                     | O-ring EPDM thickness 2.62mm ID ø 32.99mm                                                                                                                                          |                 |                        |




|                    |                                                                                                                                          |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507315                                                                                                                                   | <b>Ref. No.</b> | OR3168 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 42.52mm                                                                                                |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |




|                    |                                                     |                 |        |
|--------------------|-----------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 512111                                              | <b>Ref. No.</b> | OR3181 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 45.69mm Qty 1 pcs |                 |        |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                          |                 |        |



|                    |                                                      |                 |        |
|--------------------|------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 540222                                               | <b>Ref. No.</b> | OR3187 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs   |                 |        |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S |                 |        |




|                    |                                                                    |                 |       |
|--------------------|--------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 510893                                                             | <b>Ref. No.</b> | OR112 |
| <b>description</b> | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs                 |                 |       |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T |                 |       |




|                    |                                                 |                 |       |
|--------------------|-------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 361345                                          | <b>Ref. No.</b> | OR422 |
| <b>description</b> | O-ring EPDM thickness 2mm ID ø 42.5mm Qty 1 pcs |                 |       |



|                    |                                                                          |                 |         |
|--------------------|--------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 506015                                                                   | <b>Ref. No.</b> | CERI46A |
| <b>description</b> | O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs                      |                 |         |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |         |




|                    |                                                     |                 |                |
|--------------------|-----------------------------------------------------|-----------------|----------------|
| <b>GEV No.</b>     | 510409                                              | <b>Ref. No.</b> | GUREBOT ORRB3F |
| <b>description</b> | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs |                 |                |



|                    |                                                                          |                 |        |
|--------------------|--------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 508109                                                                   | <b>Ref. No.</b> | OR6275 |
| <b>description</b> | O-ring EPDM thickness 5.34mm ID ø 69.22mm Qty 1 pcs                      |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |



## silicone



1

| GEV No.     | 532554                                               | Ref. No. | OR102 |
|-------------|------------------------------------------------------|----------|-------|
| description | O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs |          |       |

## sealing washers

## fibre gaskets



1

| GEV No.     | 507332                                                                                                                        | Ref. No. | G18122GT |
|-------------|-------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | flat gasket fibre ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs                                                                 |          |          |
| For models: | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |          |          |

## rubber gaskets



1

| GEV No.     | 507075                                                                                                                                   | Ref. No. | G15101G<br>G1510G<br>G16101G |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------|
| description | flat gasket rubber ED ø 15mm ID ø 10mm thickness 2mm Qty 1 pcs                                                                           |          |                              |
| For models: | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |          |                              |



1

| GEV No.     | 512376                                                         | Ref. No. | G18102G<br>GDSEDT62P |
|-------------|----------------------------------------------------------------|----------|----------------------|
| description | flat gasket rubber ED ø 18mm ID ø 10mm thickness 2mm Qty 1 pcs |          |                      |
| For models: | SEI 1P, SEI 2P, SEI 2P/S                                       |          |                      |



1

| GEV No.     | 507113                                                           | Ref. No. | G18102G<br>GDSEDT62P |
|-------------|------------------------------------------------------------------|----------|----------------------|
| description | flat gasket rubber ED ø 24mm ID ø 11mm thickness 2.5mm Qty 1 pcs |          |                      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 507078                                                                                                                                   | Ref. No. | G15253G<br>G251525G |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | flat gasket rubber ED ø 25mm ID ø 14.5mm thickness 2.5mm Qty 1 pcs                                                                       |          |                     |
| For models: | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |          |                     |



1

| GEV No.     | 507080                                                                                                         | Ref. No. | G382615G |
|-------------|----------------------------------------------------------------------------------------------------------------|----------|----------|
| description | flat gasket rubber ED ø 39mm ID ø 25mm thickness 1.5mm Qty 1 pcs                                               |          |          |
| For models: | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |          |          |



1

| GEV No.     | 507333                                                                                                         | Ref. No. | G50403GT |
|-------------|----------------------------------------------------------------------------------------------------------------|----------|----------|
| description | flat gasket rubber ED ø 52mm ID ø 41.5mm thickness 3mm Qty 1 pcs equiv. no. G50403GT suitable for IME/Omniwash |          |          |
| For models: | SEI 1P, SEI 2P, SEI 2P/S                                                                                       |          |          |



1

| GEV No.     | 507045                                                                   | Ref. No. | CERI44<br>CERI44GS |
|-------------|--------------------------------------------------------------------------|----------|--------------------|
| description | flat gasket rubber ED ø 78mm ID ø 68mm thickness 3mm Qty 1 pcs           |          |                    |
| For models: | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |          |                    |



1

| GEV No.     | 507404                                                   | Ref. No. | G1282G |
|-------------|----------------------------------------------------------|----------|--------|
| description | gasket rubber ED ø 12mm ID ø 8mm thickness 3mm Qty 1 pcs |          |        |

## special gaskets

## gaskets for wash arm support



1

|                    |                                                                                                   |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 507255                                                                                            | <b>Ref. No.</b> | LS02 |
| <b>description</b> | gasket D1 ø 45mm D2 ø 85mm thickness 2mm cork with 4 screw holes wash arm support equiv. no. LS02 |                 |      |
| <b>For models:</b> | DUE AQ, QUATTRO Q/82, UNO AQ, UNO Q                                                               |                 |      |



1

|                    |                                                                                                                                         |                 |                  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|
| <b>GEV No.</b>     | 507256                                                                                                                                  | <b>Ref. No.</b> | GUSUW13<br>LS026 |
| <b>description</b> | gasket D2 ø 31mm thickness 3mm with 4 screw holes wash arm support equiv. no. LS026 suitable for IME/Omniwash L 70mm W 58mm hole ø 31mm |                 |                  |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                                                                                                                |                 |                  |

## springs

## torsion springs



1

|                    |                                                                            |                 |         |
|--------------------|----------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507030                                                                     | <b>Ref. No.</b> | AMMP1SX |
| <b>description</b> | torsion spring mounting pos. left for door                                 |                 |         |
| <b>For models:</b> | JOLLY Q, JOLLY T, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |         |



1

|                    |                                                                    |                 |         |
|--------------------|--------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507029                                                             | <b>Ref. No.</b> | AMMP1DX |
| <b>description</b> | torsion spring mounting pos. right for door                        |                 |         |
| <b>For models:</b> | JOLLY Q, JOLLY T, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO Q, UNO T |                 |         |

|                    |                                                                                                                |                 |                       |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507027                                                                                                         | <b>Ref. No.</b> | AMMP1A2DX<br>AMMP24DX |
| <b>description</b> | torsion spring ø 17mm L2 38mm wire gauge ø 2mm mounting pos. right L1 10mm L3 70mm Qty. 1 pcs for door         |                 |                       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, UNO ACSQ, UNO ACST, UNO AQ, UNO AT |                 |                       |



1

|                    |                                                                                                                |                 |                       |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>     | 507028                                                                                                         | <b>Ref. No.</b> | AMMP1A2SX<br>AMMP24SX |
| <b>description</b> | torsion spring ø 17mm L2 70mm wire gauge ø 2mm mounting pos. left L1 10mm L3 38mm for door                     |                 |                       |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, UNO ACSQ, UNO ACST, UNO AQ, UNO AT |                 |                       |

## compression springs



1

|                    |                                                                                                                |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507038                                                                                                         | <b>Ref. No.</b> | CEMP20 |
| <b>description</b> | compression spring ø 8.8mm L 31mm wire gauge ø 0.7mm                                                           |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |



1

|                    |                                                                     |                 |                     |
|--------------------|---------------------------------------------------------------------|-----------------|---------------------|
| <b>GEV No.</b>     | 346940                                                              | <b>Ref. No.</b> | 18010943<br>CEMMP6S |
| <b>description</b> | compression spring ø 9mm L 19mm wire gauge ø 0.7mm for micro-switch |                 |                     |

## tension springs



1

|                    |                                                                                        |                 |          |
|--------------------|----------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507157                                                                                 | <b>Ref. No.</b> | GMML6261 |
| <b>description</b> | tension spring ø 37mm total length 875mm wire gauge ø 4.5mm L1 305mm L2 570mm for hood |                 |          |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                                                               |                 |          |



## dosing pumps

### peristaltic dosing pumps

SEKO

built-in version

with frequency control



1

| GEV No.     | 361765                                              | Ref. No. | DOSDETETLE |
|-------------|-----------------------------------------------------|----------|------------|
| description | dosing pump frequency control 3l/h 230VAC detergent |          |            |



1

| GEV No.         | 361923                                                                                                                          | Ref. No. | DOSDETETLE |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | dosing pump SEKO frequency control 0.1-3l/h 230VAC detergent hose ø 6mm hose type I hose Santoprene suction level 1.5m type PBR |          |            |
| spare parts for | 361923                                                                                                                          |          |            |
|                 | GEV No.                                                                                                                         | 361238   | Ref. No.   |
|                 | DOSTSANSKC                                                                                                                      |          |            |
|                 | pump hose SEKO detergent hose ø 6x10mm hose length 135mm hose ø 6mm hose type I hose Santoprene                                 |          |            |

### with time control



1

| GEV No.         | 361887                                                                                                                                                                | Ref. No. | DOSBRIETLE |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | dosing pump SEKO with single time control 0.7l/h 230VAC rinse aid hose ø 6mm hose type C hose Sekobril suction level 1.5m type PBM built-in version dosing time 1-20s |          |            |
| spare parts for | 361887                                                                                                                                                                |          |            |
|                 | GEV No.                                                                                                                                                               | 361890   | Ref. No.   |
|                 | —                                                                                                                                                                     |          |            |
|                 | pump hose SEKO rinse aid hose ø 3x8mm hose length 128mm hose ø 6mm hose type C hose Sekobril                                                                          |          |            |

Зип-Общепит

spare parts



1

| GEV No.     | 361136                                         | Ref. No. | DOSPRRSKC |
|-------------|------------------------------------------------|----------|-----------|
| description | roller assembly for dosing pump hole ø 4.8x4mm |          |           |



1

| GEV No.     | 361238                                                                                          | Ref. No. | DOSTSANSKC |
|-------------|-------------------------------------------------------------------------------------------------|----------|------------|
| description | pump hose SEKO detergent hose ø 6x10mm hose length 135mm hose ø 6mm hose type I hose Santoprene |          |            |

|                 |                                                                 |        |          |
|-----------------|-----------------------------------------------------------------|--------|----------|
| spare parts for | 361238                                                          |        |          |
|                 | GEV No.                                                         | 361639 | Ref. No. |
|                 | —                                                               |        |          |
|                 | pump hose ED ø 10mm ID ø 6mm Shore 64° Santoprene dosing Qty 5m |        |          |

### various

#### wall-mounted version

#### without control



1

| GEV No.     | 361766                                                   | Ref. No. | DOSDET72 |
|-------------|----------------------------------------------------------|----------|----------|
| description | dosing pump detergent 230V hose ø 4x6mm peristaltic pump |          |          |

## membrane dosing pumps

## self-priming with supporting pressure

## OMNIWASH



1

| GEV No.         | 361054                                                                                                                                                  | Ref. No. | DSAM3NT<br>DSAM3NTGR<br>DSAM3NTSPL |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------|
| description     | dosing pump rinse aid pressure connection ø 6mm suction connection ø 6mm auxiliary pressure connection 10mm                                             |          |                                    |
| For models:     | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |          |                                    |
| spare parts for | 361054                                                                                                                                                  |          |                                    |
|                 | GEV No.                                                                                                                                                 | 361308   | Ref. No. DS06M3                    |
| membrane        | rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm                                                                |          |                                    |
|                 | GEV No.                                                                                                                                                 | 361348   | Ref. No. DS085<br>DS8S             |
| lip valve       | rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm                                                                |          |                                    |
| accessories for | 361054                                                                                                                                                  |          |                                    |
|                 | GEV No.                                                                                                                                                 | 520252   | Ref. No. —                         |
| nylon hose      | ID ø 6mm ED ø 8mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C white                                                               |          |                                    |
|                 | GEV No.                                                                                                                                                 | 520278   | Ref. No. —                         |
| PVC hose        | ID ø 6mm ED ø 8mm L 2m thickness 1mm t.max. 60°C transparent                                                                                            |          |                                    |



1

| GEV No.     | 361348                                                                                             | Ref. No. | DS085<br>DS8S |
|-------------|----------------------------------------------------------------------------------------------------|----------|---------------|
| description | lip valve rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm |          |               |



1

| GEV No.     | 361308                                                                                            | Ref. No. | DS06M3 |
|-------------|---------------------------------------------------------------------------------------------------|----------|--------|
| description | membrane rinse aid pressure connection ømm suction connection ømm auxiliary pressure connectionmm |          |        |

## 3 in 1 Общепит

## accessories

## hose couplings

## metal



1

| GEV No.     | 361182                                                                                                                        | Ref. No. | VDRV |
|-------------|-------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs                                                                     |          |      |
| For models: | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |          |      |

## tank inlets



1

| GEV No.     | 361858                              | Ref. No. | DSD040BC |
|-------------|-------------------------------------|----------|----------|
| description | tank inlet plastic M10 hose ø 5.5mm |          |          |



1

| GEV No.     | 361859                       | Ref. No. | GSD010COMP |
|-------------|------------------------------|----------|------------|
| description | tank inlet SS M10 hose ø 6mm |          |            |



1

| GEV No.     | 361270                       | Ref. No. | DSD062PC |
|-------------|------------------------------|----------|----------|
| description | tank inlet SS M12 hose ø 4mm |          |          |

## hoses


## supply hoses

## stainless steel flexi hoses

## universal hoses



1



| GEV No.     | 520576                                                                                                                               | Ref. No. | GR6223FLEX |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description | flex hose SS braid straight-curved DN6 connection 1: 3/8" connection 2: 3/8" L 290mm approval DVGW operating p. 10bar burst p. 95bar |          |            |



## PVC supply hoses



|                    |                                                                                                                                     |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 520011                                                                                                                              | <b>Ref. No.</b> | TC34 |
| <b>description</b> | supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal |                 |      |

## plastic/rubber hoses



|                    |                                                                                                   |                 |         |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 520746                                                                                            | <b>Ref. No.</b> | TC3/415 |
| <b>description</b> | supply hose DN DN10mm L 1500mm operating p. 10bar burst p. 32bar straight-curved connections 3/4" |                 |         |

## drain hoses



|                    |                                                                                                    |                 |         |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507329                                                                                             | <b>Ref. No.</b> | CEPS032 |
| <b>description</b> | drain hose DN19 L 1500mm A int. ø 19mm A ext. ø 24mm B int. ø 21mm B ext. ø 28mm outer hose ø 24mm |                 |         |
| <b>For models:</b> | DUE AQ, DUE AT, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T                           |                 |         |



|                    |                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507207                                                                                             | <b>Ref. No.</b> | GS130 |
| <b>description</b> | drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 24mm B ext. ø 28mm outer hose ø 28mm |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO CLQ, UNO CSQ, UNO Q  |                 |       |



|                    |                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507211                                                                                             | <b>Ref. No.</b> | GS330 |
| <b>description</b> | drain hose DN26 L 1500mm A int. ø 33mm A ext. ø 40mm B int. ø 32mm B ext. ø 40mm outer hose ø 35mm |                 |       |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S                                               |                 |       |

Зип Общепит  
vsezip.ru  
+7(812)987-08-81



|                    |                                                                                                                             |                 |           |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 530789                                                                                                                      | <b>Ref. No.</b> | GSTS820PS |
| <b>description</b> | drain hose DN19 L 820mm straight ø inside 21mm straight ext. ø 27mm elbow ø inside 21mm elbow ext. ø 28mm outer hose ø 24mm |                 |           |



|                    |                                                                                                                                    |                 |            |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 530382                                                                                                                             | <b>Ref. No.</b> | GSTS2500PS |
| <b>description</b> | drain hose DN21 L 2575mm straight ø inside 20.5mm straight ext. ø 28mm elbow ø inside 20.5mm elbow ext. ø 26.5mm outer hose ø 24mm |                 |            |

## industrial hoses

## nylon hoses



|                    |                                                                                                            |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 520091                                                                                                     | <b>Ref. No.</b> | TN64 |
| <b>description</b> | nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent |                 |      |

## pressure control hoses



|                    |                                                                                                   |                 |                     |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|---------------------|
| <b>GEV No.</b>     | 530560                                                                                            | <b>Ref. No.</b> | TG510DS<br>TG512FDA |
| <b>description</b> | pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C |                 |                     |

## PVC hoses

## PVC hoses without fabric



|                    |                                                                         |                 |      |
|--------------------|-------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 570026                                                                  | <b>Ref. No.</b> | TC46 |
| <b>description</b> | PVC hose ID ø 4mm ED ø 6mm L 100m thickness 1mm t.max. 60°C transparent |                 |      |

|                                                                              |                |        |                   |
|------------------------------------------------------------------------------|----------------|--------|-------------------|
| <b>accessories for</b>                                                       | 570026         |        |                   |
|                                                                              | <b>GEV No.</b> | 361058 | <b>Ref. No.</b> — |
| container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm         |                |        |                   |
|                                                                              | <b>GEV No.</b> | 361066 | <b>Ref. No.</b> — |
| container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve |                |        |                   |

Table continues overleaf

|                                                                                                            |         |        |          |   |
|------------------------------------------------------------------------------------------------------------|---------|--------|----------|---|
| <b>accessories for</b> 570026                                                                              |         |        |          |   |
|                                                                                                            | GEV No. | 361106 | Ref. No. | — |
| container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve |         |        |          |   |
|                                                                                                            | GEV No. | 361141 | Ref. No. | — |
| container filter with weight ceramic hose ø 4mm                                                            |         |        |          |   |
|                                                                                                            | GEV No. | 361230 | Ref. No. | — |
| container filter with weight stainless steel hose ø 4x6mm                                                  |         |        |          |   |
|                                                                                                            | GEV No. | 361462 | Ref. No. | — |
| container filter with weight SS hose ø 4x6mm                                                               |         |        |          |   |
|                                                                                                            | GEV No. | 361728 | Ref. No. | — |
| container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm                                       |         |        |          |   |

|                                                                                                            |                                                                        |          |          |   |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|----------|---|
| 1                                                                                                          |                                                                        |          |          |   |
| GEV No.                                                                                                    | 520026                                                                 | Ref. No. | TC46     |   |
| description                                                                                                | PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent |          |          |   |
| accessories for                                                                                            | 520026                                                                 |          |          |   |
|                          | GEV No.                                                                | 361058   | Ref. No. | — |
| container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm                                       |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361066   | Ref. No. | — |
| container filter straight SS hose ø 4x6mm L 37mm non return valve ball valve                               |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361106   | Ref. No. | — |
| container filter with weight and non-return valve SS hose ø 4x6mm ø 21mm L 51mm non return valve lip valve |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361141   | Ref. No. | — |
| container filter with weight ceramic hose ø 4mm                                                            |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361230   | Ref. No. | — |
| container filter with weight stainless steel hose ø 4x6mm                                                  |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361462   | Ref. No. | — |
| container filter with weight SS hose ø 4x6mm                                                               |                                                                        |          |          |   |
|                         | GEV No.                                                                | 361728   | Ref. No. | — |
| container filter with 4m 4x6 hose SS hose ø 4x6mm hose length 4000mm                                       |                                                                        |          |          |   |

|                    |                                                                                      |                 |      |
|--------------------|--------------------------------------------------------------------------------------|-----------------|------|
| 1                  |                                                                                      |                 |      |
| <b>GEV No.</b>     | 520545                                                                               | <b>Ref. No.</b> | TC58 |
| <b>description</b> | PVC hose ID ø 5mm ED ø 8mm L 10m thickness 1.5mm t.max. 60°C transparent warewashing |                 |      |

3ип Общепит

formed hoses

form L

vsezip.ru

+7(812)987-08-81

1

|                    |                                                                                                                    |                 |            |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 694923                                                                                                             | <b>Ref. No.</b> | GA18PS5USA |
| <b>description</b> | formed hose end piece A ext. ø 40mm end piece A int. ø 30mm AD2 ø 44mm ø end piece B 36mm L 90mm Qty 1 warewashing |                 |            |

1

|                    |                         |                 |       |
|--------------------|-------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507102                  | <b>Ref. No.</b> | GASA6 |
| <b>description</b> | formed hose warewashing |                 |       |

1

|                    |                           |                 |           |
|--------------------|---------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507414                    | <b>Ref. No.</b> | GS120SPEC |
| <b>description</b> | formed hose warewashing L |                 |           |

1

|                    |                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 507090                                                                             | <b>Ref. No.</b> | GA18 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GA18                                    |                 |      |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO AT, UNO Q, UNO T |                 |      |

1

|                    |                                                 |                 |      |
|--------------------|-------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 507095                                          | <b>Ref. No.</b> | GA38 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GA38 |                 |      |
| <b>For models:</b> | SEI 1P, SEI 2P, SEI 2P/S                        |                 |      |





Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                                  |                 |       |
|--------------------|--------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507097                                           | <b>Ref. No.</b> | GA538 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GA538 |                 |       |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                       |                 |       |



1

|                    |                                                  |                 |       |
|--------------------|--------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507213                                           | <b>Ref. No.</b> | GS520 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GS520 |                 |       |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                       |                 |       |



1

|                    |                                                  |                 |       |
|--------------------|--------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507103                                           | <b>Ref. No.</b> | GASA8 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GASA8 |                 |       |
| <b>For models:</b> | SEI 2P, SEI 2P/S                                 |                 |       |



1

|                    |                                                   |                 |        |
|--------------------|---------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507328                                            | <b>Ref. No.</b> | GSMA5S |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GSMA5S |                 |        |
| <b>For models:</b> | DUE AQ, DUE AT, UNO AQ, UNO AT, UNO Q, UNO T      |                 |        |



1

|                    |                                                   |                 |        |
|--------------------|---------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 507216                                            | <b>Ref. No.</b> | GSMP5S |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GSMP5S |                 |        |
| <b>For models:</b> | QUATTRO Q/82, QUATTRO T/82                        |                 |        |



1

|                    |                                                                       |                 |       |
|--------------------|-----------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507205                                                                | <b>Ref. No.</b> | GS120 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GS120 hose int. ø 25mm     |                 |       |
| <b>For models:</b> | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |                 |       |



1

|                    |                                                    |                 |         |
|--------------------|----------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507304                                             | <b>Ref. No.</b> | LSSA13A |
| <b>description</b> | formed hose warewashing L-shape equiv. no. LSSA13A |                 |         |

with branch



1

|                    |                                                  |                 |       |
|--------------------|--------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507208                                           | <b>Ref. No.</b> | GS220 |
| <b>description</b> | formed hose warewashing L-shape equiv. no. GS220 |                 |       |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ                       |                 |       |



1

|                    |                                                            |                 |          |
|--------------------|------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507153                                                     | <b>Ref. No.</b> | GLMSI61P |
| <b>description</b> | formed hose warewashing equiv. no. GLMSI61P with piggyback |                 |          |
| <b>For models:</b> | SEI 1P                                                     |                 |          |



Зип Общепит

vsezip.ru

+7(812)987-08-81



## form S





Зип.Общепит  
vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 507138                                                                                                      | Ref. No. | GL1T22 |
|-------------|-------------------------------------------------------------------------------------------------------------|----------|--------|
| description | formed hose S-shape warewashing equiv. no. GL1T22                                                           |          |        |
| For models: | JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, UNO ACSQ, UNO ACST, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |          |        |



1

| GEV No.     | 507144                                            | Ref. No. | GL2T22 |
|-------------|---------------------------------------------------|----------|--------|
| description | formed hose S-shape warewashing equiv. no. GL2T22 |          |        |
| For models: | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AT    |          |        |

## form U



1

| GEV No.     | 507394                          | Ref. No. | LISA39206 |
|-------------|---------------------------------|----------|-----------|
| description | formed hose warewashing U-shape |          |           |

## miscellaneous



1

| GEV No.     | 507149                                    | Ref. No. | GL4T22 |
|-------------|-------------------------------------------|----------|--------|
| description | formed hose warewashing equiv. no. GL4T22 |          |        |
| For models: | QUATTRO T/82                              |          |        |

## for dishwashers

## miscellaneous



1

| GEV No.     | 507262 | Ref. No. | LS313B |
|-------------|--------|----------|--------|
| description | hose   |          |        |

## fittings, hose and pipe connectors

## hose connectors

## without screw connection



1

| GEV No.     | 507193                   | Ref. No. | GR6183 |
|-------------|--------------------------|----------|--------|
| description | Y-piece                  |          |        |
| For models: | SEI 1P, SEI 2P, SEI 2P/S |          |        |



1

| GEV No.     | 507174                             | Ref. No. | GPRTTP |
|-------------|------------------------------------|----------|--------|
| description | T-piece plastic hose ø 4-4mm 3-way |          |        |
| For models: | QUATTRO Q/82, QUATTRO T/82         |          |        |

## hose connectors

## producer-specific



1

| GEV No.     | 507061                     | Ref. No. | DSDT040 |
|-------------|----------------------------|----------|---------|
| description | elbow connection           |          |         |
| For models: | QUATTRO Q/82, QUATTRO T/82 |          |         |

accessories for 507061



| GEV No.                                                        | 507075 | Ref. No. | G15101G<br>G1510G<br>G16101G |
|----------------------------------------------------------------|--------|----------|------------------------------|
| flat gasket rubber ED ø 15mm ID ø 10mm thickness 2mm Qty 1 pcs |        |          |                              |



| GEV No.                                                | 507330 | Ref. No. | VD101P1 |
|--------------------------------------------------------|--------|----------|---------|
| nut thread M10x1 H 7mm WS 13 stainless steel Qty 1 pcs |        |          |         |





Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                      |                 |           |
|--------------------|--------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507001                               | <b>Ref. No.</b> | ABPRIRA54 |
| <b>description</b> | screw connection T1: 3/4" T2: 1 1/4" |                 |           |



1

|                    |                                               |                 |                         |
|--------------------|-----------------------------------------------|-----------------|-------------------------|
| <b>GEV No.</b>     | 560341                                        | <b>Ref. No.</b> | FAM46<br>FAM57<br>FAM58 |
| <b>description</b> | hose clamp ø 7-9mm wire gauge ø 1mm Qty 1 pcs |                 |                         |



1

|                    |                                         |                 |       |
|--------------------|-----------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 507104                                  | <b>Ref. No.</b> | GB017 |
| <b>description</b> | T-piece 3-way hose ø 13-13-13mm plastic |                 |       |



1

|                    |                                                |                 |        |
|--------------------|------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 560503                                         | <b>Ref. No.</b> | FAM710 |
| <b>description</b> | hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs |                 |        |

## ancillary products

### clamps

#### hose clamps

##### DIN 3017 - W2



1

|                    |                                                    |                 |        |
|--------------------|----------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 520115                                             | <b>Ref. No.</b> | FA3040 |
| <b>description</b> | hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017 |                 |        |

##### DIN 3017 - W4



1

|                    |                                                         |                 |        |
|--------------------|---------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 520120                                                  | <b>Ref. No.</b> | FA1220 |
| <b>description</b> | hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017 |                 |        |

#### double wire clamps



1

|                    |                                                   |                 |         |
|--------------------|---------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 520788                                            | <b>Ref. No.</b> | FAM4050 |
| <b>description</b> | hose clamp ø 43-50mm wire gauge ø 3.5mm Qty 1 pcs |                 |         |

## measuring equipment

### thermometers

#### built-in thermometers



1

|                    |                                                                                                             |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 541095                                                                                                      | <b>Ref. No.</b> | CETEM |
| <b>description</b> | thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 3000mm probe ø 6.5mm probe L 20mm |                 |       |
| <b>For models:</b> | SEI 2P                                                                                                      |                 |       |

## fastening material

### screws

#### sheet metal screws



1

|                    |                                                         |                 |           |
|--------------------|---------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 560500                                                  | <b>Ref. No.</b> | VATE4232Z |
| <b>description</b> | hexagonal screw ø 4mm L 35mm WS 7 zinc-plated Qty 1 pcs |                 |           |

#### countersunk screws



1

|                    |                                                                                           |                 |            |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 560044                                                                                    | <b>Ref. No.</b> | VVTSEI616I |
| <b>description</b> | countersunk screw thread M6 L 16mm WS 4 SS DIN 7991/ISO 10642 Qty 20 pcs intake hexagonal |                 |            |

Зип Общепит

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

|                    |                                                                                          |                 |            |
|--------------------|------------------------------------------------------------------------------------------|-----------------|------------|
| <b>GEV No.</b>     | 560337                                                                                   | <b>Ref. No.</b> | VVTSEI625I |
| <b>description</b> | countersunk screw thread M6 L 20mm WS 4 SS DIN 9131/ISO 10342 Qty 1 pcs intake hexagonal |                 |            |

## flat-headed bolts



1

|                    |                                                                                                                                                                           |                 |           |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 507320                                                                                                                                                                    | <b>Ref. No.</b> | VVTCC410I |
| <b>description</b> | screw                                                                                                                                                                     |                 |           |
| <b>For models:</b> | DUE ACLQ, DUE ACLT, DUE ACSQ, DUE ACST, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO T/82, UNO ACSQ, UNO ACST, UNO AT, UNO CLQ, UNO CLT, UNO CSQ, UNO CST, UNO T |                 |           |

## hexagonal screws



1

|                    |                                                                               |                 |          |
|--------------------|-------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 560339                                                                        | <b>Ref. No.</b> | VVTE810I |
| <b>description</b> | hexagonal screw thread M8 thread L 10mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017 |                 |          |

## cylinder head bolts

DIN 912/ISO 4762



1

|                    |                                                                                |                 |     |
|--------------------|--------------------------------------------------------------------------------|-----------------|-----|
| <b>GEV No.</b>     | 560025                                                                         | <b>Ref. No.</b> | N/A |
| <b>description</b> | cylinder head bolt thread M4 thread L 10mm WS 3 SS Qty 20 pcs DIN 912/ISO 4762 |                 |     |



1

|                    |                                                                               |                 |          |
|--------------------|-------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 560335                                                                        | <b>Ref. No.</b> | VVEI520I |
| <b>description</b> | cylinder head bolt thread M5 thread L 20mm WS 4 SS Qty 1 pcs DIN 912/ISO 4762 |                 |          |



1

|                    |                                                                                                       |                 |          |
|--------------------|-------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 560338                                                                                                | <b>Ref. No.</b> | VVEI655I |
| <b>description</b> | cylinder head bolt thread M6 L 55mm thread L 25mm WS 4 intake hexagonal SS Qty 1 pcs DIN 912/ISO 4762 |                 |          |



1

|                    |                                                                                   |                 |      |
|--------------------|-----------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 560340                                                                            | <b>Ref. No.</b> | VD4I |
| <b>description</b> | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs |                 |      |



1

|                    |                                                                                   |                 |      |
|--------------------|-----------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 560341                                                                            | <b>Ref. No.</b> | VD5I |
| <b>description</b> | hexagonal nut thread M5 H 3.5mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs |                 |      |



1

|                    |                                                                                  |                 |      |
|--------------------|----------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 511212                                                                           | <b>Ref. No.</b> | VD6I |
| <b>description</b> | hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs |                 |      |



1

|                    |                                                                          |                 |          |
|--------------------|--------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 507331                                                                   | <b>Ref. No.</b> | VDD6T62P |
| <b>description</b> | nut thread M12 H 10mm WS 19 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs |                 |          |

## hexagonal nuts metric (without norm)



1

|                    |                                                                                                                |                 |         |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>GEV No.</b>     | 507330                                                                                                         | <b>Ref. No.</b> | VD10IP1 |
| <b>description</b> | nut thread M10x1 H 7mm WS 13 stainless steel Qty 1 pcs                                                         |                 |         |
| <b>For models:</b> | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO AT, UNO Q, UNO T |                 |         |





## hexagonal nuts inch thread



1

|                    |                                     |                 |      |
|--------------------|-------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 507052                              | <b>Ref. No.</b> | D034 |
| <b>description</b> | hexagonal nut thread 3/4" Qty 1 pcs |                 |      |



1

|                    |                                                                                                                               |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 361182                                                                                                                        | <b>Ref. No.</b> | VDRV |
| <b>description</b> | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs                                                                     |                 |      |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, UNO AQ, UNO CLQ, UNO CSQ, UNO Q |                 |      |



1

|                    |                                               |                 |      |
|--------------------|-----------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 507051                                        | <b>Ref. No.</b> | D014 |
| <b>description</b> | nut thread 1/4" H 7.5mm brass WS 17 Qty 1 pcs |                 |      |



1

|                    |                                                                                                                                                             |                 |               |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|
| <b>GEV No.</b>     | 507054                                                                                                                                                      | <b>Ref. No.</b> | D038<br>D038A |
| <b>description</b> | nut thread 3/8" H 10mm brass WS 20 Qty 1 pcs                                                                                                                |                 |               |
| <b>For models:</b> | DUE ACLQ, DUE ACSQ, DUE AQ, DUE AT, JOLLY AT, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO CLQ, UNO CSQ, UNO Q, UNO T |                 |               |

## washers

## spring rings



1

|                    |                                                                   |                 |       |
|--------------------|-------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 560336                                                            | <b>Ref. No.</b> | VRG4I |
| <b>description</b> | lock washer ID ø 4.2mm ED ø 8mm SS DIN127 Qty 1 pcs for thread M4 |                 |       |

## Зип-Общепит

vsezip.ru

+7(812)987-08-81

## washers

## DIN 125A



1

|                    |                                                 |                 |        |
|--------------------|-------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 560334                                          | <b>Ref. No.</b> | VRP18I |
| <b>description</b> | plain washer ID ø 19mm ED ø 34mm for thread M18 |                 |        |



1

|                    |                                                                                       |                 |       |
|--------------------|---------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 560333                                                                                | <b>Ref. No.</b> | VRP6I |
| <b>description</b> | plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6 |                 |       |

## miscellaneous



1

|                    |                                                        |                 |                 |
|--------------------|--------------------------------------------------------|-----------------|-----------------|
| <b>GEV No.</b>     | 507114                                                 | <b>Ref. No.</b> | GG0T4<br>VRP16I |
| <b>description</b> | disc D1 ø 30mm D2 ø 17mm thickness 3mm                 |                 |                 |
| <b>For models:</b> | DUE AT, JOLLY AT, JOLLY T, QUATTRO T/82, UNO AT, UNO T |                 |                 |

## tooth lock washers

## DIN 6798A



1

|                    |                                                                   |                 |      |
|--------------------|-------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 560342                                                            | <b>Ref. No.</b> | VR6I |
| <b>description</b> | tooth lock washer ID ø 6.5mm ED ø 11mm SS Qty 1 pcs for thread M6 |                 |      |

## fasteners

## clamps

## hose clamps

## DIN 3017 - W2



1

|                    |                                                    |                 |        |
|--------------------|----------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 520115                                             | <b>Ref. No.</b> | FA3040 |
| <b>description</b> | hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017 |                 |        |



## DIN 3017 - W4

|                                                                                   |                                                         |                 |        |
|-----------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|--------|
|  |                                                         |                 |        |
| 1                                                                                 |                                                         |                 |        |
| <b>GEV No.</b>                                                                    | 520120                                                  | <b>Ref. No.</b> | FA1220 |
| <b>description</b>                                                                | hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017 |                 |        |

## double wire clamps

|                                                                                   |                                                   |                 |         |
|-----------------------------------------------------------------------------------|---------------------------------------------------|-----------------|---------|
|  |                                                   |                 |         |
| 1                                                                                 |                                                   |                 |         |
| <b>GEV No.</b>                                                                    | 520788                                            | <b>Ref. No.</b> | FAM4050 |
| <b>description</b>                                                                | hose clamp ø 43-50mm wire gauge ø 3.5mm Qty 1 pcs |                 |         |

|                                                                                   |                                               |                 |                         |
|-----------------------------------------------------------------------------------|-----------------------------------------------|-----------------|-------------------------|
|  |                                               |                 |                         |
| 1                                                                                 |                                               |                 |                         |
| <b>GEV No.</b>                                                                    | 560344                                        | <b>Ref. No.</b> | FAM46<br>FAM57<br>FAM58 |
| <b>description</b>                                                                | hose clamp ø 7-9mm wire gauge ø 1mm Qty 1 pcs |                 |                         |

|                                                                                     |                                                |                 |        |
|-------------------------------------------------------------------------------------|------------------------------------------------|-----------------|--------|
|  |                                                |                 |        |
| 1                                                                                   |                                                |                 |        |
| <b>GEV No.</b>                                                                      | 560503                                         | <b>Ref. No.</b> | FAM710 |
| <b>description</b>                                                                  | hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs |                 |        |

## retaining rings

## DIN 471

|                                                                                     |                                     |                 |       |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------------|-------|
|  |                                     |                 |       |
| 1                                                                                   |                                     |                 |       |
| <b>GEV No.</b>                                                                      | 507130                              | <b>Ref. No.</b> | GG3TE |
| <b>description</b>                                                                  | retaining ring shaft ø 12mm DIN 471 |                 |       |
| <b>For models:</b>                                                                  | QUATTRO T/82                        |                 |       |

|                                                                                     |                                          |                 |       |
|-------------------------------------------------------------------------------------|------------------------------------------|-----------------|-------|
|  |                                          |                 |       |
| 1                                                                                   |                                          |                 |       |
| <b>GEV No.</b>                                                                      | 507121                                   | <b>Ref. No.</b> | GG1TE |
| <b>description</b>                                                                  | retaining ring shaft ø 9mm DIN 471       |                 |       |
| <b>For models:</b>                                                                  | DUE AT, JOLLY AT, JOLLY T, UNO AT, UNO T |                 |       |

Зип Ообщепит

DIN 6799

vsezip.ru

+7(812)987-08-81

|                                                                                    |                                                                                                                                          |                 |        |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                          |                 |        |
| 1                                                                                  |                                                                                                                                          |                 |        |
| <b>GEV No.</b>                                                                     | 507040                                                                                                                                   | <b>Ref. No.</b> | CEMP22 |
| <b>description</b>                                                                 | retaining ring E D1 ø 4mm D2 ø 9mm SS DIN 6799 thickness 0.7mm                                                                           |                 |        |
| <b>For models:</b>                                                                 | DUE AQ, DUE AT, JOLLY AQ, JOLLY AT, JOLLY Q, JOLLY T, QUATTRO Q/82, QUATTRO T/82, SEI 1P, SEI 2P, SEI 2P/S, UNO AQ, UNO AT, UNO Q, UNO T |                 |        |

|                                                                                    |                                                                 |                 |       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------|-------|
|  |                                                                 |                 |       |
| 1                                                                                  |                                                                 |                 |       |
| <b>GEV No.</b>                                                                     | 507014                                                          | <b>Ref. No.</b> | AM013 |
| <b>description</b>                                                                 | retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm |                 |       |

|                                                                                    |                                                                                    |                 |         |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                    |                 |         |
| 1                                                                                  |                                                                                    |                 |         |
| <b>GEV No.</b>                                                                     | 507015                                                                             | <b>Ref. No.</b> | AM013NT |
| <b>description</b>                                                                 | retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm |                 |         |
| <b>For models:</b>                                                                 | QUATTRO Q/82, QUATTRO T/82                                                         |                 |         |

## consumables

## fuses

## fine fuses

|                                                                                      |                                                             |                 |           |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|-----------|
|  |                                                             |                 |           |
| 1                                                                                    |                                                             |                 |           |
| <b>GEV No.</b>                                                                       | 358074                                                      | <b>Ref. No.</b> | CEFU5205A |
| <b>description</b>                                                                   | fine fuse size ø5x20mm 5A fast-acting rated 250V Qty 10 pcs |                 |           |

## fine fuse holders

|                                                                                     |                          |                 |         |
|-------------------------------------------------------------------------------------|--------------------------|-----------------|---------|
|  |                          |                 |         |
| 1                                                                                   |                          |                 |         |
| <b>GEV No.</b>                                                                      | 358512                   | <b>Ref. No.</b> | CEMFSTR |
| <b>description</b>                                                                  | fuse holder              |                 |         |
| <b>For models:</b>                                                                  | SEI 1P, SEI 2P, SEI 2P/S |                 |         |

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**

Зип Общепит

vsezip.ru

+7(812)987-08-81

**B**

|                      |    |
|----------------------|----|
| bi-metal thermostats | 4  |
| booster pumps II     | 25 |

**C**

|                                                 |        |
|-------------------------------------------------|--------|
| clamps                                          | 72, 74 |
| condensators & interference suppression filters | 25     |
| consumables                                     | 75     |
| contactors                                      | 18     |
| control equipment                               | 12     |
| control thermostats                             | 5      |
| countersunk screws                              | 72     |
| cylinder head bolts                             | 73     |

**D**

|                    |        |
|--------------------|--------|
| dosing pumps       | 64     |
| double wire clamps | 72, 75 |
| drain hoses        | 66     |
| drain pumps        | 24     |

**E**

|                        |    |
|------------------------|----|
| electric accessories   | 26 |
| electronic controllers | 19 |

**F**

|                    |        |
|--------------------|--------|
| fasteners          | 74     |
| fastening material | 72     |
| filters            | 25     |
| fine fuses         | 75     |
| flat-headed bolts  | 73     |
| formed hoses       | 67     |
| fuses              | 25, 75 |

**G**

|                              |    |
|------------------------------|----|
| gaskets for wash arm support | 63 |
|------------------------------|----|

**H**

|                  |        |
|------------------|--------|
| heating elements | 3      |
| hexagonal nuts   | 73     |
| hexagonal screws | 73     |
| hose clamps      | 72, 74 |
| hose connectors  | 70, 70 |
| hose couplings   | 65     |
| hoses            | 65     |

**I**

|                             |    |
|-----------------------------|----|
| immersion heating elements  | 3  |
| indicator lights            | 13 |
| indicator lights (complete) | 14 |
| industrial hoses            | 66 |

**L**

|       |    |
|-------|----|
| lamps | 13 |
|-------|----|

**M**

|                     |    |
|---------------------|----|
| magnetic switches   | 12 |
| measuring equipment | 72 |
| microswitches       | 7  |

**N**

|             |    |
|-------------|----|
| nuts        | 73 |
| nylon hoses | 66 |

**O**

|                      |    |
|----------------------|----|
| operating capacitors | 25 |
| O-rings              | 60 |

**P**

|                        |    |
|------------------------|----|
| plastic/rubber hoses   | 66 |
| pressure control hoses | 66 |
| pressure switches      | 22 |
| probes                 | 19 |
| programme timers       | 15 |
| pumps                  | 23 |
| PVC hoses              | 66 |
| PVC supply hoses       | 66 |

**R**

|                                  |    |
|----------------------------------|----|
| relays                           | 19 |
| retaining rings                  | 75 |
| rocker/momentary rocker switches | 5  |

**S**

|                                 |    |
|---------------------------------|----|
| safety bi-metal thermostats     | 4  |
| screws                          | 72 |
| sealing washers                 | 62 |
| sheet metal screws              | 72 |
| snap locks                      | 59 |
| solenoid valves                 | 20 |
| spring rings                    | 74 |
| stainless steel flexi hoses     | 65 |
| supply hoses                    | 65 |
| switches and momentary switches | 5  |
| system switches                 | 11 |
| system switches (ROLD)          | 8  |

**T**

|                    |    |
|--------------------|----|
| tank inlets        | 65 |
| terminals          | 26 |
| thermostats        | 4  |
| timers             | 15 |
| tooth lock washers | 74 |
| transformers       | 19 |

**Зип Общепит****vsezip.ru****+7(812)987-08-81****U**

universal hoses

65

**W**

wash and rinse pumps

23

washers

74