Зип Общепит
vsezip.ru
+7(812)987-08-81

GEV

Spare Parts for

# Combi Ovens

Spare parts suitable for

# TECNOINOX

2017

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

# heating elements

## heating elements for convection

1

| | | | |
|---|---|---|---|
| **GEV No.** | 418087 | **Ref. No.** | RCK6002125 |
| **description** | heating element 15000W 230/400V heating circuits 3 ID ø 398mm ED ø 415mm L 452mm H 121mm L1 32mm W1 105mm H1 80mm H2 25mm flange length 142mm flange width 25mm hole distance 126mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange | | |
| **accessories for** | 418087 | | |
| | GEV No. 550548 | Ref. No. | RCK2005173 |
| | gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 415251 | **Ref. No.** | 00568<br>RC00568000 |
| **description** | heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |
| **spare parts for** | 415251 | | |
| | GEV No. 510368 | Ref. No. | — |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 418086 | **Ref. No.** | RCK6002001 |
| **description** | heating element 8400W 230V heating circuits 3 ID ø 218mm ED ø 235mm L 275mm H 112mm L1 40mm W1 105mm H1 32mm H2 80mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange | | |
| **accessories for** | 418086 | | |
| | GEV No. 550548 | Ref. No. | RCK2005173 |
| | gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173 | | |

## accessories

### flange gaskets

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550548 | **Ref. No.** | RCK2005173 |
| **description** | gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173 | | |

# energy regulators

## EGO

### 1-circuit

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380015 | **Ref. No.** | 00012<br>00937<br>06501<br>RC00006501<br>RC00012000<br>RC00937000 |
| **description** | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 | | |

# thermostats

## control and safety thermostats

### EGO

#### control thermostats

#### 55.10/19_ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375002 | **Ref. No.** | 00569<br>RC00569000 |
| **description** | thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270° | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | |
|---|---|---|---|
| **GEV No.** | 375437 | **Ref. No.** | RC40100042 |
| **description** | thermostat t.max. 324°C temperature range 66-324°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |

## 55.34_ series

| | | | |
|---|---|---|---|
| **GEV No.** | 375183 | **Ref. No.** | 00285<br>RC00285000 |
| **description** | thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318° | | |

# safety thermostats

## 55.10/19_ series

| | | | |
|---|---|---|---|
| **GEV No.** | 375250 | **Ref. No.** | 00427<br>RC00427000 |
| **description** | safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS | | |
| **spare parts for** | 375250 | | |

| | | | |
|---|---|---|---|
| GEV No. | 551083 | Ref. No. | — |

cap for safety thermostat thread M8x1

## 55.32_ series

| | | | |
|---|---|---|---|
| **GEV No.** | 375220 | **Ref. No.** | 00238<br>RC00238000 |
| **description** | safety thermostat switch-off temp. 330°C 3-pole 20A probe ø 11mm probe L 18.5mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1 | | |

| | | | |
|---|---|---|---|
| **GEV No.** | 375628 | **Ref. No.** | RCK6010008 |
| **description** | safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS | | |

| | | | |
|---|---|---|---|
| **GEV No.** | 390142 | **Ref. No.** | 00305<br>RC00305000 |
| **description** | safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81



# switches and momentary switches

## rocker/momentary rocker switches

### 30x22mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 301003 | **Ref. No.** | 00021<br>04702<br>RC00004702<br>RC00021000 |
| **description** | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 | | |
| **accessories for** | 301003 | | |

| | | | |
|---|---|---|---|
| GEV No. | 301036 | Ref. No. | — |
| protective cover internal size 30x22mm for rocker switch mounting measurementsmm | | | |

## push/momentary push switches

### ø16mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 346346 | **Ref. No.** | RCK6032038 |
| **description** | momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 125/55°C protection IP40 | | |

## microswitches

### lever actuated

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345107 | **Ref. No.** | 00204<br>RC00204000 |
| **description** | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm | | |

### pin-plunger actuated

#### M10

1

| | | | |
|---|---|---|---|
| **GEV No.** | 347216 | **Ref. No.** | RC01853000 |
| **description** | microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 346347 | **Ref. No.** | RCK6043088 |
| **description** | microswitch with plunger thread M10x0.75 thread L 14mm 250V 6A 2NO connection male faston 6.3mm stroke 4mm mounting distance 22mm ambient temperature max. 85°C actuating force: 100g | | |

## cam switches

### on/off

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300129 | **Ref. No.** | RCK6030007 |
| **description** | cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic | | |

### 7-position

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300106 | **Ref. No.** | RC01482000 |
| **description** | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper | | |

## operation switches

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300002 | **Ref. No.** | 00070<br>RC00070000 |
| **description** | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic | | |



Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300080 | **Ref. No.** | RC40100006 |
| **description** | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C | | |
| **accessories for** | 300080 | | |

| | | | |
|---|---|---|---|
| GEV No. | 551456 | Ref. No. | — |

gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300200 | **Ref. No.** | 00037<br>RC00037000 |
| **description** | operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic | | |

## rotary switches

### BREMAS

#### A1600 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 346341 | **Ref. No.** | RCK6030030 |
| **description** | rotary switch 8 1-2-3-4-5-6-7-8 sets of contacts 10 type CS0169134 400V 16A shaft ø 4x5mm shaft L 20mm shaft square connection screw | | |

## encoders and potentiometers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300187 | **Ref. No.** | RCK6010097 |
| **description** | potentiometer 4.7KOhm rotation 310° shaft ø 0.6x4.5mm shaft L 20mm cable length 650mm | | |

## lamps

### indicator lights

#### indicator lights 2-piece (lens and indicator lamp)

##### indicator light lenses

###### ø10mm (type SRZ-3)

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359123 | **Ref. No.** | 00053<br>RC00053000 |
| **description** | indicator light housings mounting measurements ø10mm green round Qty 1 pcs | | |
| **accessories for** | 359123 | | |

| | | | |
|---|---|---|---|
| GEV No. | 359132 | Ref. No. | 00052<br>RC01782000 |

indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359124 | **Ref. No.** | 00319<br>RC00319000 |
| **description** | indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs | | |
| **accessories for** | 359124 | | |

| | | | |
|---|---|---|---|
| GEV No. | 359132 | Ref. No. | 00052<br>RC01782000 |

indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C

#### indicator lamps for socket type SRZ / SDK / SDY / SFK

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359130 | **Ref. No.** | RC00052000 |
| **description** | indicator lamp 230V clear connection male faston 6.3mm ø 8mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359132 | **Ref. No.** | 00052<br>RC01782000 |
| **description** | indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C | | |

### indicator lights (complete)

#### ø 6mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359031 | **Ref. No.** | 00011<br>RC00011000 |
| **description** | indicator light ø 6mm 230V green | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## ø12mm

### with screw socket

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359048 | **Ref. No.** | RC40200150 |
| **description** | indicator light ø 12mm 230V yellow connection male faston 6.3mm | | |

## screw-on/push-on fit

### light bulbs

#### for ovens

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359610 | **Ref. No.** | 00566<br>RC00566000 |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |

### halogen lamp

#### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **GEV No.** | 357191 | **Ref. No.** | RCE00C4396 |
| **description** | halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359599 | **Ref. No.** | RCK6061054 |
| **description** | halogen lamp socket G4 12V 20W temp.-resist. 500°C | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359946 | **Ref. No.** | RC01856000 |
| **description** | halogen lamp socket G9 230V 40W temp.-resist. 300°C | | |

## oven lamps

### universal oven lamps

#### mounting diameter 35.5mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359718 | **Ref. No.** | 00805<br>RC00805000 |
| **description** | oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas | | |
| **spare parts for** | 359718 | | |
| | GEV No. 359701 | Ref. No. — | |
| | lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W | | |
| | GEV No. 359740 | Ref. No. — | |
| | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT | | |

#### 30x70mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359338 | **Ref. No.** | RCK6063077 |
| **description** | lamp glass | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359337 | **Ref. No.** | RCK6063075 |
| **description** | oven lamp socket G4 cable length 800mm connection Faston 6.3mm L 70mm W 29mm | | |
| **accessories for** | 359337 | | |
| | GEV No. 359599 | Ref. No. RCK6061054 | |
| | halogen lamp socket G4 12V 20W temp.-resist. 500°C | | |

#### 55x70mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359659 | **Ref. No.** | 00275<br>RC00275000 |
| **description** | oven lamp complete 230V 25W socket E14 L 70mm W 55mm mounting measurements 55x70mm temp.-resist. 300°C connection male faston 6.3mm | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359299 | **Ref. No.** | RC02027000 |
| **description** | gasket L 91mm W 77mm hole ø 3mm for oven lamp | | |

## lamps

### light bulbs

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359610 | **Ref. No.** | 00566<br>RC00566000 |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |

### halogen lamps

#### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **GEV No.** | 357191 | **Ref. No.** | RCE00C4396 |
| **description** | halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359599 | **Ref. No.** | RCK6061054 |
| **description** | halogen lamp socket G4 12V 20W temp.-resist. 500°C | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359946 | **Ref. No.** | RC01856000 |
| **description** | halogen lamp socket G9 230V 40W temp.-resist. 300°C | | |

## timers

### electric timers

#### with time spread

1

| | | | |
|---|---|---|---|
| **GEV No.** | 350074 | **Ref. No.** | RCK6032047 |
| **description** | timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower° | | |

### mechanical timers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 350049 | **Ref. No.** | RC01261000 |
| **description** | timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral | | |
| **accessories for** | 350049 | | |
| | GEV No. 110366 | Ref. No. — | |
| | knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black | | |
| | GEV No. 111205 | Ref. No. — | |
| | dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 350040 | **Ref. No.** | RC00576000 |
| **description** | timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral | | |
| **accessories for** | 350040 | | |
| | GEV No. 110366 | Ref. No. — | |
| | knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black | | |
| | GEV No. 111202 | Ref. No. — | |
| | dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# alarm devices

## buzzers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 350080 | **Ref. No.** | RCK6010103 |
| **description** | buzzer buzzer | | |

# contactors

## ISKRA (FANAL)

### power contactors

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380204 | **Ref. No.** | 06208<br>RC00006208 |
| **description** | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380424 | **Ref. No.** | RCK6046041 |
| **description** | power contactor resistive load 35A 230VAC (AC3/400V) 32A/15kW main contacts 3NO connection screw connection type Fanal DSL30 type ISKRA KNL30 | | |
| **accessories for** | 380424 | | |
| | GEV No. 381378 | Ref. No. — | |
| | overload switch connection screw setting range 24,5-30A for contactors KNL30 type BR30 24.5-30A | | |

# relays

## power relays

### with bracket mounting

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380403 | **Ref. No.** | 00774<br>01213<br>RC00001213<br>RC00774000 |
| **description** | power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500 | | |

## time relays

### time relays

1

| | | | |
|---|---|---|---|
| **GEV No.** | 381119 | **Ref. No.** | RCK6042049 |
| **description** | time relay LOVATO TM D time range 0.06-180s | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380607 | **Ref. No.** | RCK6042054 |
| **description** | time relay LOVATO TM M1 time range 0s-10 days 12-24V AC/DC 8A 1CO connection grip connection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380606 | **Ref. No.** | RCK6042056 |
| **description** | time relay LOVATO TM PL time range 2x 0.1s-100 days 12-240V AC/DC 8A 1CO connection grip connection | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# transformers

## for lighting

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401175 | **Ref. No.** | RCK6041065 |
| **description** | transformer primary 230V secondary 11.5V 90VA | | |

# probes

## universal probes

### temperature probes

1

| | | | |
|---|---|---|---|
| **GEV No.** | 379860 | **Ref. No.** | RCK6000100 |
| **description** | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 379222[1] | **Ref. No.** | RCK6000083 |
| **description** | temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø4x110mm cable length 1.4m 3-wire | | |

[1]3-wire

# electronics

## PCBs



1

| | | | |
|---|---|---|---|
| **GEV No.** | 401166 | **Ref. No.** | RCK6010095 |
| **description** | display | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401172 | **Ref. No.** | RCK6010093 |
| **description** | PCB combi-steamer VE 06/10 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401167 | **Ref. No.** | RCK6010096 |
| **description** | PCB combi-steamer VE 06/10 230V 50/60Hz | | |
| **accessories for** | 401167 | | |

| | | | |
|---|---|---|---|
| GEV No. | 401062 | Ref. No. | — |
| buzzer board 230VAC L 48mm W 45mm connection Faston 6.3mm | | | |

# solenoid valves

## solenoid valves (water)

### RPE

1

| | | | |
|---|---|---|---|
| **GEV No.** | 374017 | **Ref. No.** | RCK6042070 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar | | |

### JOHN GUEST

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370768[1] | **Ref. No.** | RC01964000 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 10mm inputl/min outputl/min DN10 t.max. 90°C duty cycle 100% RPE | | |

[1]cylindrical outlet

# pressure switches

## for steam control

1

| | | | |
|---|---|---|---|
| **GEV No.** | 541074 | **Ref. No.** | RC01842000 |
| **description** | pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8" | | |

# fans

## axial fans

### import

1

| | | | |
|---|---|---|---|
| **GEV No.** | 601604[1] | **Ref. No.** | RC01863000 |
| **description** | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm | | |

[1]with slide bearings

## hot air motors




1

| | | | |
|---|---|---|---|
| **GEV No.** | 500640 | **Ref. No.** | RCK6032122 |
| **description** | fan motor 220-240V 1 phase 50Hz 0.05/0.25HP 1400/2700rpm speeds 2 L1 145mm L2 65mm L3 35mm D1 ø 15mm D2 ø 12mm M10L ET 1.1/0.55A suitable capacitor 12.5µF/450V at 50Hz 1400/2700rpm type 2758D2253 no. 6032122 | | |
| **spare parts for** | 500640 | | |
| | GEV No. 560280 | Ref. No. — | |
| | nut thread M10L H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs | | |




1

| | | | |
|---|---|---|---|
| **GEV No.** | 500642 | **Ref. No.** | RCK6033145 |
| **description** | fan motor 380-415V 3 phase 50Hz 0.22/0.75kW 700/1400rpm speeds 2 L1 166mm L2 45mm L3 67mm D1 ø 24mm D2 ø 20mm M6R ITA at 50Hz 380-415V at 50Hz 700/1400rpm type FB80 4/8 no. 629764 | | |



1

| | | | |
|---|---|---|---|
| **GEV No.** | 601202 | **Ref. No.** | RCK5901006 |
| **description** | fan wheel D1 ø 180mm H1 100mm blades 16 D2 ø 11.5mm D3 ø 16mm H2 30mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 601203 | **Ref. No.** | RCK5901010 |
| **description** | fan wheel D1 ø 310mm H1 100mm blades 30 D2 ø 19.5mm D3 ø 23mm H2 46mm | | |

## hot air fans

### miscellaneous

1




| | | | |
|---|---|---|---|
| **GEV No.** | 601011 | **Ref. No.** | 00565<br>RC00565000 |
| **description** | hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH | | |
| **accessories for** | 601011 | | |
| | GEV No. 550879 | Ref. No. — | |
| | insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81



Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 601011 | | | |
| | GEV No. | 601260 | Ref. No. | — |
| | nut thread M6L IT for hot air fan | | | |

## pumps

### vibration pumps

1

| | | | |
|---|---|---|---|
| **GEV No.** | 500568 | **Ref. No.** | RC01969000 |
| **description** | vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32 | | |
| **spare parts for** | 500568 | | |
| | GEV No. | 390698 | Ref. No. | — |
| | thermal fuse switch-off temp. 110°C suitable for ULKA pump | | | |
| | GEV No. | 520153 | Ref. No. | — |
| | bracket rubber dimensions 53x34x28mm | | | |

## condensators & interference suppression filters

### operating capacitors

#### plastic

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365014 | **Ref. No.** | LF3068081<br>RCK2013001 |
| **description** | operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection | | |

### filters

#### interference suppression filters

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365044 | **Ref. No.** | RCK6090050 |
| **description** | interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs | | |

## fuses

### fine fuses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358677 | **Ref. No.** | RC01861000 |
| **description** | fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs | | |

## electric accessories

### cables

#### accessories

#### cable glands

#### threaded cable glands

#### screw connections

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550571 | **Ref. No.** | RC00241000 |
| **description** | cable gland thread PG16 cable ø 12.0-14.0mm mounting ø 21.5mm nickel-plated brass Qty 1 pcs | | |

### terminals

#### connection terminals with screw/faston connections

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550977[1] | **Ref. No.** | RC00194000 |
| **description** | power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug | | |

[1]with ground lug

Зип Общепит
vsezip.ru
+7(812)987-08-81

# gas thermostats

## PEL

### 25ST series



1

| | | | |
|---|---|---|---|
| **GEV No.** | 101172 | **Ref. No.** | 01133<br>RC01133000 |
| **description** | gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper | | |
| **spare parts for** | 101172 | | |

| | | | |
|---|---|---|---|
| GEV No. | 100259 | Ref. No. | — |

bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5

| | | | |
|---|---|---|---|
| GEV No. | 101060 | Ref. No. | — |

magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA

| | | | |
|---|---|---|---|
| GEV No. | 106200 | Ref. No. | — |

nut thread M9x1 suitable for PEL 24/25S

| | |
|---|---|
| **accessories for** | 101172 |

| | | | |
|---|---|---|---|
| GEV No. | 100908 | Ref. No. | — |

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 100909 | Ref. No. | — |

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101246 | Ref. No. | — |

olive for pipe ø 4mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101278 | Ref. No. | — |

olive for pipe ø 10mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101286 | Ref. No. | — |

olive ID ø 6mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101300 | Ref. No. | — |

union nut thread M16x1.5 tube ø 10mm

| | | | |
|---|---|---|---|
| GEV No. | 101450 | Ref. No. | — |

olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm

| | | | |
|---|---|---|---|
| GEV No. | 101451 | Ref. No. | — |

union nut thread M16x1.5 tube ø 8mm

| | | | |
|---|---|---|---|
| GEV No. | 110079 | Ref. No. | — |

knob dial plate gas thermostat 1-8 silver

| | | | |
|---|---|---|---|
| GEV No. | 110081 | Ref. No. | RC05001300 |

knob ø 70mm shaft ø 8x6.5mm shaft flat universal

# gas valves and ignition boxes

## gas control valves

### SIT

#### TANDEM

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101881 | **Ref. No.** | RCK7020080 |
| **description** | gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.041 suitable for Tandem | | |
| **spare parts for** | 101881 | | |

| | | | |
|---|---|---|---|
| GEV No. | 101379 | Ref. No. | — |

solenoid coil 230V 50Hz suitable for Tandem

| | |
|---|---|
| **accessories for** | 101881 |

| | | | |
|---|---|---|---|
| GEV No. | 101274 | Ref. No. | RCK7070036 |

olive for pipe ø 16mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101275 | Ref. No. | — |

union screw thread 1/2" for pipe ø 16mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101925 | Ref. No. | — |

plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT

| | | | |
|---|---|---|---|
| GEV No. | 102845 | Ref. No. | — |

gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem

| | | | |
|---|---|---|---|
| GEV No. | 102846 | Ref. No. | — |

gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem

| | | | |
|---|---|---|---|
| GEV No. | 102847 | Ref. No. | — |

O-ring

Зип Общепит
vsezip.ru
+7(812)987-08-81

## ignition boxes

### SIT

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101685 | **Ref. No.** | RCK7020085 |
| **description** | ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 10VA 50-60Hz protection IP40 | | |

### miscellaneous

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401171 | **Ref. No.** | RCK6010084 |
| **description** | ignition box | | |

# ignition parts

## pilot burners

### SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 106906 | **Ref. No.** | 00445<br>RC00445000 |
| **description** | pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm | | |
| **spare parts for** | 106906 | | |

| | | | | |
|---|---|---|---|---|
| | GEV No. | 100245 | Ref. No. | 00435<br>RC00435000 |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100855 | Ref. No. | 00411<br>RC00411000 |
| | pilot burner bracket triple | | | |
| | GEV No. | 100885 | Ref. No. | — |
| | air mixing sleeve for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100916 | Ref. No. | — |
| | compression spring for pilot burner Qty 1 pcs | | | |

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 106906 | | | |
| | GEV No. | 100917 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs aluminium | | | |
| | GEV No. | 100918 | Ref. No. | — |
| | screw for pilot burner | | | |
| | GEV No. | 107162 | Ref. No. | — |
| | pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | | |
| | GEV No. | 107701 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | | |
| **accessories for** | 106906 | | | |
|  | GEV No. | 100245 | Ref. No. | 00435<br>RC00435000 |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |
|  | GEV No. | 100246 | Ref. No. | 00436<br>RC00436000 |
| | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
|  | GEV No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
|  | GEV No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | GEV No. | 107171 | Ref. No. | — |
| | pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | |
| | GEV No. | 107700 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | |
| | GEV No. | 107702 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 106907 | **Ref. No.** | RC30100005 |
| **description** | pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm | | |
| **spare parts for** | 106907 | | |

| | | | | |
|---|---|---|---|---|
|  | GEV No. | 100246 | Ref. No. | 00436<br>RC00436000 |
| | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100855 | Ref. No. | 00411<br>RC00411000 |
| | pilot burner bracket triple | | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 106907 | | | |
| | GEV No. | 100885 | Ref. No. | — |
| | air mixing sleeve for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100916 | Ref. No. | — |
| | compression spring for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100917 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs aluminium | | | |
| | GEV No. | 100918 | Ref. No. | — |
| | screw for pilot burner | | | |
| | GEV No. | 107162 | Ref. No. | — |
| | pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | | |
| | GEV No. | 107702 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | |
| **accessories for** | 106907 | | | |
| | GEV No. | 100245 | Ref. No. | 00435 RC00435000 |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | GEV No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
| | GEV No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | GEV No. | 107171 | Ref. No. | — |
| | pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | |
| | GEV No. | 107700 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | |
| | GEV No. | 107701 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | | |

## accessories

## pilot burner brackets

### universal

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100855 | **Ref. No.** | 00411 RC00411000 |
| **description** | pilot burner bracket triple | | |
| **accessories for** | 100855 | | |
| | GEV No. 100855 | Ref. No. | 00411 RC00411000 |
| | pilot burner bracket triple | | |

| | | | |
|---|---|---|---|
| **accessories for** | 100855 | | |
| | GEV No. 100886 | Ref. No. | — |
| | pilot burner bracket suitable for 100 series 3-piece | | |
| | GEV No. 100888 | Ref. No. | — |
| | screw bolt for pilot burner | | |

## pilot burner nozzles

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100245 | **Ref. No.** | 00435 RC00435000 |
| **description** | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100246 | **Ref. No.** | 00436 RC00436000 |
| **description** | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | |

## ignition electrodes

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100706 | **Ref. No.** | 00120 RC00120000 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |

## 140 - 145 -150 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 107114[1] | **Ref. No.** | RCK7090028 |
| **description** | pilot burner SIT type 140 series 2 flames nozzle ømm gas connecti-onmm | | |
| **spare parts for** | 107114 | | |
| | GEV No. 100907 | Ref. No. | — |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | |
| **accessories for** | 107114 | | |
| | GEV No. 100204 | Ref. No. | RC01219000 |
| | pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series | | |
| | GEV No. 100205 | Ref. No. | — |
| | pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series | | |

[1]incl. thermocouple fitting

Table continues overleaf





Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 107114 | | | |
| | GEV No. | 100206 | Ref. No. | — |
| | pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series | | | |
| | GEV No. | 100207 | Ref. No. | RCK7042013 |
| | pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series | | | |
| | GEV No. | 100216 | Ref. No. | — |
| | pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series | | | |
| | GEV No. | 100701 | Ref. No. | 01168 RC01168000 |
| | ignition electrode connection M4 Qty 1 pcs | | | |
| | GEV No. | 100801 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100897 | Ref. No. | — |
| | olive for pipe ø 4mm Qty 1 pcs for pilot burner | | | |
| | GEV No. | 100898 | Ref. No. | — |
| | olive for pipe ø 6mm Qty 1 pcs for pilot burner | | | |
| | GEV No. | 100906 | Ref. No. | RCK7050028 |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | | |
| | GEV No. | 100908 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100909 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | GEV No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
| | GEV No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |

## POLIDORO

### pilot burners

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100051 | **Ref. No.** | RCK7090026 |
| **description** | pilot burner POLIDORO 3 flames code gas connectionmm | | |
| **spare parts for** | 100051 | | |
| | GEV No. | 100907 | Ref. No. | — |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | | |
| **accessories for** | 100051 | | | |
| | GEV No. | 100000 | Ref. No. | — |
| | pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs | | | |
| | GEV No. | 100208 | Ref. No. | — |
| | pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs | | | |
| | GEV No. | 100209 | Ref. No. | — |
| | pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs | | | |
| | GEV No. | 100701 | Ref. No. | 01168 RC01168000 |
| | ignition electrode connection M4 Qty 1 pcs | | | |
| | GEV No. | 100906 | Ref. No. | RCK7050028 |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | | |
| | GEV No. | 100907 | Ref. No. | — |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | | |
| | GEV No. | 100908 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100909 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | GEV No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
| | GEV No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | GEV No. | 102508 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 5 pcs | | | |
| | GEV No. | 102509 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 5 pcs | | | |
| | GEV No. | 102699 | Ref. No. | — |
| | pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores | | | |
| | GEV No. | 102795 | Ref. No. | — |
| | olive for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 102797 | Ref. No. | — |
| | olive for pipe ø 6mm Qty 1 pcs | | | |
| | GEV No. | 106703 | Ref. No. | RCK7042008 |
| | pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs | | | |
| | GEV No. | 106704 | Ref. No. | — |
| | pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs | | | |
| | GEV No. | 106763 | Ref. No. | — |
| | pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs | | | |
| | GEV No. | 106859 | Ref. No. | — |
| | pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs | | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## electrodes




1

| | | | |
|---|---|---|---|
| **GEV No.** | 100701 | **Ref. No.** | 01168<br>RC01168000 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |
| **accessories for** | 100701 | | |

| | | | |
|---|---|---|---|
| GEV No. | 100906 | Ref. No. | RCK7050028 |

screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10




1

| | | | |
|---|---|---|---|
| **GEV No.** | 100706 | **Ref. No.** | 00120<br>RC00120000 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |




1

| | | | |
|---|---|---|---|
| **GEV No.** | 102333 | **Ref. No.** | RCK2012111 |
| **description** | ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 23mm L2 19mm BL1 18mm BL2 3mm BL3 23mm to clip | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 102334 | **Ref. No.** | RCK2012110 |
| **description** | ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 9mm L2 12mm L3 62mm BL1 18mm BL2 3mm BL3 23mm to clip | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100906 | **Ref. No.** | RCK7050028 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |

## ignition cables

### pre-assembled cables

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100176 | **Ref. No.** | RCK6050610 |
| **description** | ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100140 | **Ref. No.** | RCK6050051 |
| **description** | ignition cable cable length 400mm connection ø2.4mm / ø4mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100018 | **Ref. No.** | 00123<br>RC00123000 |
| **description** | ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C | | |





Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

## ignition units

1

| GEV No. | 102485 | Ref. No. | RC00862000<br>RCK6041059 |
|---|---|---|---|
| description | ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz | | |

1

| GEV No. | 101002 | Ref. No. | 00862 |
|---|---|---|---|
| description | ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz | | |

## thermocouples

### plug-in thermocouples

#### plug-in thermocouples standard

##### with barrel socket ø6(6.5)mm

###### thermocouples SIT




1

| GEV No. | 107605 | Ref. No. | RC01483000 |
|---|---|---|---|
| description | thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm | | |




1

| GEV No. | 107613 | Ref. No. | RC40400100 |
|---|---|---|---|
| description | thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm | | |




1

| GEV No. | 107609 | Ref. No. | 00118<br>RC00118000 |
|---|---|---|---|
| description | thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm | | |




1

| GEV No. | 107611 | Ref. No. | RC40400110<br>RCK6010057 |
|---|---|---|---|
| description | thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm | | |

### threaded thermocouples

#### threaded thermocouples standard

##### with socket with thread M8x1

###### SIT




1

| GEV No. | 107634 | Ref. No. | 00864<br>RC00864000 |
|---|---|---|---|
| description | thermocouple SIT M8x1 L 1500mm M8x1 | | |
| accessories for | 107634 | | |

| GEV No. | 102067 | Ref. No. | 00865<br>RC00865000 |
|---|---|---|---|
| nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 | | | |

## accessories

### nuts

1

| GEV No. | 102067 | Ref. No. | 00865<br>RC00865000 |
|---|---|---|---|
| description | nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## interrupters

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101265 | **Ref. No.** | RC00460000 |
| **description** | interrupter thread M9x1 | | |

# gas burners

## bar burners

### bar burners

1

| | | | |
|---|---|---|---|
| **GEV No.** | 105776 | **Ref. No.** | RCK7090100 |
| **description** | bar burner ø 50mm Wmm Hmm L 305mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 105775 | **Ref. No.** | RCK7090101 |
| **description** | bar burner ø 50mm Wmm Hmm L 425mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm | | |

# gas nozzles

## main nozzles

### gas nozzles M10x1

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100477 | **Ref. No.** | 01195 |
| **description** | gas injector thread M10x1 WS 12 bore ø 1.65mm | | |

## pilot burner nozzles

### pilot burner nozzles POLIDORO

1

| | | | |
|---|---|---|---|
| **GEV No.** | 106703 | **Ref. No.** | RCK7042008 |
| **description** | pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs | | |

### pilot burner nozzles SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100245 | **Ref. No.** | 00435<br>RC00435000 |
| **description** | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100246 | **Ref. No.** | 00436<br>RC00436000 |
| **description** | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | |

#### 140/150 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100204 | **Ref. No.** | RC01219000 |
| **description** | pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100207 | **Ref. No.** | RCK7042013 |
| **description** | pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series | | |

## screw connections

### olives

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101274 | **Ref. No.** | RCK7070036 |
| **description** | olive for pipe ø 16mm Qty 1 pcs | | |
| **accessories for** | 101274 | | |

| | | | |
|---|---|---|---|
| GEV No. | 101275 | Ref. No. | — |
| union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | | |





Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

## union screws

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100906 | **Ref. No.** | RCK7050028 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |

## doors

1

| | | | |
|---|---|---|---|
| **GEV No.** | 690585 | **Ref. No.** | RCK2011212 |
| **description** | bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass | | |

## door mechanics

### miscellaneous

1

| | | | |
|---|---|---|---|
| **GEV No.** | 690585 | **Ref. No.** | RCK2011212 |
| **description** | bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass | | |

## vibration pumps

1

| | | | |
|---|---|---|---|
| **GEV No.** | 500568 | **Ref. No.** | RC01969000 |
| **description** | vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32 | | |
| **spare parts for** | 500568 | | |

| | | | |
|---|---|---|---|
| GEV No. | 390698 | Ref. No. | — |

thermal fuse switch-off temp. 110°C suitable for ULKA pump

| | | | |
|---|---|---|---|
| GEV No. | 520153 | Ref. No. | — |

bracket rubber dimensions 53x34x28mm

# locks

## handle latches

### producer-specific

### TECNOINOX

1

| | | | |
|---|---|---|---|
| **GEV No.** | 694067 | **Ref. No.** | RC01940000 |
| **description** | door catch with spigot 1-stage L 26mm total length 51mm thread M8 | | |

## espagnolette locks

### universal

1

| | | | |
|---|---|---|---|
| **GEV No.** | 690041 | **Ref. No.** | RCK5900121 |
| **description** | cam L 148mm mounting distance 32mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 690040 | **Ref. No.** | RCK5900122 |
| **description** | door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 700771 | **Ref. No.** | RCK5900123 |
| **description** | latch gear opening to the left shaft intake ø 8x8mm L 170mm W 40mm H 40mm | | |

# gaskets

## gaskets for heated units

### door seals




1

| | | | |
|---|---|---|---|
| **GEV No.** | 902409 | **Ref. No.** | RCK7070100 |
| **description** | door seal profile 2714 Qty supplied by meter suitable for GIORIK | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81




1

| GEV No. | 900439 | Ref. No. | RCK7070166 |
|---|---|---|---|
| description | door seal profile 2750 Qty supplied by meter | | |

## door seals with fixing hook




1

| GEV No. | 901434 | Ref. No. | RC70044040 |
|---|---|---|---|
| description | door seal W 600mm with 6 mounting clips H 400mm | | |

1

| GEV No. | 901371 | Ref. No. | RC70044030 |
|---|---|---|---|
| description | oven gasket L 540mm W 390mm with 6 mounting clips | | |

## O-rings

### EPDM

#### ø1.78mm



1

| GEV No. | 510824 | Ref. No. | RC00007811 |
|---|---|---|---|
| description | O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs | | |

## shaft gaskets

### shaft gaskets

1

| GEV No. | 550549 | Ref. No. | RCK7070150 |
|---|---|---|---|
| description | shaft sealing for fan motor | | |

1

| GEV No. | 550550 | Ref. No. | RCK7070151 |
|---|---|---|---|
| description | shaft sealing for fan motor | | |

# fittings, hose and pipe connectors

## fittings

### angle pieces

1

| GEV No. | 520824 | Ref. No. | RCK7050374 |
|---|---|---|---|
| description | angle piece thread 1/8" ET - 1/8" IT nickel-plated brass | | |

## push-in fittings

### JOHN GUEST

1

| GEV No. | 520494 | Ref. No. | RC01922000 |
|---|---|---|---|
| description | push-in fitting John Guest angled pipe connection ø10mm - ø10mm | | |
| accessories for | 520494 | | |
| | GEV No. 520973 | Ref. No. — | |
| | hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520495 | **Ref. No.** | RC01027000 |
| **description** | push-in fitting John Guest straight thread 1/8" BSP stub ø 8mm | | |
| **accessories for** | 520495 | | |
| | GEV No. | 520971 | Ref. No. — |
| | hose thickness 1mm LLDPE blue ID ø 4mm ED ø 6mm operating pressure at 20°C 16bar | | |

## consumables

### fuses

#### fine fuses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358677 | **Ref. No.** | RC01861000 |
| **description** | fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs | | |

## fastening material

### nuts

#### hexagonal nuts

##### hexagonal nuts metric (without norm)

1

| | | | |
|---|---|---|---|
| **GEV No.** | 102067 | **Ref. No.** | 00865<br>RC00865000 |
| **description** | nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81


## A

alarm devices 8
axial fans 10

## B

bar burners 18

## C

cable glands 11
cables 11
cam switches 4
condensators & interference suppression filters 11
consumables 21
contactors 8
control thermostats 2

## D

door seals 19
door seals with fixing hook 20

## E

electric accessories 11
electric timers 7
energy regulators 2
espagnolette locks 19

## F

fans 10
fastening material 21
filters 11
fine fuses 21
fittings 20
fuses 11, 21

## G

gas burners 18
gas control valves 12
gas nozzles 18
gas thermostats 12
gaskets for heated units 19

## H

halogen lamp 6
heating elements 2
heating elements for convection 2
hexagonal nuts 21
hot air fans 10
hot air motors 10

## I

ignition boxes 13
ignition cables 16
ignition units 17
indicator lights 5
indicator lights (complete) 5

## L

lamps 5
light bulbs 6

## M

mechanical timers 7
microswitches 4

## N

nuts 21

## O

operating capacitors 11
O-rings 20
oven lamps 6

## P

pilot burners 13
pressure switches 9
probes 9
pumps 11
push/momentary push switches 4
push-in fittings 20

## R

relays 8
rocker/momentary rocker switches 4
rotary switches 5

## S

safety thermostats 3
shaft gaskets 20
solenoid valves 9
switches and momentary switches 4

## T

temperature probes 9
terminals 11
thermocouples 17
thermostats 2
threaded cable glands 11
time relays 8
timers 7
transformers 9

## U

universal probes 9

Зип Общепит
vsezip.ru
+7(812)987-08-81

## V

vibration pumps 11