

Зип Общепит



vsezip.ru

## Service part catalogue

+7(812)987-08-81


**SelfCookingCenter® 5 Senses**

**Combi Master 102 - 10 x 2/1 GastronormE**

**E12MH1407**



SelfCookingCenter® 5 Senses




**SelfCookingCenter® 5 Senses**

| Pos. | Part No. | Description             | Qty. |
|------|----------|-------------------------|------|
| 1    |          | Control panel           | 1    |
| 2    |          | Electrical installation | 1    |
| 3    |          | ClimaPlus               | 1    |
| 4    |          | Steam generator         | 1    |
| 5    |          | Hot air heating         | 1    |
| 6    |          | Motor and fan wheel     | 1    |
| 7    |          | Interior cabinet        | 1    |
| 8    |          | Door                    | 1    |
| 9    |          | Exterior cabinet        | 1    |
| 10   |          | Water                   | 1    |
| 11   |          | CleanJet + Care         | 1    |
| 13   |          | Standard accessory      | 1    |

## Control panel


+7(812)987-08-81



**Control panel****+7(812)987-08-81**

| Pos. | Part No.  | Description                       | Qty. |
|------|-----------|-----------------------------------|------|
| 1    | 87.01.006 | Control panel insert with overlay | 1    |
| 2    | 42.00.161 | Control pcb                       | 1    |
| 7    | 16.00.282 | Dial                              | 3    |
| 8    | 5110.1027 | Distance plate for front panel    | 2    |
| 10   | 40.00.464 | Potentiometer CT                  | 1    |
| 11   | 5110.1029 | Gasket mode switch                | 3    |
| 13   | 16.01.908 | Sealing f. panel insert           | 1    |


# Electrical installation +7(812)987-08-81



## Electrical installation +7(812)987-08-81


| Pos. | Part No.  | Description                            | Qty. |
|------|-----------|----------------------------------------|------|
| 1    | 40.01.589 | Solid state relais                     | 4    |
| 2    | 10.00.061 | Pan head screw Torx T20 M4x12          | 8    |
| 3    | 10.00.061 | Pan head screw Torx T20 M4x12          | 2    |
| 4    | 1204.0120 | Tooth lock washer A4,3                 | 2    |
| 5    | 40.03.931 | Heat sink small 2 SSR                  | 2    |
| 6    | 40.03.371 | Mounting device heat sink SSR          | 1    |
| 7    | 10.01.266 | Pan head screw Torx T20 10,5mm         | 12   |
| 8    | 40.03.661 | Fan housing                            | 1    |
| 9    | 40.03.428 | Cooling fan with NTC                   | 1    |
| 10   | 40.03.257 | Converter 230VAC 24VDC                 | 1    |
| 24   | 40.03.998 | Bus cable 1.15m                        | 1    |
| 31   | 40.00.306 | Cable entry                            | 1    |
| 32   | 40.03.732 | Tie rap 160 mm                         | 1    |
| 33   | 1105.0121 | Hex combination nut M5 galv            | 2    |
| 35   | 40.04.048 | Buzzer                                 | 1    |
| 36   | 40.00.593 | Power supply cable 5x10mm <sup>2</sup> | 1    |
| A    |           | Electrical installation                | 1    |

# Electrical installation +7(812)987-08-81



# Electrical installation+7(812)987-08-81

| Pos. | Part No.  | Description                      | Qty. |
|------|-----------|----------------------------------|------|
| 1    | 40.03.360 | Contactor assembly               | 1    |
| 6    | 40.03.802 | Cable control harness            | 1    |
| 8    | 40.01.329 | Dry up protector 183°            | 1    |
| 9    | 3014.0302 | Hex nut M10 for dry-up protector | 1    |
| 10   | 40.01.482 | Safety temperature limiter 365°C | 1    |
| 11   | 3014.0327 | Hex nut M10x1,0                  | 1    |
| 12   | 40.03.669 | Contactor B&J K3-40B00 190 R     | 1    |
| 13   | 40.02.641 | Auxilliary contact B&J HN10 N/O  | 1    |
| 17   | 40.03.348 | Control transformer T1           | 1    |
| 18   | 10.01.065 | Hex nut M5                       | 1    |
| 19   | 40.03.404 | Mounting support transformer     | 1    |
| 20   | 10.01.065 | Hex nut M5                       | 1    |
| 21   | 40.02.424 | Electronic noice filter          | 1    |
| 25   | 4001.0224 | Fuse 6.35x32mm                   | 2    |
| 26   | 40.02.512 | Fuse holder 2x6.3A               | 1    |
| 29   | 10.00.365 | Pan head screw Torx M3x20        | 2    |
| 37   | 40.03.726 | Terminal block grey WKN 16/U     | 3    |
| 38   | 40.03.727 | Terminal block blue WKN 16/U     | 1    |
| 39   | 40.03.731 | Earth terminal WKN 35SL/U        | 1    |
| 40   | 40.03.729 | Terminal block grey WKN 35/U     | 1    |
| 44   | 4001.1203 | End plate for mounting rail      | 1    |




## ClimaPlus

+7(812)987-08-81

| Pos. | Part No.  | Description                                   | Qty. |
|------|-----------|-----------------------------------------------|------|
| 1    | 22.00.882 | Mounting device f. pressure sensor            | 1    |
| 2    | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1    |
| 4    | 22.00.850 | Outer humidity meas. Piece                    | 1    |
| 5    | 22.00.881 | Gasket f. hum. meas. Pipe                     | 1    |
| 6    | 1104.0122 | Hex combination nut M4 galv                   | 3    |
| 7    | 22.00.525 | Hose set f. humidity control                  | 1    |
| 8    | 22.00.725 | Humidity control cpl.                         | 1    |
| 9    | 22.00.915 | Air inlet pipe                                | 1    |
| 10   | 22.00.960 | Drain hose for humidity control               | 1    |
| 11   | 2066.0527 | Hose clamp ø14mm                              | 2    |
| 12   | 22.00.767 | Vent cover                                    | 1    |
| 13   | 22.00.837 | O-ring for humidity control                   | 2    |
| 15   | 10.00.111 | Cable clip long                               | 2    |

## Steam generator


+7(812)987-08-81



**Steam generator**
**+7(812)987-08-81**

| Pos. | Part No.  | Description                                      | Qty. |
|------|-----------|--------------------------------------------------|------|
| 1    | 44.00.943 | Steam generator insulated                        | 1    |
| 2    | 10.00.709 | Hex nut M6 w. locking                            | 2    |
| 14   | 44.01.334 | Heating element                                  | 1    |
| 15   | 44.01.339 | Heating element w/o pipe                         | 1    |
| 17   | 44.00.279 | Gasket f. heating element                        | 2    |
| 18   | 10.00.709 | Hex nut M6 w. locking                            | 18   |
| 19   | 2066.0519 | Hose clamp 35,6mm                                | 1    |
| 20   | 2066.0526 | Hose clamp Ø46mm                                 | 1    |
| 21   | 44.00.207 | Emptying pump                                    | 1    |
| 22   | 1006.0762 | Hex screw M6x10                                  | 2    |
| 24   | 44.00.232 | Fixing device f. pump steam generator            | 1    |
| 25   | 10.00.709 | Hex nut M6 w. locking                            | 2    |
| 26   | 44.01.222 | Drain hose steam generator                       | 1    |
| 27   | 40.04.106 | Thermocouple steam generator *B5*                | 1    |
| 29   | 10.00.414 | Cable strap black 120°                           | 1    |
| 30   | 1104.0122 | Hex combination nut M4 galv                      | 1    |
| 31   | 2112.1006 | Steam hose Ø50x50mm                              | 1    |
| 32   | 2066.0504 | Hose clamp 40-60mm                               | 1    |
| 34   | 44.00.280 | Gasket f. heating element+Level elektrode insert | 1    |
| 35   | 2920.1300 | Level elektrode insert                           | 1    |
| 36   | 10.00.709 | Hex nut M6 w. locking                            | 4    |
| 37   | 44.01.417 | Filling level electrode 90 mm                    | 1    |
| 38   | 44.01.168 | Fixing angle steam generator                     | 1    |
| 39   | 44.01.181 | Fixing angle steam generator                     | 1    |
| 40   | 44.01.031 | Closing cap for steam generator                  | 1    |
| 41   | 10.00.982 | Hose clamp D=18.2                                | 1    |
| 43   | 2066.0518 | Hose clamp 30mm                                  | 2    |
| 45   | 2066.0504 | Hose clamp 40-60mm                               | 1    |
| A    | 8354.1320 | Pump connection spout cpl.                       | 1    |

## Pump connection spout 17(812)987-08-81




**Pump connection spout**

| Pos. | Part No.  | Description                  | Qty. |
|------|-----------|------------------------------|------|
| 1    | 2118.1000 | Pump connection spout        | 1    |
| 2    | 2120.1259 | Stop plug 10mm               | 1    |
| 3    | 2110.1008 | Silicon hose ø10x2mm         | 1    |
| 4    | 2066.0527 | Hose clamp ø14mm             | 2    |
| 5    | 2066.0530 | Hose clamp ø16.4mm           | 1    |
| 6    | 2062.0331 | Junction pressure hose GS 10 | 1    |
| 7    | 4005.0101 | Tie rap 145 mm               | 1    |

## Hot air heating


+7(812)987-08-81



**Hot air heating****+7(812)987-08-81**

| Pos. | Part No.  | Description                       | Qty. |
|------|-----------|-----------------------------------|------|
| 1    | 40.03.413 | Mating flange f. heating assembly | 1    |
| 2    | 40.03.298 | Heating assembly                  | 1    |
| 4    | 10.00.109 | Hex screw M5x23                   | 6    |
| 5    | 10.01.076 | Cap nut M5*A2                     | 1    |
| 6    | 40.03.416 | Gasket f. heating assembly        | 1    |
| 7    | 1107.0103 | Star lock ø3                      | 2    |

# Motor and fan wheel +7(812)987-08-81




**Motor and fan wheel +7(812)987-08-81**

| Pos. | Part No.  | Description                            | Qty. |
|------|-----------|----------------------------------------|------|
| 1    | 40.03.513 | Fan motor with motor shaft gasket      | 1    |
| 3    | 10.01.049 | Square necked mushroom head bolt 6x30  | 4    |
| 4    | 10.00.709 | Hex nut M6 w. locking                  | 2    |
| 5    | 22.00.721 | Flange f. motor shaft gasket           | 1    |
| 6    | 22.00.722 | Mounting support f. gasket flange      | 1    |
| 7    | 22.00.985 | Motor shaft gasket D15                 | 1    |
| 8    | 20.01.755 | Isolation for mounting plate for motor | 1    |
| 9    | 10.01.065 | Hex nut M5                             | 3    |
| 10   | 22.00.829 | Fan wheel                              | 1    |
| 11   | 10.00.936 | Hex screw M8x20                        | 1    |
| 12   | 1308.0162 | Washer A8,4                            | 1    |
| 13   | 10.00.111 | Cable clip long                        | 3    |
| 14   | 20.01.411 | Bushing for motor mounting bar         | 4    |

## Interior cabinet

+7(812)987-08-81




**Interior cabinet****+7(812)987-08-81**

| Pos. | Part No.  | Description                      | Qty. |
|------|-----------|----------------------------------|------|
| 1    | 40.00.290 | Thermocouple humidity *B4*       | 1    |
| 2    | 10.00.087 | Clamp strap f. sensor            | 1    |
| 3    | 10.00.100 | Hex nut M4, self-locking         | 1    |
| 7    | 40.04.362 | Wiring interior light            | 1    |
| 8    | 40.00.098 | Reflector f. interior light      | 1    |
| 9    | 40.00.091 | Gasket frame w. glass a. gaskets | 1    |
| 10   | 3024.0201 | Halogen bulb 300°C               | 1    |
| 11   | 20.01.803 | Door gasket                      | 1    |
| 12   | 40.04.040 | Meat probe sensor                | 1    |
| 13   | 10.00.612 | Hex nut M16 flat                 | 1    |
| 14   | 1315.0104 | Copper washer 16x20x1,5          | 1    |
| 16   | 40.04.373 | Screen core temperature sensor   | 1    |
| 17   | 10.01.076 | Cap nut M5*A2                    | 2    |
| 20   | 40.03.488 | Thermocouple interior cabinet B1 | 1    |
| 21   | 40.03.782 | Screen interior cabinet sensor   | 1    |
| 22   | 10.01.076 | Cap nut M5*A2                    | 2    |
| 23   | 54.01.117 | Outlet sieve                     | 1    |
| 24   | 40.01.482 | Safety temperature limiter 365°C | 1    |
| 25   | 3014.0327 | Hex nut M10x1,0                  | 1    |
| A    | 22.00.926 | Air baffle                       | 1    |

## Air baffle

+7(812)987-08-81




**Air baffle****+7(812)987-08-81**

| Pos. | Part No.  | Description                       | Qty. |
|------|-----------|-----------------------------------|------|
| 4    | 22.00.734 | Hand protection                   | 1    |
| 6    | 10.00.515 | Rivet 3,2x5 A4                    | 4    |
| 7    | 40.03.780 | Fixing clip core temp. cable      | 1    |
| 8    | 22.00.491 | Surge guard for Meat probe sensor | 1    |
| 9    | 2760.1370 | Latch hook for air baffle         | 2    |
| 10   | 1604.0167 | Rivet 4x10                        | 3    |
| 13   | 10.00.744 | Washer A4,3 *A4                   | 1    |

## Door

+7(812)987-08-81




**Door****+7(812)987-08-81**

| Pos. | Part No.  | Description                   | Qty. |
|------|-----------|-------------------------------|------|
| 1    | 24.00.152 | Door handle                   | 1    |
| 2    | 24.00.176 | Door lock with spring U-bolt  | 1    |
| 6    | 24.00.504 | Lock cover                    | 1    |
| 8    | 24.00.133 | Door mounting support top     | 1    |
| 9    | 1008.0768 | Ornamental screw M8x16        | 3    |
| 11   | 24.00.223 | Door mounting support bottom  | 1    |
| 12   | 1006.1962 | Countersunk screw Torx M6x16  | 2    |
| 14   | 24.00.137 | Door bolt                     | 1    |
| 15   | 10.01.162 | Hex screw M8x10               | 1    |
| 17   | 24.00.048 | Door bolt                     | 1    |
| 18   | 1008.0769 | Ornamental screw M8x30        | 1    |
| 20   | 2001.0109 | Compression spring            | 1    |
| 21   | 24.00.141 | Holding bracket f. door catch | 1    |
| 22   | 1006.0760 | Hex screw M6x16               | 2    |
| 24   | 24.00.142 | Door catch                    | 1    |
| 25   | 1005.2000 | Interlocking tooth screw M5x8 | 1    |
| 27   | 24.01.100 | Spring U-bolt for door lock   | 1    |
| A    | 24.00.113 | Door                          | 1    |

## Door

+7(812)987-08-81




**Door****+7(812)987-08-81**

| Pos. | Part No.  | Description                                | Qty. |
|------|-----------|--------------------------------------------|------|
| 1    | 24.00.200 | Inner glass pane                           | 1    |
| 2    | 24.00.147 | Sleeve for door bolt top                   | 1    |
| 3    | 24.00.146 | Door setting bolt                          | 1    |
| 4    | 24.00.502 | Fixing device f. magnet with magnet        | 1    |
| 5    | 24.01.188 | Drain door drip collector                  | 1    |
| 6    | 24.01.801 | Door drip collector                        | 1    |
| 9    | 24.00.171 | Silicone buffer 7mm for door               | 1    |
| 10   | 1005.1966 | Countersunk screw Torx M5x16               | 2    |
| 11   | 10.00.041 | Rivet nut M5 hexagon closed                | 2    |
| 14   | 87.00.077 | Fixing bracket kit for interior glass pane | 1    |

## Exterior cabinet

+7(812)987-08-81




**Exterior cabinet****+7(812)987-08-81**

| Pos. | Part No.  | Description                            | Qty. |
|------|-----------|----------------------------------------|------|
| 1    | 1104.0820 | Snap nut 4,2mm                         | 3    |
| 2    | 1110.0800 | Cage nut M10                           | 3    |
| 3    | 12.00.205 | Upper part of pedestal                 | 1    |
| 4    | 12.01.133 | Lower part of pedestal                 | 4    |
| 6    | 10.00.975 | Hex screw M10x35                       | 1    |
| 7    | 12.00.516 | Turning lock f. lower part of pedestal | 1    |
| 10   | 16.01.146 | Bracket for door contact switch        | 1    |
| 11   | 1105.0123 | Hex combination nut M4                 | 1    |
| 13   | 22.00.767 | Vent cover                             | 1    |
| 14   | 16.01.965 | Opening mechanism for panel insert     | 1    |
| 18   | 40.04.343 | Door switch 1.05m                      | 1    |
| A    |           | Exterior cabinet                       | 1    |

## Exterior cabinet

+7(812)987-08-81




**Exterior cabinet****+7(812)987-08-81**

| <b>Pos.</b> | <b>Part No.</b> | <b>Description</b>                    | <b>Qty.</b> |
|-------------|-----------------|---------------------------------------|-------------|
| 1           | 16.02.154       | Top cover                             | 1           |
| 2           | 1003.2265       | Countersunk self tapping screw 4,2x16 | 5           |
| 3           | 1104.0820       | Snap nut 4,2mm                        | 5           |
| 5           | 16.00.154       | Side panel right                      | 1           |
| 6           | 1603.0166       | Rivet 3,2x7,9 CNS closed              | 4           |
| 7           | 16.00.155       | Side panel left                       | 1           |
| 8           | 10.00.992       | Hex self tapping screw B4,2x32        | 2           |
| 9           | 1104.0820       | Snap nut 4,2mm                        | 2           |
| 10          | 16.01.927       | Back panel                            | 1           |
| 11          | 16.01.858       | Front panel                           | 1           |
| 12          | 1603.0166       | Rivet 3,2x7,9 CNS closed              | 4           |
| 13          | 16.00.681       | Crossbar front panel                  | 1           |
| 15          | 16.02.627       |                                       | 1           |
| 16          | 1004.2160       | Hex self tapping screw 4,2x16         | 3           |
| 19          | 16.00.331       | Crossbar top                          | 1           |
| 20          | 1603.0166       | Rivet 3,2x7,9 CNS closed              | 4           |
| 22          | 16.01.434       | Gasket f. breather tube d=73mm        | 1           |
| 24          | 40.02.684       | Air inlet filter cpl.                 | 1           |
| 25          | 16.00.329       | Cover f. USB interface                | 1           |
| 26          | 10.00.103       | EJOT PT-screw KA 3.5x10               | 1           |
| 27          | 40.04.046       | Interface cable USB 1.0m              | 1           |
| 28          | 10.00.460       | EJOT PT-Screw Torx 3,5x14             | 2           |
| 29          | 50.00.300       | Drip collector                        | 1           |
| 30          | 50.00.303       | Bushing drip collector                | 2           |
| 31          | 50.01.614       | Drain pipe with bushing               | 1           |
| 32          | 50.00.296       | Clip f. drip collector                | 4           |

# Water

+7(812)987-08-81



**Water****+7(812)987-08-81**

| Pos. | Part No.  | Description                                 | Qty. |
|------|-----------|---------------------------------------------|------|
| 1    | 54.00.879 | Ventilation pipe                            | 1    |
| 2    | 54.01.142 | Rubber form piece venting pipe              | 1    |
| 3a   | 10.01.262 | Hose clamp 76 mm                            | 1    |
| 3b   | 10.01.262 | Hose clamp 76 mm                            | 1    |
| 4    | 50.00.086 | Locking plate f. water distribution         | 1    |
| 6    | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm                 | 1    |
| 8    | 50.00.313 | T-fitting water connection                  | 1    |
| 9    | 50.01.238 | Hand shower roll guide *lead free*          | 1    |
| 10   | 50.01.213 | Connect. hose f. hand shower roll guide     | 1    |
| 11   | 50.00.085 | Plug-in spring f. hand shower roll guide    | 1    |
| 12   | 50.00.130 | Hand shower                                 | 1    |
| 13   | 50.00.156 | Clamp f. hand shower roll guide             | 1    |
| 15   | 1105.0121 | Hex combination nut M5 galv                 | 1    |
| 30   | 54.01.169 | Inspection lid, quenching nozzle, B2        | 1    |
| 31   | 54.01.168 | Gasket f. inspection lid quenching          | 1    |
| 32   | 54.01.191 | Collecting pan                              | 1    |
| 33   | 10.00.745 | Cap nut M6*A2                               | 1    |
| 34   | 50.01.147 | Single solenoid valve Y1                    | 1    |
| 35   | 50.00.071 | Water distribution hor. w/o roll guide con. | 1    |
| 38   | 2067.0050 | Pressure hose d10mm                         | 1.3  |
| 39   | 2067.0050 | Pressure hose d10mm                         | .65  |
| 47   | 50.01.146 | Single solenoid valve Y2                    | 1    |
| 48   | 50.00.070 | Water distribution hor roll guide con.      | 1    |
| 49   | 2067.0050 | Pressure hose d10mm                         | .42  |
| 51   | 8354.1304 | Venting valve for steam generator           | 1    |
| 52   | 1900.0202 | Water filter                                | 3    |
| 54   | 2022.0101 | Grommet d8mm                                | 1    |
| 56   | 50.00.554 | O-ring for hand shower 11x2mm               | 2    |

Combi Master 102 - 10 x 2/1 GastronormE  
E12MH1407

Зип Общепит



vsezip.ru

---

**CleanJet + Care**

**+7(812)987-08-81**

Зип Общепит



Combi Master 102 - 10 x 2/1 GastronormE  
E12MH1407


vsezip.ru

**CleanJet + Care**

**+7(812)987-08-81**

| Pos. | Part No. | Description | Qty. |
|------|----------|-------------|------|
|------|----------|-------------|------|

**Standard accessory** +7(812)987-08-81



**Standard accessory +7(812)987-08-81**

| Pos. | Part No.  | Description        | Qty. |
|------|-----------|--------------------|------|
| 1    | 60.12.116 | Hinging rack left  | 1    |
| 2    | 60.12.117 | Hinging rack right | 1    |
| 8    | 10.01.191 | Sticker set        | 1    |

## Index

| Part-no.  | Description                                   | Page   |
|-----------|-----------------------------------------------|--------|
| 16.02.627 | .....                                         | 31     |
| 22.00.926 | Air baffle .....                              | 21     |
| 40.02.684 | Air inlet filter cpl. ....                    | 31     |
| 22.00.915 | Air inlet pipe .....                          | 11     |
| 40.02.641 | Auxilliary contact B&J HN10 N/O .....         | 9      |
| 16.01.927 | Back panel .....                              | 31     |
| 16.01.146 | Bracket for door contact switch .....         | 29     |
| 40.03.998 | Bus cable 1.15m .....                         | 7      |
| 50.00.303 | Bushing drip collector .....                  | 31     |
| 20.01.411 | Bushing for motor mounting bar .....          | 19     |
| 40.04.048 | Buzzer .....                                  | 7      |
| 10.00.111 | Cable clip long .....                         | 11, 19 |
| 40.03.802 | Cable control harness .....                   | 9      |
| 40.00.306 | Cable entry .....                             | 7      |
| 10.00.414 | Cable strap black 120° .....                  | 13     |
| 1110.0800 | Cage nut M10 .....                            | 29     |
| 10.01.076 | Cap nut M5*A2 .....                           | 17, 21 |
| 10.00.745 | Cap nut M6*A2 .....                           | 33     |
| 50.00.156 | Clamp f. hand shower roll guide .....         | 33     |
| 10.00.087 | Clamp strap f. sensor .....                   | 21     |
| 50.00.296 | Clip f. drip collector .....                  | 31     |
| 44.01.031 | Closing cap for steam generator .....         | 13     |
| 54.01.191 | Collecting pan .....                          | 33     |
| 2001.0109 | Compression spring .....                      | 25     |
| 50.01.213 | Connect. hose f. hand shower roll guide ..... | 33     |
| 40.03.360 | Contactor assembly .....                      | 9      |
| 40.03.669 | Contactor B&J K3-40B00 190 R .....            | 9      |
| 87.01.006 | Control panel insert with overlay .....       | 5      |
| 42.00.161 | Control pcb .....                             | 5      |
| 40.03.348 | Control transformer T1 .....                  | 9      |
| 40.03.257 | Converter 230VAC 24VDC .....                  | 7      |
| 40.03.428 | Cooling fan with NTC .....                    | 7      |

## Index

+7(812)987-08-81

| Part-no.  | Description                                 | Page |
|-----------|---------------------------------------------|------|
| 1315.0104 | Copper washer 16x20x1,5 .....               | 21   |
| 1005.1966 | Countersunk screw Torx M5x16 .....          | 27   |
| 1006.1962 | Countersunk screw Torx M6x16 .....          | 25   |
| 1003.2265 | Countersunk self tapping screw 4,2x16 ..... | 31   |
| 16.00.329 | Cover f. USB interface .....                | 31   |
| 16.00.681 | Crossbar front panel .....                  | 31   |
| 16.00.331 | Crossbar top .....                          | 31   |
| 16.00.282 | Dial .....                                  | 5    |
| 5110.1027 | Distance plate for front panel .....        | 5    |
| 24.00.113 | Door .....                                  | 25   |
| 24.00.137 | Door bolt .....                             | 25   |
| 24.00.048 | Door bolt .....                             | 25   |
| 24.00.142 | Door catch .....                            | 25   |
| 24.01.801 | Door drip collector .....                   | 27   |
| 20.01.803 | Door gasket .....                           | 21   |
| 24.00.152 | Door handle .....                           | 25   |
| 24.00.176 | Door lock with spring U-bolt .....          | 25   |
| 24.00.223 | Door mounting support bottom .....          | 25   |
| 24.00.133 | Door mounting support top .....             | 25   |
| 24.00.146 | Door setting bolt .....                     | 27   |
| 40.04.343 | Door switch 1.05m .....                     | 29   |
| 24.01.188 | Drain door drip collector .....             | 27   |
| 22.00.960 | Drain hose for humidity control .....       | 11   |
| 44.01.222 | Drain hose steam generator .....            | 13   |
| 50.01.614 | Drain pipe with bushing .....               | 31   |
| 50.00.300 | Drip collector .....                        | 31   |
| 40.01.329 | Dry up protector 183° .....                 | 9    |
| 40.03.731 | Earth terminal WKN 35SL/U .....             | 9    |
| 10.00.103 | EJOT PT-screw KA 3.5x10 .....               | 31   |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 .....             | 31   |
| 40.02.424 | Electronic noise filter .....               | 9    |
| 44.00.207 | Emptying pump .....                         | 13   |

## Index

| Part-no.  | Description                                            | Page |
|-----------|--------------------------------------------------------|------|
| 4001.1203 | End plate for mounting rail .....                      | 9    |
| 40.03.661 | Fan housing .....                                      | 7    |
| 40.03.513 | Fan motor with motor shaft gasket .....                | 19   |
| 22.00.829 | Fan wheel .....                                        | 19   |
| 44.01.417 | Filling level electrode 90 mm .....                    | 13   |
| 44.01.168 | Fixing angle steam generator .....                     | 13   |
| 44.01.181 | Fixing angle steam generator .....                     | 13   |
| 87.00.077 | Fixing bracket kit for interior glass pane .....       | 27   |
| 40.03.780 | Fixing clip core temp. cable .....                     | 23   |
| 24.00.502 | Fixing device f. magnet with magnet .....              | 27   |
| 44.00.232 | Fixing device f. pump steam generator .....            | 13   |
| 22.00.721 | Flange f. motor shaft gasket .....                     | 19   |
| 16.01.858 | Front panel .....                                      | 31   |
| 4001.0224 | Fuse 6.35x32mm .....                                   | 9    |
| 40.02.512 | Fuse holder 2x6.3A .....                               | 9    |
| 16.01.434 | Gasket f. breather tube d=73mm .....                   | 31   |
| 40.03.416 | Gasket f. heating assembly .....                       | 17   |
| 44.00.279 | Gasket f. heating element .....                        | 13   |
| 44.00.280 | Gasket f. heating element+Level electrode insert ..... | 13   |
| 22.00.881 | Gasket f. hum. meas. Pipe .....                        | 11   |
| 54.01.168 | Gasket f. inspection lid quenching .....               | 33   |
| 40.00.091 | Gasket frame w. glass a. gaskets .....                 | 21   |
| 5110.1029 | Gasket mode switch .....                               | 5    |
| 2022.0101 | Grommet d8mm .....                                     | 33   |
| 3024.0201 | Halogen bulb 300°C .....                               | 21   |
| 22.00.734 | Hand protection .....                                  | 23   |
| 50.00.130 | Hand shower .....                                      | 33   |
| 50.01.238 | Hand shower roll guide *lead free* .....               | 33   |
| 40.03.931 | Heat sink small 2 SSR .....                            | 7    |
| 40.03.298 | Heating assembly .....                                 | 17   |
| 44.01.334 | Heating element .....                                  | 13   |
| 44.01.339 | Heating element w/o pipe .....                         | 13   |

## Index

# +7(812)987-08-81

| Part-no.  | Description                            | Page   |
|-----------|----------------------------------------|--------|
| 1105.0123 | Hex combination nut M4 .....           | 29     |
| 1104.0122 | Hex combination nut M4 galv .....      | 11, 13 |
| 1105.0121 | Hex combination nut M5 galv .....      | 7, 33  |
| 10.00.100 | Hex nut M4, self-locking .....         | 21     |
| 10.01.065 | Hex nut M5 .....                       | 9, 19  |
| 10.00.709 | Hex nut M6 w. locking .....            | 13, 19 |
| 3014.0302 | Hex nut M10 for dry-up protector ..... | 9      |
| 3014.0327 | Hex nut M10x1,0 .....                  | 9, 21  |
| 10.00.612 | Hex nut M16 flat .....                 | 21     |
| 10.00.109 | Hex screw M5x23 .....                  | 17     |
| 1006.0762 | Hex screw M6x10 .....                  | 13     |
| 1006.0760 | Hex screw M6x16 .....                  | 25     |
| 10.01.162 | Hex screw M8x10 .....                  | 25     |
| 10.00.936 | Hex screw M8x20 .....                  | 19     |
| 10.00.975 | Hex screw M10x35 .....                 | 29     |
| 1004.2160 | Hex self tapping screw 4,2x16 .....    | 31     |
| 10.00.992 | Hex self tapping screw B4,2x32 .....   | 31     |
| 60.12.116 | Hinging rack left .....                | 37     |
| 60.12.117 | Hinging rack right .....               | 37     |
| 24.00.141 | Holding bracket f. door catch .....    | 25     |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm .....      | 33     |
| 2066.0518 | Hose clamp 30mm .....                  | 13     |
| 2066.0519 | Hose clamp 35,6mm .....                | 13     |
| 2066.0504 | Hose clamp 40-60mm .....               | 13     |
| 10.01.262 | Hose clamp 76 mm .....                 | 33     |
| 10.00.982 | Hose clamp D=18.2 .....                | 13     |
| 2066.0527 | Hose clamp ø14mm .....                 | 11, 15 |
| 2066.0530 | Hose clamp ø16.4mm .....               | 15     |
| 2066.0526 | Hose clamp ø46mm .....                 | 13     |
| 22.00.525 | Hose set f. humidity control .....     | 11     |
| 22.00.725 | Humidity control cpl. ....             | 11     |
| 24.00.200 | Inner glass pane .....                 | 27     |

## Index

| Part-no.  | Description                                         | Page |
|-----------|-----------------------------------------------------|------|
| 54.01.169 | Inspection lid, quenching nozzle, B2 .....          | 33   |
| 40.04.046 | Interface cable USB 1.0m .....                      | 31   |
| 1005.2000 | Interlocking tooth screw M5x8 .....                 | 25   |
| 20.01.755 | Isolation for mounting plate for motor .....        | 19   |
| 2062.0331 | Junction pressure hose GS 10 .....                  | 15   |
| 2760.1370 | Latch hook for air baffle .....                     | 23   |
| 2920.1300 | Level electrode insert .....                        | 13   |
| 24.00.504 | Lock cover .....                                    | 25   |
| 50.00.086 | Locking plate f. water distribution .....           | 33   |
| 12.01.133 | Lower part of pedestal .....                        | 29   |
| 40.03.413 | Mating flange f. heating assembly .....             | 17   |
| 40.04.040 | Meat probe sensor .....                             | 21   |
| 22.00.985 | Motor shaft gasket D15 .....                        | 19   |
| 22.00.882 | Mounting device f. pressure sensor .....            | 11   |
| 40.03.371 | Mounting device heat sink SSR .....                 | 7    |
| 22.00.722 | Mounting support f. gasket flange .....             | 19   |
| 40.03.404 | Mounting support transformer .....                  | 9    |
| 50.00.554 | O-ring for hand shower 11x2mm .....                 | 33   |
| 22.00.837 | O-ring for humidity control .....                   | 11   |
| 16.01.965 | Opening mechanism for panel insert .....            | 29   |
| 1008.0768 | Ornamental screw M8x16 .....                        | 25   |
| 1008.0769 | Ornamental screw M8x30 .....                        | 25   |
| 22.00.850 | Outer humidity meas. Piece .....                    | 11   |
| 54.01.117 | Outlet sieve .....                                  | 21   |
| 10.00.365 | Pan head screw Torx M3x20 .....                     | 9    |
| 10.01.266 | Pan head screw Torx T20 10,5mm .....                | 7    |
| 10.00.061 | Pan head screw Torx T20 M4x12 .....                 | 7    |
| 50.00.085 | Plug-in spring f. hand shower roll guide .....      | 33   |
| 40.00.464 | Potentiometer CT .....                              | 5    |
| 40.00.593 | Power supply cable 5x10mm <sup>2</sup> .....        | 7    |
| 2067.0050 | Pressure hose d10mm .....                           | 33   |
| 3017.1011 | Pressure sensor for humidity control Huba 401 ..... | 11   |

## Index

# +7(812)987-08-81

| Part-no.  | Description                                 | Page   |
|-----------|---------------------------------------------|--------|
| 2118.1000 | Pump connection spout .....                 | 15     |
| 8354.1320 | Pump connection spout cpl. ....             | 13     |
| 40.00.098 | Reflector f. interior light .....           | 21     |
| 10.00.515 | Rivet 3,2x5 A4 .....                        | 23     |
| 1603.0166 | Rivet 3,2x7,9 CNS closed .....              | 31     |
| 1604.0167 | Rivet 4x10 .....                            | 23     |
| 10.00.041 | Rivet nut M5 hexagon closed .....           | 27     |
| 54.01.142 | Rubber form piece venting pipe .....        | 33     |
| 40.01.482 | Safety temperature limiter 365°C .....      | 9, 21  |
| 40.04.373 | Screen core temperature sensor .....        | 21     |
| 40.03.782 | Screen interior cabinet sensor .....        | 21     |
| 16.01.908 | Sealing f. panel insert .....               | 5      |
| 16.00.155 | Side panel left .....                       | 31     |
| 16.00.154 | Side panel right .....                      | 31     |
| 2110.1008 | Silicon hose Ø10x2mm .....                  | 15     |
| 24.00.171 | Silicone buffer 7mm for door .....          | 27     |
| 50.01.147 | Single solenoid valve Y1 .....              | 33     |
| 50.01.146 | Single solenoid valve Y2 .....              | 33     |
| 24.00.147 | Sleeve for door bolt top .....              | 27     |
| 1104.0820 | Snap nut 4,2mm .....                        | 29, 31 |
| 40.01.589 | Solid state relais .....                    | 7      |
| 24.01.100 | Spring U-bolt for door lock .....           | 25     |
| 10.01.049 | Square necked mushroom head bolt 6x30 ..... | 19     |
| 1107.0103 | Star lock Ø3 .....                          | 17     |
| 44.00.943 | Steam generator insulated .....             | 13     |
| 2112.1006 | Steam hose Ø50x50mm .....                   | 13     |
| 10.01.191 | Sticker set .....                           | 37     |
| 2120.1259 | Stop plug 10mm .....                        | 15     |
| 22.00.491 | Surge guard for Meat probe sensor .....     | 23     |
| 50.00.313 | T-fitting water connection .....            | 33     |
| 40.03.727 | Terminal block blue WKN 16/U .....          | 9      |
| 40.03.726 | Terminal block grey WKN 16/U .....          | 9      |

## Index

| Part-no.  | Description                                      | Page   |
|-----------|--------------------------------------------------|--------|
| 40.03.729 | Terminal block grey WKN 35/U .....               | 9      |
| 40.00.290 | Thermocouple humidity *B4* .....                 | 21     |
| 40.03.488 | Thermocouple interior cabinet B1 .....           | 21     |
| 40.04.106 | Thermocouple steam generator *B5* .....          | 13     |
| 4005.0101 | Tie rap 145 mm .....                             | 15     |
| 40.03.732 | Tie rap 160 mm .....                             | 7      |
| 1204.0120 | Tooth lock washer A4,3 .....                     | 7      |
| 16.02.154 | Top cover .....                                  | 31     |
| 12.00.516 | Turning lock f. lower part of pedestal .....     | 29     |
| 12.00.205 | Upper part of pedestal .....                     | 29     |
| 22.00.767 | Vent cover .....                                 | 11, 29 |
| 54.00.879 | Ventilation pipe .....                           | 33     |
| 8354.1304 | Venting valve for steam generator .....          | 33     |
| 10.00.744 | Washer A4,3 *A4 .....                            | 23     |
| 1308.0162 | Washer A8,4 .....                                | 19     |
| 50.00.070 | Water distribution hor roll guide con. ....      | 33     |
| 50.00.071 | Water distribution hor. w/o roll guide con. .... | 33     |
| 1900.0202 | Water filter .....                               | 33     |
| 40.04.362 | Wiring interior light .....                      | 21     |

Зип Общепит



vsezip.ru

---

+7(812)987-08-81

---

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**

Зип Общепит

## Deckblatt Elektrische Dokumentation, Cover sheet electrical

vsezip.ru


Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende.  
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the legend.

|                                                    |                    |                                        |
|----------------------------------------------------|--------------------|----------------------------------------|
| <b>Typ</b><br><b>Type</b>                          | CMP 102E           |                                        |
| <b>Spannung (SPL)</b><br><b>Voltage</b>            | 3NAC400 V 50/60 Hz |                                        |
| <b>Deckblatt-Nr.</b><br><b>Front Page No.</b>      | 75-21536           | <b>Version</b>                         |
| <b>Schaltplan</b><br><b>Wiring diagram</b>         | 76-00457           | <b>Version</b>                         |
| <b>Legende</b><br><b>Legend electr. components</b> | 78-01064           | <b>Version</b>                         |
| <b>Geräteserialnr.</b><br><b>Serial number</b>     | E12MH1102          | <b>Version</b>                         |
| <b>Erstellt am</b><br><b>Created at</b>            | 02.11.2011         | <b>Ersteller</b><br><b>Creator</b>     |
| <b>Gültig ab</b><br><b>Valid from</b>              | 16.09.2014         | <b>Änderung</b><br><b>Modification</b> |

Зип Общепит

vsezip.ru

+7(812)987-08-81



76-00457


MODUL 1  
Leistung/Power

CM

Version

5

3NAC40



76-00457

Version

5

MODUL 2  
Heizung/Heating

CM

3NAC40

3NAC40

**Positionsliste**  
**Bill of material**

Seite 1 von 2

Зип Общепит

vsezip.ru

+7(812)987-08-81

| Name<br>Name   | Artikelnr.<br>Item number | Artikelbezeichnung                         |                           | Item desc     |
|----------------|---------------------------|--------------------------------------------|---------------------------|---------------|
| -A4            | 42.00.161                 | Bedienplatine CMP                          |                           | Operator PC   |
| -A4-F1         | 3019.0125                 | Sicherung 1,6AT                            |                           | Fuse 1,6AT    |
| -B1            | 40.03.488                 | Thermoelement Garraum                      |                           | Thermocoup    |
| -B2            | 54.01.169                 | Thermoelement Ablösung                     |                           | Thermocoup    |
| -B3            | 40.04.040                 | Thermoelement Kerntemperatur               |                           | Thermocoup    |
| -B4            | 40.00.290                 | Thermoelement Feuchte                      |                           | Thermocoup    |
| -B5            | 40.04.106                 | Thermoelement Dampfgenerator               |                           | Thermocoup    |
| -F1/F2         | 4001.0224                 | Steuersicherung                            |                           | Control fuse  |
| -F3            | 40.01.329                 | Sicherheitstemperaturbegrenzer DG          |                           | Safety therm  |
| -F4            | 40.01.482                 | Sicherheitstemperaturbegrenzer 360°C/680°F |                           | Safety therm  |
| -G1            | 40.03.257                 | Gleichrichter Kühllüfter                   |                           | DC converte   |
| -H1            | 3024.0201                 | Garraumbeleuchtung                         |                           | Interior cabl |
| -K1            | 40.03.669                 | Hauptschütz                                |                           | Main contact  |
| -M1            | 40.03.513                 | Lüftermotor                                |                           | Fan motor     |
| -M4            | 44.00.207                 | SC-Pumpe                                   |                           | SC-pump       |
| -M5            | 40.03.428                 | Kühllüfter                                 |                           | Cooling fan   |
| -P1            | 3017.1011                 | Differenzdrucksensor                       |                           | Differential  |
| -R1            | 44.01.334                 | Dampfheizkörper                            |                           | Heating eler  |
| -R2            | 44.01.339                 | Dampfheizkörper                            |                           | Heating eler  |
| -R4            | 40.03.298                 | Heißluftheizkörper                         |                           | Heating eler  |
| -S2            | 44.01.417                 | Niveauelektrode                            |                           | Water level   |
| -S3            | 40.04.343                 | Türkontaktschalter                         |                           | Door contact  |
| -S7            | 40.00.464                 | Potentiometer Zeit / Kerntemperatur        |                           | Time / Core   |
| -T1            | 40.03.348                 | Steuertrafo                                |                           | Control tran  |
| -T1-F1         | 3019.0120                 | Sicherung Steuertrafo T1 2AT               |                           | Fuse contro   |
| -T1-F2         | 3019.0114                 | Sicherung Steuertrafo T1 5AmT              |                           | Fuse contro   |
| -T2            | 40.04.048                 | SCC WE: Lautsprecher / CMP: Alarmsummer    |                           | SCC WE: Sp    |
| -V1-V12        | 40.01.589                 | Leistungshalbleiter                        |                           | Solid state r |
| -W0            | 40.00.593                 | Anschlusskabel                             |                           | Cable: power  |
| -W11           | 40.04.362                 | Kabel: Garraumbeleuchtung                  |                           | Cable: inter  |
| -W17           | 40.03.802                 | Kabel: Steuerstamm                         |                           | Cable: contr  |
| Änderungsdatum | <b>25.04.2014</b>         | Name                                       | <b>CMP 102E-Option</b>    | Dokument      |
| Erzeuger       | <b>SCHD</b>               | Spannung                                   | <b>3NAC400 V 50/60 Hz</b> | Version       |

**Positionsliste**  
**Bill of material**

Seite 2 von 2

Зип Общепит

| <b>Name<br/>Name</b> | <b>Artikelnr.<br/>Item number</b> | <b>Artikelbezeichnung</b> | <b>Item description</b> |
|----------------------|-----------------------------------|---------------------------|-------------------------|
| -Y1                  | 50.01.147                         | Magnetventil Füllen       | Solenoid valve          |
| -Y2                  | 50.01.146                         | Magnetventil Ablöschung   | Solenoid valve          |
| -Y5                  | 22.00.725                         | Klima ventil              | Clima valve             |
| -Z1                  | 40.02.424                         | Entstörfilter/Varistor    | Electronic noise        |

|                |                   |          |                           |               |
|----------------|-------------------|----------|---------------------------|---------------|
| Änderungsdatum | <b>25.04.2014</b> | Name     | <b>CMP 102E-Option</b>    | Dokumentation |
| Erzeuger       | <b>SCHD</b>       | Spannung | <b>3NAC400 V 50/60 Hz</b> | Version       |